



Ref #	Part Number Qty	Description
	34922A	Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
	27652	Pin, Dowel
	30700	Yoke, Governor
	30699C	Rod Assy., Governor (Incl. 15A & 15B)
	650494	Screw, 6-40 x 5/16"
	33454	Governor Lever Assy.
	29916	Clamp, Governor lever
	650548	Screw, 8-32 x 5/16"
	32630	Seal, Oil
25	35256A	Blower Housing Baffle (With electric starter knockout) (Use
		as required)
25	29536	Blower Housing Baffle (Without electric starter knockout)
		(Use as required)
06	CEOEC1	Sorou: 1/4.20 x E/0"
	650561	Screw, 1/4-20 x 5/8"
	33365B	Crankshaft (Incl. 108 & 109)
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
	30322	Nut & Lockwasher, 8-32
	29216	Locknut, 10-32
38	29642	Ring, Retaining
40	34860A	Piston, Pin & Ring Set (Std.)(3-5/16")
40	34861A	Piston, Pin & Ring Set (.010" OS)
40	34862A	Piston, Pin & Ring Set (.020" OS)
41	34863	Piston & Pin Ass'y. (Std.)(3-5/16")(I ncl.43)
	34864	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34865	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	34866A	Ring Set (Std.) (3-5/16" Bore)
	34867A	Ring Set (.010" OS)
	34868A	Ring Set (.020" OS)
	27888	Ring, Piston Pin retaining
	32591C	Rod Assy., Connecting (Incl. 46, 47 & 49)
	650662C	Bolt, Connecting rod (2 pieces)
	650662C	Bolt, Connecting rod (2 pieces)
	34034	Lifter, Valve
		,
	34242	Dipper, Oil
	34143	Camshaft (MCR)
	33273A	Extension, Blower housing
	34126	Bracket, Grommet mounting
	650760	Screw, 8-32 x 3/8"
	28545	Grommet, Plastic
	650128	Screw, 10-24 x 1/2"
	35262	* Gasket, Flange
	33367B	Cover, Cylinder (Incl. 71, 75 & 80)
71	33368	Bushing, Crankshaft
72	27642	Plug, Oil drain
75	31950	Seal, Oil
80	31845	Shaft, Mechanical governor
81	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
	29193	Ring, Retaining
	650833	Screw, 1/4-20 x 1-3/16 (Use as required)
	650832	Screw, 1/4-20 x 1-11/16" (Use as required)
	32589	Key, Flywheel
	650815	• •
		Washer, Belleville
	8116	Nut, Hex
101	610118	Cover, Spark plug

108	650489 29783	Screw, 1/4-20 x 5/8"
109	29783	
		Pin, Crankshaft gear (Only serviceable when gear is pinned to crank.)
	222.45	,
		Gear, Crankshaft
	34240	Ground Wire
	34923A	* Gasket, Cylinder head
	34030A	Head, Cylinder
	27878A	Exhaust Valve (Std.) (Incl. 151)
	27880A	Exhaust Valve (1/32" OS) (Incl. 151)
126	34035	Intake Valve (Std.) (Incl. 151)
126	34036	Intake Valve (1/32" OS) (Incl. 151)
127	650691	Washer (Do not use with No. 6021A scr ew.)
128	650690	Washer, Belleville (Use as required)
129	650727	Screw, 5/16-18 x 1-3/4 (Use as required)
130	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No
		650691 washer.)
130	650711	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A
		but discard 650691 washer.)
130	650694A	Screw, 5/16-18 x 2" (Use as required)
131A	650713	Screw, 5/16-18 x 5/8"
131	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
	650890	Washer, Internal Lock
	33636	Resistor Spark Plug
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
149A		Seal Assy., Intake valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	•
	28425	Element, Breather
		Cover, Breather
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	29752	Nut & Lockwasher, 1/4-28
	30088A	Screw, 1/4-28 x 1"
	34587	Bracket, Choke
	33263	* Gasket, Carburetor
	33877	Pipe, Intake
	34667	Link, Governor lever
	34664	Control Bracket (Incl.19,203, 204, 20 6 & 209)
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33878	Link, Governor lever-to-throttle
	650821	Screw, 10-32 x 1/2"
210	27793	Clip, Conduit
211	28942	Screw, 10-32 x 3/8"
219	34586	Rod, Choke
	35438	Knob, Control
	28820	Screw, 10-32 x 1/2"
222A		Pop Rivet (Can be purchased locally)
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A	* Gasket, Intake pipe
	34822A	Blower Housing
	650788	Screw, 5/16-18 x 3/4"


Ref #	Part Number Q	ty Description
262	29747B	Screw, 5/16-24 x 21/32"
265	33272B	Cover, Cylinder head
275	33280A	Muffler
	31588	Plate, Muffler locking
	35741	Plate, Muffler locking
	650729	Screw, 5/16-18 x 3-3/16" (Use as required)
	651002	
		Screw, 5/16-18 x 4-1/4" (Use as required)
	33013	Cover, Starter bubble
	650760	Screw, 8-32 x 7/16"
	33662	Hub & Screen Assy.
	29752	Nut, 1/4-28
290	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962	Fuel Line (Braided 32")(80cm)(As requ ired)
291	30705	Fuel Line (Braided 16")(40cm)(As required)
	26460	Fuel Line Clamp (Use as required)
	650665	Screw, 1/4-15 x 7/8"
	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
000	04100/1	builtwith different size fuel inlet openings. Tanks with the
		1-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
00111		I.D.)
		1.0.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
201 4	24240	
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required) (1.5" I.D.)
301A	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	33893A	Oil Fill Tube
	33590	"O" Ring
	34011A	Dipstick (Incl. 307)
	650765	• • •
		Screw, 10-32 x 1/2"
	34666	Cover, Carburetor
	31291	Plug, Cover
	28942	Screw, Sems 10-32 x 3/8"
	34154	Plate, Upper fuel tank mtg.
341	34155	Bracket, Lower fuel tank mtg.
342	650561	Screw, 1/4-20 x 5/8"
359	34141	Guard, Starter
	32576	Seal, Snow Guard
	650767	Screw, 8-32 x 27/64"
	34346	Decal, Instruction
	35274	Decal, Instruction
	34589	Decal, Choke
		•
	34686	Decal, Name
	34144	Decal, Primer
	631021	Inlet Needle, Seat & Clip Assy.
380	632110	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page 168 for breakdown or Fiche18B, Grid E-9)
100	33279G	* Gasket Set (Incl. items marked *)
	730225	SAE 30 4-Cycle Engine Oil (Quart)
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional



Ref # Part Numbe	Qty Description
37A 30322	Nut & Lockwasher, 8-32
62 650760	Screw, 8-32 x 3/8"
63 28545	Grommet, Plastic
129 650727	Screw, $5/16-18 \times 1-3/4$ (Use as requir ed)
131A 650713	Screw, 5/16-18 x 5/8"
131 650737	Screw, 1/4-20 x 1/2" (Use as required)
131 650738	Screw, 1/4-20 x 5/8 (Use as required)
222A	Pop Rivet (Can be purchased locally)
274 35865	Gasket, Exhaust
275 33280A	Muffler
277 650729	Screw, 5/16-18 x 3-3/16" (Use as required)
277 651002	Screw, 5/16-18 x 4-1/4" (Use as requi red)
285A 33662	Hub & Screen Assy.
290 29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290 30962	Fuel Line (Braided 32")(80cm)(As requ ired)
292 26460	Fuel Line Clamp (Use as required)
298 650665	Screw, 1/4-15 x 7/8"
300 34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
	builtwith different size fuel inlet openings. Tanks with the
	1-3/16" I.D. opening use fuel cap 34210. Tanks with the
	1-1/2" I.D. opening use fuel cap 35355.
301A 410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
301A 410144B	I.D.)
	1. <i>D.</i>)
301A 33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
	required) (1.5" I.D.)
301A 34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
301A 34210	as required) (1.5" I.D.)
301A 35355	Fuel Cap (Red Plastic)(1.75" I.D.)
337 34666	Cover, Carburetor
338A 31291	Plug, Cover
341 34155	Bracket, Lower fuel tank mtg.
342 650561	Screw, 1/4-20 x 5/8"
350 570682	Primer Assy.
351 32180C	Line, Primer
370D 34144	Decal, Primer
414 33323	Opt.Muffler Screen (Mini-Bike applica tion)
415 730130	Kit, Exhaust adapter (Incl. 274 & 277)
418 33700	Cover & Tube, Muffler (use as require d)
419 650578	Screw, 8-18 x 3/8" (use as required)
421 730226	SAE 5W30 4-Cycle Engine Oil (Quart)



	Part Number	Qty	Description
	30322		Nut & Lockwasher, 8-32
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
	650713		Screw, 5/16-18 x 5/8"
	34587		Bracket, Choke
	730152		Control Bracket (Incl.1158-1171)(As r eq.)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
222	28820		Screw, 10-32 x 1/2"
222A			Pop Rivet (Can be purchased locally)
227	730127		Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as
			required)
285A	33662		Hub & Screen Assy.
290	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962		Fuel Line (Braided 32")(80cm)(As required)
	30705		Fuel Line (Braided 16")(40cm)(As required)
	33715		Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps
200	30/13		
			are replaced by 35813 and 35800 (WIP) pumps. The 33010
			(3000 series) repair kit is still available. The 35791 repair kit
			is used with the 35813 and 35800 fuel pumps.
294	35791		Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pump
			are replaced by 35813 and 35800 (WIP) pumps. The 33010
			(3000 series) repair kit is still available. The 35791 repair kit
			is used with the 35813 and 35800 fuel pumps.
201 4	4404.440		
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
			I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use a
			required) (1.5" I.D.)
201 4	04040		
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required) (1.5" I.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	32958		Fitting, Fuel
	650765		Screw, 10-32 x 1/2"
	34666		Cover, Carburetor
	31291		Plug, Cover
	33377		Bracket, Carburetor cover mtg.
	650767		Screw, 8-32 x 27/64"
	34346		Decal, Instruction
	35274		Decal, Instruction
	34589		Decal, Choke
370D	34144		Decal, Primer
370E	34414		Decal, Warning
	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
	35824		Muffler Optional
	30312		Screw, $10-32 \times 1/2$ "
	28820		Screw, 10-32 x 1/2"
	07070		
1160	27070 33816		Lockwasher Hub & Screen Assy.



Ref # Part Number	Qty Description
1 34922A	Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
2 27652	Pin, Dowel
37A 30322	Nut & Lockwasher, 8-32
72 27642	Plug, Oil drain
101 610118	Cover, Spark plug
103 650489	Screw, 1/4-20 x 5/8"
129 650727	Screw, 5/16-18 x 1-3/4 (Use as required)
131A 650713	Screw, 5/16-18 x 5/8"
131 650737	Screw, $1/4-20 \times 1/2$ " (Use as required)
131 650738	Screw, 1/4-20 x 5/8 (Use as required)
169 27896A	* Gasket, Breather
170 28423	Body, Breather
171 28424	Element, Breather
172 28425	Cover, Breather
173 35350	Tube, Breather
174 650128	Screw, 10-24 x 1/2"
178 29752	Nut & Lockwasher, 1/4-28
207 33878	Link, Governor lever-to-throttle
222A	Pop Rivet (Can be purchased locally)
275B 391026	Muffler (Incl. 284, 284A & 416) (This spark arrester
2750 591020	
	mufflercan be used on any model.)
275 33280A	Muffler
276 31588	Plate, Muffler locking
276 35741	Plate, Muffler locking
277 650729	Screw, 5/16-18 x 3-3/16" (Use as required)
277 651002	Screw, 5/16-18 x 4-1/4" (Use as required)
285A 33662	Hub & Screen Assy.
301A 410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
	I.D.)
301A 33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
00117 00002	required) (1.5" I.D.)
301A 34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
	as required) (1.5" I.D.)
301A 35355	Fuel Cap (Red Plastic)(1.75" I.D.)
313A 33876	Gasket, Stator (Used only on Std. poi nt ign.)
337 34666	Cover, Carburetor
338A 31291	Plug, Cover
370D 34144	Decal, Primer
375 610842	Magneto NOTE: The complete magneto is not available as
	an assembly. Themagneto number is shown for reference
	purpose only. Order component parts individually, as shown
	in parts list. (Refer to Division 5, Section B, page 28 for
	breakdown or Fiche 18B, Grid F-1)
377 30547A	Breaker Points (Use with Std. point i gn.)
378 30548B	Condenser
380 632110	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
	page 168 for breakdown or Fiche18B, Grid E-9)
421 730226	SAE 5W30 4-Cycle Engine Oil (Quart)
421 $100ZZ0$	
421 730220 422 35824	Muffler Optional