




Ref #	Part Number	Qty	Description
	34096C	,	Cylinder (CI liner)(3-5/16")(Incl.2,20,41,43,72 & 119)
	27652		Pin, Dowel
	30968		Nipple, Oil drain
	30969		Cap, Oil drain
	30699C		Rod Assy., Governor (Incl. 15A & 15B)
	650494		Screw, 6-40 x 5/16"
	30700		Yoke, Governor
	33454		Governor Lever Assy.
	29916		
			Clamp, Governor lever
	650548		Screw, 8-32 x 5/16"
	32630		Seal, Oil
25	29536		Blower Housing Baffle (Without electric starter knockout)
			(Use as required)
25	35256A		Blower Housing Baffle (With electric starter knockout) (Use
	00_00.1		as required)
			• •
	650561		Screw, 1/4-20 x 5/8"
30	33365B		Crankshaft (Incl. 108 & 109)
35	29826		Screw, 10-32 x 3/4"
36	29918		Lockwasher, #8 E.T.
37	29216		Locknut, 10-32
37A	30322		Nut & Lockwasher, 8-32
	29642		Ring, Retaining
	34543		Piston, Pin & Ring Set (Std.) (3-3/16 ")
	34544		Piston, Pin & Ring Set (.010" OS)
	34545		Piston, Pin & Ring Set (.020" OS)
	34031B		Piston & Pin Ass'y. (Std.)(3-3/16")(I ncl.43)
	34032B		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34033B		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	34037		Ring Set (Std.) (3-3/16" Bore)
	34038		
			Ring Set (.010" OS)
	34039		Ring Set (.020" OS)
	27888		Ring, Piston Pin retaining
	32591C		Rod Assy., Connecting (Incl. 46, 47 & 49)
	650662C		Bolt, Connecting rod (2 pieces)
	650662C		Bolt, Connecting rod (2 pieces)
	34034		Lifter, Valve
	34242		Dipper, Oil
49A	32590		Plate, Lock & Oil dipper (This plate can be replaced by No.
			34242 Oil dipper but No. 650662C screws must be used)
50	34143		Camshaft (MCR)
	33273A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	35262		* Gasket, Flange
	33367B		Cover, Cylinder (Incl. 71, 75 & 80)
	33368		
			Bushing, Crankshaft
	27642		Plug, Oil drain
	31950		Seal, Oil
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650833		Screw, 1/4-20 x 1-3/16 (Use as requir ed)
	650832		Screw, 1/4-20 x 1-11/16" (Use as requ ired)
	32589		Key, Flywheel
92	650815		Washer, Belleville


Dof #	Port Number	h. Description
	Part Number Q 8116	ty Description Nut, Hex
	610118	Cover, Spark plug
	650489	Screw, 1/4-20 x 5/8"
108	29783	Pin, Crankshaft gear (Only serviceable when gear is pinned
		to crank.)
109	33245	Gear, Crankshaft
110	35349	Ground Wire
119	34041A	* Gasket, Cylinder head
120	34030A	Head, Cylinder
	27878A	Exhaust Valve (Std.) (Incl. 151)
125	27880A	Exhaust Valve (1/32" OS) (Indí. 151)
126	34035	Intake Valve (Std.) (Incl. 151)
	34036	Intake Valve (1/32" OS) (Incl. 151)
	650691	Washer (Do not use with No. 6021A scr ew.)
	26073	Washer, Flat
	650690	Washer, Belleville (Use as required)
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No.
100	302 ii (650691 washer.)
400	050744	,
130	650711	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A
		but discard 650691 washer.)
130	650694A	Screw, 5/16-18 x 2" (Use as required)
131	650737	Screw, 1/4-20 x 1/2" (Use as required)
131	650738	Screw, 1/4-20 x 5/8 (Use as required)
131A	650713	Screw, 5/16-18 x 5/8"
133	650890	Washer, Internal Lock
135	33636	Resistor Spark Plug
139	33369	Bracket, Governor gear
140	650836	Screw, 10-24 x 1/2"
	27882	Cap, Upper valve spring
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	27896A	* Gasket, Breather
	28423	Body, Breather
171	28424	Element, Breather
	28425	Cover, Breather
173	35350	Tube, Breather
174	650128	Screw, 10-24 x 1/2"
178	29752	Nut & Lockwasher, 1/4-28
182	30088A	Screw, 1/4-28 x 1"
	33379	Bracket, Choke
	33263	* Gasket, Carburetor
	33877	Pipe, Intake
	33371	Link, Governor lever
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33878	Link, Governor lever-to-throttle
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
222A		Pop Rivet (Can be purchased locally)
	28820	Screw, 10-32 x 1/2"
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A	* Gasket, Intake pipe
	33375D	Blower Housing (For electric starter)
	650788	Screw, 5/16-18 x 3/4"
262	29747B	Screw, 5/16-24 x 21/32"


Ref #	Part Number	Qty	Description
265	33272B		Cover, Cylinder head
275	33280A		Muffler
	31588		Plate, Muffler locking
	35741		Plate, Muffler locking
	650729		Screw, 5/16-18 x 3-3/16" (Use as required)
	651002		Screw, 5/16-18 x 4-1/4" (Use as required)
	33013		Cover, Starter bubble
			·
	650760		Screw, 8-32 x 7/16"
	33662		Hub & Screen Assy.
	29752		Nut, 1/4-28
	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962		Fuel Line (Braided 32")(80cm)(As requ ired)
291	30705		Fuel Line (Braided 16")(40cm)(As required)
292	26460		Fuel Line Clamp (Use as required)
295	33351		Fuel Shut-Off Valve (Incl. 372)
	30063		Screw, 1/4-20 x 1/2"
	33350		Fuel Tank (Incl. 295 & 301)
	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
00171	1101112		I.D.)
			1.0.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
			required) (1.5" I.D.)
204 A	04040		First Con (Deal Diestic) (Count Desistant I link Drofile) (Hea
<i>3</i> 01A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required) (1.5" I.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	29673		* Gasket, Oil filler
	31297		Dipstick (Incl. 307)
	29443		Clip, Fuel line
	650765		Screw, 10-32 x 1/2"
			·
	33460		Cover, Carburetor
	31291		Plug, Cover
	28942		Screw, Sems 10-32 x 3/8"
	650561		Screw, 1/4-20 x 5/8"
	33384		Guard, Starter
	32576		Seal, Snow Guard
365	650767		Screw, 8-32 x 27/64"
370	34346		Decal, Instruction
370	35274		Decal, Instruction
370C	33386		Decal, Choke & Instruction
	631021		Inlet Needle, Seat & Clip Assy.
	631900		Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
300			page 134 for breakdown or Fiche18B, Grid D-13)
400	222700		, ,
	33279G 730335		* Gasket Set (Incl. items marked *)
	730225		SAE 30 4-Cycle Engine Oil (Quart)
	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824		Muffler Optional




















Ref #	Part Number	Qty	Description
37A	30322		Nut & Lockwasher, 8-32
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
131A	650713		Screw, 5/16-18 x 5/8"
222A			Pop Rivet (Can be purchased locally)
274	35865		Gasket, Exhaust
275	33280A		Muffler
277	650729		Screw, 5/16-18 x 3-3/16" (Use as requ ired)
277	651002		Screw, 5/16-18 x 4-1/4" (Use as requi red)
285A	33662		Hub & Screen Assy.
290	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962		Fuel Line (Braided 32")(80cm)(As required)
292	26460		Fuel Line Clamp (Use as required)
295	33351		Fuel Shut-Off Valve (Incl. 372)
298	30063		Screw, 1/4-20 x 1/2"
	33350		Fuel Tank (Incl. 295 & 301)
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
			I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	29673		* Gasket, Oil filler
	33460		Cover, Carburetor
	31291		Plug, Cover
	33383A		Plate, Upper fuel tank mtg.
341A	33381		Fuel Tank Bracket
342	650561		Screw, 1/4-20 x 5/8"
363	28819		Spring, Fuel line
372	33679		Bushing, Fuel fitting
414	33323		Opt.Muffler Screen (Mini-Bike applica tion)
415	730130		Kit, Exhaust adapter (Incl. 274 & 277)
418	33700		Cover & Tube, Muffler (use as require d)
419	650578		Screw, 8-18 x 3/8" (use as required)
421	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824		Muffler Optional



Ref #	Part Number	Qty	Description
37A	30322		Nut & Lockwasher, 8-32
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	650713		Screw, 5/16-18 x 5/8"
	650737		Screw, 1/4-20 x 1/2" (Use as required)
	650738		Screw, 1/4-20 x 5/8 (Use as required)
	33380		Plate Assy., Choke
	33379		Bracket, Choke
200B	730152		Control Bracket (Incl.1158-1171)(As r eq.)
200A	34101A		Control Bracket (Incl. 19, 203, 204 & 206)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	28820		Screw, 10-32 x 1/2"
222A			Pop Rivet (Can be purchased locally)
227	730127		Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as
			required)
:	0000		• •
	33662		Hub & Screen Assy.
290	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962		Fuel Line (Braided 32")(80cm)(As required)
291	30705		Fuel Line (Braided 16")(40cm)(As required)
	33715		Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps
250	307 13		are replaced by 35813 and 35800 (WIP) pumps. The 33010
			(3000 series) repair kit is still available. The 35791 repair kit
			is used with the 35813 and 35800 fuel pumps.
204	35791		Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps
294	33731		
			are replaced by 35813 and 35800 (WIP) pumps. The 33010
			(3000 series) repair kit is still available. The 35791 repair kit
			is used with the 35813 and 35800 fuel pumps.
201Δ	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
30 IA	4101440		
			I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
			required) (1.5" I.D.)
			. , , , , , , , , , , , , , , , , , , ,
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required) (1.5" I.D.)
0014	0=0==		
	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	32958		Fitting, Fuel
306	29673		* Gasket, Oil filler
336	650765		Screw, 10-32 x 1/2"
	33460		Cover, Carburetor
	31291		Plug, Cover
	33377		Bracket, Carburetor cover mtg.
			·
	650767		Screw, 8-32 x 27/64"
	33386		Decal, Choke & Instruction
	34346		Decal, Instruction
370	35274		Decal, Instruction
421	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
	35824		Muffler Optional
	33374		Spring Extension
	30312		Screw, 10-32 x 1/2"
	28820		Screw, 10-32 x 1/2"
	27070		Lockwasher
1185	33816		Hub & Screen Assy.
			•



Ref #	Part Number Qty	Description
	34096C	Cylinder (CI liner)(3-5/16")(Incl.2,20,41,43,72 & 119)
	27652	Pin, Dowel
	30322	Nut & Lockwasher, 8-32
	27642	Plug, Oil drain
	610118	Cover, Spark plug
	650489	Screw, 1/4-20 x 5/8"
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
	650713	Screw, 5/16-18 x 5/8"
	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Breather
	35350	Tube, Breather
174	650128	Screw, 10-24 x 1/2"
178	29752	Nut & Lockwasher, 1/4-28
207	33878	Link, Governor lever-to-throttle
222A		Pop Rivet (Can be purchased locally)
275B	391026	Muffler (Incl. 284, 284A & 416) (This spark arrester
		mufflercan be used on any model.)
		•
	33280A	Muffler
	31588	Plate, Muffler locking
	35741	Plate, Muffler locking
277	650729	Screw, 5/16-18 x 3-3/16" (Use as requ ired)
277	651002	Screw, 5/16-18 x 4-1/4" (Use as requi red)
285A	33662	Hub & Screen Assy.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
3∩1∆	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
301A	33032	required) (1.5" I.D.)
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required) (1.5" I.D.)
201 /	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	29673	
		* Gasket, Oil filler
	33876	Gasket, Stator (Used only on Std. poi nt ign.)
	33460	Cover, Carburetor
	31291	Plug, Cover
3/5	610848	Magneto (w/ring gear for 120 Volt sta rter) NOTE: The
		complete magneto is not available as an assembly.
		Themagneto number is shown for reference purpose only.
		Order component parts individually, as shown in parts list.
		(Refer to Division 5, Section B, page 28 for breakdown or
		Fiche 18B, Grid F-1
277	30547A	Breaker Points (Use with Std. point i gn.)
		• • • •
	30548B	Condenser Carburator (Incl. 194. 8, 270) (Pofor to Division 5, Section A
380	631900	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page 134 for breakdown or Fiche18B, Grid D-13)
421	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional
		•