




Ref #	Part Number (Qty Des	scription
	34096C		linder (CI liner)(3-5/16")(Incl.2,20,41,43,72 & 119)
	27652	•	n, Dowel
	30968		pple, Oil drain
		•	• •
	30969		p, Oil drain
	30699C		d Assy., Governor (Incl. 15A & 15B)
	650494		rew, 6-40 x 5/16"
15A	30700	Yok	ke, Governor
16	33454	Go۱	vernor Lever Assy.
	29916		amp, Governor lever
	650548		rew, 8-32 x 5/16"
	32630		al, Oil
	29536		•
23	29330		ower Housing Baffle (Without electric starter knockout)
		(US	se as required)
25	35256A	Blov	ower Housing Baffle (With electric starter knockout) (Use
		as r	required)
26	650561	Scr	rew, 1/4-20 x 5/8"
	33719B		ankshaft (Incl. 108 & 109)
	29826		rew, 10-32 x 3/4"
	29918		ckwasher, #8 E.T.
	29216		cknut, 10-32
37A	30322	Nut	t & Lockwasher, 8-32
38	29642	Rin	ng, Retaining
40	34543	Pist	ston, Pin & Ring Set (Std.) (3-3/16 ")
	34544		ston, Pin & Ring Set (.010" OS)
	34545		ston, Pin & Ring Set (.020" OS)
	34031B		ston & Pin Ass'y. (Std.)(3-3/16")(I ncl.43)
	34032B		ston & Pin Ass'y. (.010" OS) (Incl. 43)
	34033B		ston & Pin Ass'y. (.020" OS) (Incl. 43)
	34037		ng Set (Std.) (3-3/16" Bore)
42	34038	Rin	ng Set (.010" OS)
42	34039	Ring	ng Set (.020" OS)
43	27888	Rin	ng, Piston Pin retaining
	32591C		d Assy., Connecting (Incl. 46, 47 & 49)
	650662C		It, Connecting rod (2 pieces)
	650662C		It, Connecting rod (2 pieces)
	34034		er, Valve
			·
	34242		oper, Oil
	34143		mshaft (MCR)
	33273A		tension, Blower housing
61	34126	Bra	acket, Grommet mounting
62	650760	Scr	rew, 8-32 x 3/8"
63	28545	Gro	ommet, Plastic
	650128		rew, 10-24 x 1/2"
	35262		Gasket, Flange
	33367B		ver, Cylinder (Incl. 71, 75 & 80)
	33368		
			shing, Crankshaft
	27642		ıg, Oil drain
	31950		al, Oil
	31845		aft, Mechanical governor
	30590A	Wa	asher, Flat
82	30591	Gea	ar Assy., Governor (Incl. 81)
	30588A		ool, Governor
	29193		ng, Retaining
	650833		rew, 1/4-20 x 1-3/16 (Use as requir ed)
	650832		rew, 1/4-20 x 1-3/16 (Ose as required)
	32589		y, Flywheel
92	650815	vva	asher, Belleville


Ref #	Part Number Qty	Description
	8116	Nut, Hex
	610118	Cover, Spark plug
	650516	Screw, 1/4-20 x 1-1/8"
	29783	·
100	29703	Pin, Crankshaft gear (Only serviceable when gear is pinned
		to crank.)
109	33245	Gear, Crankshaft
110	34240	Ground Wire
119	34041A	* Gasket, Cylinder head
	34030A	Head, Cylinder
	27878A	Exhaust Valve (Std.) (Incl. 151)
	27880A	Exhaust Valve (1/32" OS) (Incl. 151)
	34035	Intake Valve (Std.) (Incl. 151)
	34036	Intake Valve (1/32" OS) (Incl. 151)
	650691	Washer (Do not use with No. 6021A scr ew.)
	650690	Washer, Belleville (Use as required)
	650727	Screw, 5/16-18 x 1-3/4 (Use as required)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No.
130	0021A	650691 washer.)
		000091 Washer.)
130	650711	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A
		but discard 650691 washer.)
400	CEOCO44	Canada
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650713	Screw, 5/16-18 x 5/8"
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
	650890	Washer, Internal Lock
	33636	Resistor Spark Plug
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	27882	Cap, Upper valve spring
	27881	Spring, Valve
151	32581	Cap, Lower valve spring
169	27896A	* Gasket, Breather
170	28423	Body, Breather
171	28424	Element, Breather
172	28425	Cover, Breather
173	35350	Tube, Breather
174	650128	Screw, 10-24 x 1/2"
178	29752	Nut & Lockwasher, 1/4-28
182	30088A	Screw, 1/4-28 x 1"
	33263	* Gasket, Carburetor
	33877	Pipe, Intake
	33371	Link, Governor lever
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	610973	Terminal Assy.
	33878	Link, Governor lever-to-throttle
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
222A	200 .2	Pop Rivet (Can be purchased locally)
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A	* Gasket, Intake pipe
	34145	Blower Housing (For electric starter)
	650788	Screw, 5/16-18 x 3/4"
	29747B	Screw, 5/16-24 x 21/32"
	33272B	Cover, Cylinder head
2/5	33280A	Muffler


Ref #	Part Number	Qty	Description
	31588		Plate, Muffler locking
276	35741		Plate, Muffler locking
277	650729		Screw, 5/16-18 x 3-3/16" (Use as required)
277	651002		Screw, 5/16-18 x 4-1/4" (Use as requi red)
281	33013		Cover, Starter bubble
282	650760		Screw, 8-32 x 7/16"
285A	33662		Hub & Screen Assy.
287	29752		Nut, 1/4-28
290	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962		Fuel Line (Braided 32")(80cm)(As required)
291	30705		Fuel Line (Braided 16")(40cm)(As required)
292	26460		Fuel Line Clamp (Use as required)
298	650665		Screw, 1/4-15 x 7/8"
300	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
			builtwith different size fuel inlet openings. Tanks with the
			1-3/16" I.D. opening use fuel cap 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
			I.D.)
301Δ	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
30 IA	33032		required) (1.5" I.D.)
			. , , ,
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required) (1.5" I.D.)
301A	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
306	29673		* Gasket, Oil filler
310	31297		Dipstick (Incl. 307)
336	650765		Screw, 10-32 x 1/2"
337	34140		Cover, Carburetor
338	28942		Screw, Sems 10-32 x 3/8"
338A	31291		Plug, Cover
340	34154		Plate, Upper fuel tank mtg.
341	34155		Bracket, Lower fuel tank mtg.
342	650561		Screw, 1/4-20 x 5/8"
359	34141		Guard, Starter
	32576		Seal, Snow Guard
	650767		Screw, 8-32 x 27/64"
	550223		Decal, Name
	34144		Decal, Primer
	34415		Decal, Choke
	34346		Decal, Instruction
	35274		Decal, Instruction
	631021		Inlet Needle, Seat & Clip Assy.
380	632038		Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
			page 152 for breakdown or Fiche18B, Grid E-7)
400	33279G		* Gasket Set (Incl. items marked *)
	730225		SAE 30 4-Cycle Engine Oil (Quart)
	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824		Muffler Optional














	Dad M. odean	December
		y Description
	30322	Nut & Lockwasher, 8-32
	650727	Screw, 5/16-18 x 1-3/4 (Use as required)
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738 650743	Screw, 1/4-20 x 5/8 (Use as required)
	650713 34101A	Screw, 5/16-18 x 5/8" Control Product (Incl. 10, 203, 204, 8, 206)
	34101A	Control Bracket (Incl. 19, 203, 204 & 206)
	730152	Control Bracket (Incl.1158-1171)(As r eq.)
	31342	Spring, Compression
	650549 27793	Screw, 5-40 x 7/16"
	28942	Clip, Conduit Screw, 10-32 x 3/8"
222A		Pop Rivet (Can be purchased locally)
	730127	Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as
221	130121	required)
		• ,
	33662	Hub & Screen Assy.
	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962	Fuel Line (Braided 32")(80cm)(As required)
	30705	Fuel Line (Braided 16")(40cm)(As requ ired)
293	33715	Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps
		are replaced by 35813 and 35800 (WIP) pumps. The 33010
		(3000 series) repair kit is still available. The 35791 repair kit
		is used with the 35813 and 35800 fuel pumps.
294	35791	Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps
		are replaced by 35813 and 35800 (WIP) pumps. The 33010
		(3000 series) repair kit is still available. The 35791 repair kit
		is used with the 35813 and 35800 fuel pumps.
201 /	4404.44D	·
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
3∩1∆	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
30171	0-12 TO	as required) (1.5" I.D.)
	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	32958	Fitting, Fuel
	29673	* Gasket, Oil filler
	650765	Screw, 10-32 x 1/2"
	34140	Cover, Carburetor
	31291	Plug, Cover
	33377	Bracket, Carburetor cover mtg.
	650767	Screw, 8-32 x 27/64"
	34346	Decal, Instruction
	35274 34415	Decal, Instruction
	34415 34144	Decal, Choke
	34144 34414	Decal, Primer
	730226	Decal, Warning
	35824	SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional
	33374	Spring Extension
	30312	Screw, 10-32 x 1/2"
	28820	Screw, 10-32 x 1/2" Screw, 10-32 x 1/2"
	27070	Lockwasher
	34138	Bracket, Choke wire
	34139	Control, Choke wire
	650257	Screw, 8-32 x 5/16"
	33816	Hub & Screen Assy.
1100	000.0	1100 0 0010011 100y1



Ref #	Part Number Qty	Description
	34096C	Cylinder (CI liner)(3-5/16")(Incl.2,20,41,43,72 & 119)
	27652	Pin, Dowel
	30322	Nut & Lockwasher, 8-32
	27642	Plug, Oil drain
	610118	Cover, Spark plug
	650516	Screw, 1/4-20 x 1-1/8"
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	650713	Screw, 5/16-18 x 5/8"
	650737	Screw, 1/4-20 x 1/2" (Use as required)
131	650738	Screw, 1/4-20 x 5/8 (Use as required)
169	27896A	* Gasket, Breather
170	28423	Body, Breather
171	28424	Element, Breather
	28425	Cover, Breather
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	29752	Nut & Lockwasher, 1/4-28
	33878	Link, Governor lever-to-throttle
	33070	
222A	204000	Pop Rivet (Can be purchased locally)
2/5B	391026	Muffler (Incl. 284, 284A & 416) (This spark arrester
		mufflercan be used on any model.)
275	33280A	Muffler
	31588	Plate, Muffler locking
	35741	<u> </u>
		Plate, Muffler locking
	650729	Screw, 5/16-18 x 3-3/16" (Use as required)
	651002	Screw, 5/16-18 x 4-1/4" (Use as required)
	33662	Hub & Screen Assy.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
		, , , ,
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required) (1.5" I.D.)
2017	35355	Fuel Cap (Ped Plastic)(1.75" LD.)
		Fuel Cap (Red Plastic)(1.75" I.D.)
	29673	* Gasket, Oil filler
	33876	Gasket, Stator (Used only on Std. poi nt ign.)
	34140	Cover, Carburetor
	31291	Plug, Cover
	34144	Decal, Primer
375	610982	Magneto (w/ring gear) (12 Volt, 3 Amp) NOTE: The
		complete magneto is not available as an assembly.
		Themagneto number is shown for reference purpose only.
		Order component parts individually, as shown in parts list.
		(Refer to Division 5, Section B, page 36 for breakdown or
		Fiche 18B, Grid F-3
		·
	30547A	Breaker Points (Use with Std. point i gn.)
378	610767A	Condenser
380	632038	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page 152 for breakdown or Fiche18B, Grid E-7)
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional