



Ref #	Part Number 0	Qty	Description
	34096C	~.,	Cylinder (Cl liner)(3-5/16")(Incl.2,20,41,43,72 & 119)
	27652		Pin, Dowel
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	30699C		Rod Assy., Governor (Incl. 15A & 15B)
	33454		Governor Lever Assy.
	29916		Clamp, Governor lever
	650548		Screw, 8-32 x 5/16"
	32630		Seal, Oil
	35256A		•
20	30200A		Blower Housing Baffle (With electric starter knockout) (Use as required)
25	29536		Blower Housing Baffle (Without electric starter knockout) (Use as required)
26	650561		Screw, 1/4-20 x 5/8"
30	33365B		Crankshaft (Incl. 108 & 109)
35	29826		Screw, 10-32 x 3/4"
36	29918		Lockwasher, #8 E.T.
	30322		Nut & Lockwasher, 8-32
	29216		Locknut, 10-32
	29642		Ring, Retaining
	34543		Piston, Pin & Ring Set (Std.) (3-3/16 ")
	34544		Piston, Pin & Ring Set (.010" OS)
	34545		Piston, Pin & Ring Set (.020" OS)
	34031B		Piston & Pin Ass'y. (Std.)(3-3/16")(I ncl.43)
	34032B		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34033B		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	34037		Ring Set (Std.) (3-3/16" Bore)
	34038		Ring Set (.010" OS)
	34039		Ring Set (.020" OS)
	27888		Ring, Piston Pin retaining
	32591C		Rod Assy., Connecting (Incl. 46, 47 & 49)
	650662C		Bolt, Connecting rod (2 pieces)
	650662C		Bolt, Connecting rod (2 pieces)
	34034		Lifter, Valve
	34242		Dipper, Oil
	34143 33273A		Camshaft (MCR)
			Extension, Blower housing
	34126		Bracket, Grommet mounting
	650128		Screw, 10-24 x 1/2"
	35262		* Gasket, Flange
	33367B		Cover, Cylinder (Incl. 71, 75 & 80)
	33368		Bushing, Crankshaft
	27642		Plug, Oil drain
	31950		Seal, Oil
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650833		Screw, 1/4-20 x 1-3/16 (Use as required)
	650832		Screw, 1/4-20 x 1-11/16" (Use as required)
	32589		Key, Flywheel
	650815		Washer, Belleville
	8116		Nut, Hex
101	610118		Cover, Spark plug
103	650489		Screw, 1/4-20 x 5/8"

		y Description
108	29783	Pin, Crankshaft gear (Only serviceable when gear is pinned to crank.)
109	33245	Gear, Crankshaft
	34240	Ground Wire
	34041A	* Gasket, Cylinder head
	34030A	Head, Cylinder
	27878A	Exhaust Valve (Std.) (Incl. 151)
	27880A	Exhaust Valve (1/32" OS) (Incl. 151)
126	34035	Intake Valve (Std.) (Incl. 151)
126	34036	Intake Valve (1/32" OS) (Incl. 151)
127	650691	Washer (Do not use with No. 6021A scr ew.)
128	650690	Washer, Belleville (Use as required)
	650727	Screw, $5/16-18 \times 1-3/4$ (Use as required)
	6021A	Screw, $5/16-18 \times 1-1/2$ " (Use as required, but do notuse No
130		650691 washer.)
130	650711	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A but discard 650691 washer.)
130	650694A	Screw, 5/16-18 x 2" (Use as required)
131A	650713	Screw, 5/16-18 x 5/8"
131	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
	650890	Washer, Internal Lock
	33636	Resistor Spark Plug
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	27882	Cap, Upper valve spring
150	27881	Spring, Valve
151	32581	Cap, Lower valve spring
169	27896A	* Gasket, Breather
170	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Breather
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	29752	Nut & Lockwasher, 1/4-28
182	30088A	Screw, 1/4-28 x 1"
183	34587	Bracket, Choke
184	33263	* Gasket, Carburetor
	33877	Pipe, Intake
	33371	Link, Governor lever
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	610973	Terminal Assy.
	33878	Link, Governor lever-to-throttle
	27793	Clip, Conduit
211	28942	Screw, 10-32 x 3/8"
219	34586	Rod, Choke
	35438	Knob, Control
	28820	Screw, 10-32 x 1/2"
222A		Pop Rivet (Can be purchased locally)
	650378	
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A	* Gasket, Intake pipe
	34145	Blower Housing (For electric starter)
261	650788	Screw, 5/16-18 x 3/4"
	29747B	Screw, 5/16-24 x 21/32"
262	201418	


	nber Qty Description
275 33280A	Muffler
276 31588	Plate, Muffler locking
276 35741	Plate, Muffler locking
277 650729	Screw, 5/16-18 x 3-3/16" (Use as required)
277 651002	Screw, 5/16-18 x 4-1/4" (Use as required)
281 33013	Cover, Starter bubble
282 650760	Screw, 8-32 x 7/16"
285A 33662	Hub & Screen Assy.
287 29752	Nut, 1/4-28
290 29752	
	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290 30962	Fuel Line (Braided 32")(80cm)(As required)
291 30705	Fuel Line (Braided 16")(40cm)(As required)
292 26460	Fuel Line Clamp (Use as required)
298 650665	Screw, 1/4-15 x 7/8"
300 34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
	builtwith different size fuel inlet openings. Tanks with the
	1-3/16" I.D. opening use fuel cap 34210. Tanks with the
	1-1/2" I.D. opening use fuel cap 35355.
301A 410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
501A 410144B	I.D.)
	1.D.)
301A 33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
	required) (1.5" I.D.)
301A 34210	Fuel Can (Pod Plastic) (Spurt Posiciant, High Profile) (Leo
301A 34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
	as required) (1.5" I.D.)
301A 35355	Fuel Cap (Red Plastic)(1.75" I.D.)
306 29673	* Gasket, Oil filler
310 31297	Dipstick (Incl. 307)
336 650765	Screw, 10-32 x 1/2"
337 34140	Cover, Carburetor
338A 31291	Plug, Cover
338 28942	Screw, Sems 10-32 x 3/8"
340 34154	
	Plate, Upper fuel tank mtg.
341 34155	Bracket, Lower fuel tank mtg.
342 650561	Screw, 1/4-20 x 5/8"
359 34141	Guard, Starter
360 32576	Seal, Snow Guard
365 650767	Screw, 8-32 x 27/64"
370D 34144	Decal, Primer
370C 34589	Decal, Choke
370 34346	Decal, Instruction
370 35274	Decal, Instruction
379 631021	Inlet Needle, Seat & Clip Assy.
380 632110	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
	page 168 for breakdown or Fiche18B, Grid E-9)
400 000700	
400 33279G	* Gasket Set (Incl. items marked *)
	SAE 30 4-Cycle Engine Oil (Quart)
420 730225	
420 730225 421 730226 422 35824	SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional



Ref #	Part Number	Qty De	escription
37A	30322	Nu	ut & Lockwasher, 8-32
129	650727	Sc	crew, 5/16-18 x 1-3/4 (Use as requir ed)
131A	650713	Sc	crew, 5/16-18 x 5/8"
131	650737	Sc	crew, 1/4-20 x 1/2" (Use as required)
131	650738	Sc	crew, 1/4-20 x 5/8 (Use as required)
222A		Po	op Rivet (Can be purchased locally)
274	35865	Ga	asket, Exhaust
275	33280A	Mu	uffler
277	650729	Sc	crew, 5/16-18 x 3-3/16" (Use as requ ired)
277	651002	Sc	crew, 5/16-18 x 4-1/4" (Use as required)
285A	33662	Hu	ub & Screen Assy.
290	29774	Fu	uel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962	Fu	uel Line (Braided 32")(80cm)(As required)
292	26460	Fu	uel Line Clamp (Use as required)
298	650665	Sc	crew, 1/4-15 x 7/8"
300	34156A	Fu	uel Tank (Incl. 292 & 301) NOTE: These tanks were
			uiltwith different size fuel inlet openings. Tanks with the
			3/16" I.D. opening use fuel cap 34210. Tanks with the
			1/2" I.D. opening use fuel cap 35355.
204.4	4404440		
301A	410144B		uel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.C	J.)
301A	33032	Fu	uel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		rec	quired) (1.5" I.D.)
3014	34210	Fu	uel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
301A	34210		s required) (1.5" I.D.)
		as	s required) (1.5 1.D.)
	35355		uel Cap (Red Plastic)(1.75" I.D.)
306	29673	* (Gasket, Oil filler
337	34140	Co	over, Carburetor
338A	31291		ug, Cover
341	34155	Br	racket, Lower fuel tank mtg.
342	650561	Sc	crew, 1/4-20 x 5/8"
350	570629A	Pr	rimer Assy.
351	32180C		ne, Primer
370D	34144	De	ecal, Primer
414	33323	Op	pt.Muffler Screen (Mini-Bike applica tion)
415	730130	Kit	t, Exhaust adapter (Incl. 274 & 277)
418	33700		over & Tube, Muffler (use as require d)
419	650578		crew, 8-18 x 3/8" (use as required)
421	730226	SA	AE 5W30 4-Cycle Engine Oil (Quart)



	Part Number	Qty	Description
37A	30322		Nut & Lockwasher, 8-32
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
	650713		Screw, 5/16-18 x 5/8"
	34587		Bracket, Choke
	34101A		Control Bracket (Incl. 19, 203, 204 & 206)
	730152		Control Bracket (Incl.1158-1171)(As r eq.)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	27793		
	28942		Screw, 10-32 x 3/8"
	28820		Screw, 10-32 x 1/2"
222A			Pop Rivet (Can be purchased locally)
227	730127		Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as
			required)
	22002		
	33662		Hub & Screen Assy.
	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962		Fuel Line (Braided 32")(80cm)(As required)
	30705		Fuel Line (Braided 16")(40cm)(As requ ired)
293	33715		Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps
			are replaced by 35813 and 35800 (WIP) pumps. The 33010
			(3000 series) repair kit is still available. The 35791 repair kit
			is used with the 35813 and 35800 fuel pumps.
00.4	05704		
294	35791		Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps
			are replaced by 35813 and 35800 (WIP) pumps. The 33010
			(3000 series) repair kit is still available. The 35791 repair kit
			is used with the 35813 and 35800 fuel pumps.
201 0	410144P		Fuel Cap (M/bite Directio)(Standard) (Lion on required) (1.5"
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
			I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
			required) (1.5" I.D.)
00/4	0.404.0		
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required) (1.5" I.D.)
3 ∩1∆	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	32958		
			Fitting, Fuel
	29673		* Gasket, Oil filler
	650765		Screw, 10-32 x 1/2"
	34140		Cover, Carburetor
	31291		Plug, Cover
364	33377		Bracket, Carburetor cover mtg.
365	650767		Screw, 8-32 x 27/64"
	34346		Decal, Instruction
	35274		Decal, Instruction
	34589		Decal, Choke
	34144		Decal, Primer
	34414		Decal, Warning
	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
	35824		Muffler Optional
1158	33374		Spring Extension
1159	30312		Screw, 10-32 x 1/2"
	28820		Screw, 10-32 x 1/2"
	27070		Lockwasher
	33816		Hub & Screen Assy.
1100			



		y Description
	34096C	Cylinder (CI liner)(3-5/16")(Incl.2,20,41,43,72 & 119)
2	27652	Pin, Dowel
37A	30322	Nut & Lockwasher, 8-32
72	27642	Plug, Oil drain
101	610118	Cover, Spark plug
	650489	Screw, 1/4-20 x 5/8"
	650727	Screw, 5/16-18 x 1-3/4 (Use as required)
	650713	Screw, 5/16-18 x 5/8"
	650737	
		Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Breather
173	35350	Tube, Breather
174	650128	Screw, 10-24 x 1/2"
178	29752	Nut & Lockwasher, 1/4-28
	33878	Link, Governor lever-to-throttle
222A		Pop Rivet (Can be purchased locally)
	391026	Muffler (Incl. 284, 284A & 416) (This spark arrester
2100	331020	mufflercan be used on any model.)
		mumercan be used on any model.
275	33280A	Muffler
276	31588	Plate, Muffler locking
	35741	Plate, Muffler locking
	650729	Screw, 5/16-18 x 3-3/16" (Use as required)
	651002	Screw, 5/16-18 x 4-1/4" (Use as required)
	33662	Hub & Screen Assy.
	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
301A	410144D	
		I.D.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
201 4	24240	Fuel Can (Bad Plastic) (Court Desistant Uish Drafile) (Use
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required) (1.5" I.D.)
301A	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	29673	* Gasket, Oil filler
	33876	Gasket, Stator (Used only on Std. poi nt ign.)
	34140	Cover, Carburetor
	31291	
		Plug, Cover
	34144	Decal, Primer
375	610848	Magneto (w/ring gear for 120 Volt sta rter) NOTE: The
		complete magneto is not available as an assembly.
		Themagneto number is shown for reference purpose only.
		Order component parts individually, as shown in parts list.
		(Refer to Division 5, Section B, page 28 for breakdown or
		Fiche 18B, Grid F-1
~ ~~	205 47 4	
	30547A	Breaker Points (Use with Std. point i gn.)
	30548B	Condenser
380	632110	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page 168 for breakdown or Fiche18B, Grid E-9)
101	730226	SAE 51/1/20 1-Cude Engine Ail (Auart)
	730226 35824	SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional