


Ref #	Part Number Qty	
1	34922A	Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
2	27652	Pin, Dowel
	650820	Screw, 1/4-20 x 1/2"
	32678	
		Nipple, Oil drain
	30969	Cap, Oil drain
15A	30700	Yoke, Governor
15	30699C	Rod Assy., Governor (Incl. 15A & 15B)
15B	650494	Screw, 6-40 x 5/16"
	33454	Governor Lever Assy.
	29916	Clamp, Governor lever
		• •
	650548	Screw, 8-32 x 5/16"
20	32630	Seal, Oil
25	29536	Blower Housing Baffle (Without electric starter knockout)
		(Use as required)
25	35256A	Blower Housing Baffle (With electric starter knockout) (Use
		as required)
26	650561	Screw, 1/4-20 x 5/8"
	33365B	Crankshaft (Incl. 108 & 109)
	29826	Screw, 10-32 x 3/4"
36	29918	Lockwasher, #8 E.T.
37A	30322	Nut & Lockwasher, 8-32
37	29216	Locknut, 10-32
	29642	Ring, Retaining
	34860A	Piston, Pin & Ring Set (Std.)(3-5/16")
	34861A	Piston, Pin & Ring Set (.010" OS)
40	34862A	Piston, Pin & Ring Set (.020" OS)
41	34863	Piston & Pin Ass'y. (Std.)(3-5/16")(I ncl.43)
41	34864	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34865	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
		• • • • •
	34866A	Ring Set (Std.) (3-5/16" Bore)
	34867A	Ring Set (.010" OS)
42	34868A	Ring Set (.020" OS)
43	27888	Ring, Piston Pin retaining
	32591C	Rod Assy., Connecting (Incl. 46, 47 & 49)
	650662C	Bolt, Connecting rod (2 pieces)
	650662C	Bolt, Connecting rod (2 pieces)
	34034	Lifter, Valve
49	34242	Dipper, Oil
50	34143	Camshaft (MCR)
	33273A	Extension, Blower housing
	34126	Bracket, Grommet mounting
		· · · · · · · · · · · · · · · · · · ·
	650760	Screw, 8-32 x 3/8"
	28545	Grommet, Plastic
65	650128	Screw, 10-24 x 1/2"
69	35262	* Gasket, Flange
	33367B	Cover, Cylinder (Incl. 71, 75 & 80)
	33368	Bushing, Crankshaft
	27642	Plug, Oil drain
75	31950	Seal, Oil
80	31845	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	
		Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
84	29193	Ring, Retaining
	050000	$S_{2}$
86	650833	Sciew, 1/4-20 X 1-3/10 (Use as required)
	650833 650832	Screw, 1/4-20 x 1-3/16 (Use as requir ed) Screw, 1/4-20 x 1-11/16" (Use as required)


	Part Number	v Deceription
		y Description
	650815	Washer, Belleville
	8116	Nut, Hex
	610118	Cover, Spark plug
	650516	Screw, 1/4-20 x 1-1/8"
108	29783	Pin, Crankshaft gear (Only serviceable when gear is pinned
		to crank.)
100	33245	Gear, Crankshaft
	34923A	* Gasket, Cylinder head
	34030A	Head, Cylinder
	27878A	Exhaust Valve (Std.) (Incl. 151)
	27880A	Exhaust Valve (1/32" OS) (Incl. 151)
	34035	Intake Valve (Std.) (Incl. 151)
	34036	Intake Valve (1/32" OS) (Incl. 151)
	650691	Washer (Do not use with No. 6021A scr ew.)
	650690	Washer, Belleville (Use as required)
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
130	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No.
		650691 washer.)
120	650711	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A
150	050711	
		but discard 650691 washer.)
130	650694A	Screw, 5/16-18 x 2" (Use as required)
131	650737	Screw, 1/4-20 x 1/2" (Use as required )
131	650738	Screw, 1/4-20 x 5/8 (Use as required)
	650713	Screw, 5/16-18 x 5/8"
	650890	Washer, Internal Lock
	33636	Resistor Spark Plug
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	35862	Seal Assy., Intake valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	Element, Breather
	28425	
		Cover, Breather
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	29752	Nut & Lockwasher, 1/4-28
	30088A	Screw, 1/4-28 x 1"
	34587	Bracket, Choke
	33263	* Gasket, Carburetor
	33877	Pipe, Intake
	34667	Link, Governor lever
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	610973	Terminal Assy.
	33878	Link, Governor lever-to-throttle
209	650821	Screw, 10-32 x 1/2"
215	32410	Knob, Speed control
219	34586	Rod, Choke
220	35438	Knob, Control
222A		Pop Rivet (Can be purchased locally)
	28820	Screw, 10-32 x 1/2"
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A	* Gasket, Intake pipe
	34822A	Blower Housing
200	· · · · ·	

		Description
	650788	Screw, 5/16-18 x 3/4"
	29747B	Screw, 5/16-24 x 21/32"
	33272B	Cover, Cylinder head
	35056	Muffler
	31588	Plate, Muffler locking
276	35741	Plate, Muffler locking
277	650729	Screw, 5/16-18 x 3-3/16" (Use as required)
277	651002	Screw, 5/16-18 x 4-1/4" (Use as required)
281	33013	Cover, Starter bubble
282	650760	Screw, 8-32 x 7/16"
	33662	Hub & Screen Assy.
	29752	Nut, 1/4-28
	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962	Fuel Line (Braided 32")(80cm)(As required)
	30705	Fuel Line (Braided 16")(40cm)(As required)
	26460	Fuel Line Clamp (Use as required)
	32961	Valve, Fuel shut-off
	650665	•
		Screw, 1/4-15 x 7/8"
300	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
		builtwith different size fuel inlet openings. Tanks with the
		1-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
00 // (		
		-
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
3014	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
50 IA	0 <del>1</del> 210	as required) (1.5" I.D.)
		as required) (1.5 1.D.)
301A	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
305	33893A	Oil Fill Tube
307	33590	"O" Ring
310	34011A	Dipstick (Incl. 307)
328	35062	Ignition Key
	610973	Terminal Ássy.
330	35305	Wire, Ground
	650765	Screw, 10-32 x 1/2"
	35057A	Cover, Carburetor (Incl. 329)
	28942	Screw, Sems 10-32 x 3/8"
338A 340		Plug, Cover Plate Lipper fuel tank mtg
	34154	Plate, Upper fuel tank mtg.
	34155	Bracket, Lower fuel tank mtg.
	650561	Screw, 1/4-20 x 5/8"
	650168	Washer
	34141	Guard, Starter
	32576	Seal, Snow Guard
	650767	Screw, 8-32 x 27/64"
	34346	Decal, Instruction
	35274	Decal, Instruction
370	35312	Decal, Instruction
370	35077	Decal, Instruction
	34144	Decal, Primer
	631021	Inlet Needle, Seat & Clip Assy.
	632370	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
500		page 200 for breakdown or Fiche18B, Grid E-13)
400	33279G	* Gasket Set (Incl. items marked *)


Ref #	Part Number 0	Qty Description
420	730225	SAE 30 4-Cycle Engine Oil (Quart)
421	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional



Ref #	Part Number	Qty	Description
37A	30322		Nut & Lockwasher, 8-32
62	650760		Screw, 8-32 x 3/8"
63	28545		Grommet, Plastic
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131	650737		Screw, 1/4-20 x 1/2" (Use as required )
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
131A	650713		Screw, 5/16-18 x 5/8"
222A			Pop Rivet (Can be purchased locally)
274	35865		Gasket, Exhaust
	35056		Muffler
277	650729		Screw, 5/16-18 x 3-3/16" (Use as requ ired)
	651002		Screw, 5/16-18 x 4-1/4" (Use as required)
	33662		Hub & Screen Assy.
	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962		Fuel Line (Braided 32")(80cm)(As required)
	26460		Fuel Line Clamp (Use as required)
	32961		Valve, Fuel shut-off
	650665		Screw, 1/4-15 x 7/8"
	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
			builtwith different size fuel inlet openings. Tanks with the
			1-3/16" I.D. opening use fuel cap 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
			I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
00111	00002		required) (1.5" I.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required) (1.5" I.D.)
3014	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	35305		Wire, Ground
	35057A		Cover, Carburetor (Incl. 329)
	31291		Plug, Cover
	34155		Bracket, Lower fuel tank mtg.
	650561		Screw, $1/4-20 \times 5/8"$
	570682		
			Primer Assy.
	32180C		Line, Primer
	34144		Decal, Primer
	33323		Opt.Muffler Screen (Mini-Bike applica tion)
	730130		Kit, Exhaust adapter (Incl. 274 & 277)
	33700		Cover & Tube, Muffler (use as require d)
	650578		Screw, 8-18 x 3/8" (use as required)
	72(77)6		
	730226 35824		SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional



Ref # Part Numb	
37A 30322	Nut & Lockwasher, 8-32
129 650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131 650737	Screw, 1/4-20 x 1/2" (Use as required )
131 650738	Screw, 1/4-20 x 5/8 (Use as required)
131A 650713	Screw, 5/16-18 x 5/8"
183 34587	Bracket, Choke
200B 730152	Control Bracket (Incl.1158-1171)(As r eq.)
203 31342	Spring, Compression
204 650549	Screw, 5-40 x 7/16"
222A	Pop Rivet (Can be purchased locally)
222 28820	Screw, $10-32 \times 1/2$ "
227 730127	Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as
221 130121	required)
275C 35056	Muffler
285A 33662	Hub & Screen Assy.
290 29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290 30962	Fuel Line (Braided 32")(80cm)(As required)
291 30705	Fuel Line (Braided 16")(40cm)(As required)
293 33715	Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps
	are replaced by 35813 and 35800 (WIP) pumps. The 33010
	(3000 series) repair kit is still available. The 35791 repair kit
	is used with the 35813 and 35800 fuel pumps.
294 35791	Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps
201 00101	are replaced by 35813 and 35800 (WIP) pumps. The 33010
	(3000 series) repair kit is still available. The 35791 repair kit
	is used with the 35813 and 35800 fuel pumps.
301A 410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
	I.D.)
301A 33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
301/1 30002	required) (1.5" I.D.)
301A 34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
	as required) (1.5" I.D.)
301A 35355	Fuel Cap (Red Plastic)(1.75" I.D.)
303 32958	Fitting, Fuel
330 35305	Wire, Ground
336 650765	Screw, 10-32 x 1/2"
337 35057A	Cover, Carburetor (Incl. 329)
338A 31291	Plug, Cover
364 33377	Bracket, Carburetor cover mtg.
	-
365 650767	Screw, 8-32 x 27/64"
370 34346	Decal, Instruction
370 35274	Decal, Instruction
370 35312	Decal, Instruction
370 35077	Decal, Instruction
370D 34144	Decal, Primer
421 730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422 35824	Muffler Optional
1159 30312	Screw, 10-32 x 1/2"
1160 28820	Screw, 10-32 x 1/2"
1160 27070	Lockwasher
1185 33816	Hub & Screen Assy.



Ref # Part Numb	Description
1 34922A	Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
2 27652	Pin, Dowel
3 650820	Screw, 1/4-20 x 1/2"
37A 30322	Nut & Lockwasher, 8-32
72 27642	Plug, Oil drain
101 610118	Cover, Spark plug
103 650516	Screw, 1/4-20 x 1-1/8"
129 650727	Screw, 5/16-18 x 1-3/4 (Use as required)
131A 650713	Screw, 5/16-18 x 5/8"
131 650737	Screw, 1/4-20 x 1/2" (Use as required )
131 650738	Screw, 1/4-20 x 5/8 (Use as required)
169 27896A	* Gasket, Breather
170 28423	Body, Breather
171 28424	Element, Breather
172 28425	Cover, Breather
172 20423	Tube, Breather
173 55550	Screw, 10-24 x 1/2"
174 030120	Nut & Lockwasher, 1/4-28
	Link, Governor lever-to-throttle
207 33878	
222A	Pop Rivet (Can be purchased locally)
275C 35056	Muffler
275B 391026	Muffler (Incl. 284, 284A & 416) (This spark arrester
	mufflercan be used on any model.)
276 31588	Plate, Muffler locking
276 35741	Plate, Muffler locking
277 650729	Screw, 5/16-18 x 3-3/16" (Use as required)
277 651002	Screw, 5/16-18 x 4-1/4" (Use as required)
285A 33662	Hub & Screen Assy.
301A 410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
301A 410144B	I.D.)
	1.0.)
301A 33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
	required) (1.5" I.D.)
201 \ 24210	Fuel Con (Dod Diastia) (Shurt Desistant Lligh Drafile) (Llas
301A 34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
	as required) (1.5" I.D.)
301A 35355	Fuel Cap (Red Plastic)(1.75" I.D.)
313A 33876	Gasket, Stator (Used only on Std. poi nt ign.)
330 35305	Wire, Ground
337 35057A	Cover, Carburetor (Incl. 329)
338A 31291	Plug, Cover
370D 34144	Decal, Primer
375 610982	Magneto (w/ring gear) (12 Volt, 3 Amp ) NOTE: The
	complete magneto is not available as an assembly.
	Themagneto number is shown for reference purpose only.
	Order component parts individually, as shown in parts list.
	(Refer to Division 5, Section B, page 36 for breakdown or
	Fiche 18B, Grid F-3
377 30547A	Breaker Points (Use with Std. point i gn.)
378 610767A	Condenser
380 632370	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
	page 200 for breakdown or Fiche18B, Grid E-13)
404 700000	SAE 51/1/20 4 Cuclo Engine Cil (Culott)
421 730226	SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional
422 35824	