



	Part Number Qt	
	34922A	Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
2	27652	Pin, Dowel
15	30699C	Rod Assy., Governor (Incl. 15A & 15B)
	650494	Screw, 6-40 x 5/16"
	30700	Yoke, Governor
	33454	Governor Lever Assy.
	29916	Clamp, Governor lever
	650548	Screw, 8-32 x 5/16"
20	32630	Seal, Oil
25	29536	Blower Housing Baffle (Without electric starter knockout)
		(Use as required)
	0.50.50.4	
25	35256A	Blower Housing Baffle (With electric starter knockout) (Use
		as required)
00	050501	Corrow 1/1 00 x E/0"
	650561	Screw, 1/4-20 x 5/8"
	35216	Crankshaft (Incl. 108 & 109)
35	29826	Screw, 10-32 x 3/4"
36	29918	Lockwasher, #8 E.T.
	30322	Nut & Lockwasher, 8-32
	29216	Locknut, 10-32
	29642	Ring, Retaining
40	34860A	Piston, Pin & Ring Set (Std.)(3-5/16")
40	34861A	Piston, Pin & Ring Set (.010" OS)
	34862A	Piston, Pin & Ring Set (.020" OS)
	34863	Piston & Pin Ass'y. (Std.)(3-5/16")(I ncl.43)
	34864	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34865	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
42	34866A	Ring Set (Std.) (3-5/16" Bore)
42	34867A	Ring Set (.010" OS)
	34868A	Ring Set (.020" OS)
	27888	Ring, Piston Pin retaining
	32591C	Rod Assy., Connecting (Incl. 46, 47 & 49)
	650662C	Bolt, Connecting rod (2 pieces)
47	650662C	Bolt, Connecting rod (2 pieces)
48	34034	Lifter, Valve
49	34242	Dipper, Oil
	34143	Camshaft (MCR)
	33273A	Extension, Blower housing
	650128	Screw, 10-24 x 1/2"
69	35262	* Gasket, Flange
70	33626B	Cyl.Cover (Incl.71,75,80,179,180,220, 221)
	27642	Plug, Oil drain
	33625	Seal, Oil
	31845	Shaft, Mechanical governor
	30590A	Washer, Flat
82	30591	Gear Assy., Governor (Incl. 81)
83	30588A	Spool, Governor
	29193	Ring, Retaining
	650833	
		Screw, 1/4-20 x 1-3/16 (Use as required)
	650832	Screw, 1/4-20 x 1-11/16" (Use as required)
	32589	Key, Flywheel
90	611090	Flywheel
	650815	Washer, Belleville
	8116	Nut, Hex
	35135	Solid State Assy.
		Stud Solid state mounting
102	650814	Stud, Solid state mounting Screw, Torx T-15, 10-24 x 1"

	Part Number 29783	Qty	Description Pin, Crankshaft gear (Only serviceable when gear is pinned to crank.)
109	33245		to crank.) Gear, Crankshaft
119	34923A		* Gasket, Cylinder head
120	34030A		Head, Cylinder
125	27878A		Exhaust Valve (Std.) (Incl. 151)
	27880A		Exhaust Valve (1/32" OS) (Incl. 151)
	34035		Intake Valve (Std.) (Incl. 151)
	34036		Intake Valve (1/32" OS) (Incl. 151)
	650691		Washer (Do not use with No. 6021A scr ew.)
	650690		Washer, Belleville (Use as required)
	650727		
			Screw, 5/16-18 x 1-3/4 (Use as required)
130	6021A		Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No. 650691 washer.)
130	650711		Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A but discard 650691 washer.)
	650694A		Screw, 5/16-18 x 2" (Use as required)
131A	650713		Screw, 5/16-18 x 5/8"
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
	650890		Washer, Internal Lock
	30747		Clip, Spark plug shorting
	33636		Resistor Spark Plug
	33369		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	35862		Seal Assy., Intake valve
	27881		
	32581		Spring, Valve
			Cap, Lower valve spring
	27896A		* Gasket, Breather
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Breather
	35350		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher, 1/4-28
182	30088A		Screw, 1/4-28 x 1"
184	33263		* Gasket, Carburetor
207	33878		Link, Governor lever-to-throttle
222A			Pop Rivet (Can be purchased locally)
223	650378		Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A		* Gasket, Intake pipe
	33269A		Cover, Air cleaner
	33375D		Blower Housing (For electric starter)
	650788		Screw, 5/16-18 x 3/4"
	29747B		Screw, 5/16-24 x 21/32"
	33272B		Cover, Cylinder head
	33280A		Muffler
	31588		Plate, Muffler locking
	35741		Plate, Muffler locking
	650729		Screw, 5/16-18 x 3-3/16" (Use as required)
	651002		Screw, 5/16-18 x 4-1/4" (Use as required)
	33013		Cover, Starter bubble
	650760		Screw, 8-32 x 7/16"
285	32125		Cup, Starter
286	35194		Screen, Starter
	29752		


		ty Description
290	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962	Fuel Line (Braided 32")(80cm)(As requ ired)
291	30705	Fuel Line (Braided 16")(40cm)(As requ ired)
292	26460	Fuel Line Clamp (Use as required)
298	650665	Screw, 1/4-15 x 7/8"
300	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)
301A	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	29673	* Gasket, Oil filler
310	31297	Dipstick (Incl. 307)
338A	31291	Plug, Cover
340	34154	Plate, Upper fuel tank mtg.
341	34155	Bracket, Lower fuel tank mtg.
342	650561	Screw, 1/4-20 x 5/8"
	34686	Decal, Name
	34346	Decal, Instruction
	35274	Decal, Instruction
	631021	Inlet Needle, Seat & Clip Assy.
380	632242	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A, page A4-4 for breakdown or Fiche 18B, Grid D-3)
400	33279G	* Gasket Set (Incl. items marked *)
	730225	SAE 30 4-Cycle Engine Oil (Quart)
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional



37A 30322 Nut & Lockwasher, 8-32 129 650727 Screw, 5/16-18 x 1-3/4 (Use as required) 131A 650713 Screw, 5/16-18 x 5/8" 131 650737 Screw, 1/4-20 x 1/2" (Use as required) 131 650738 Screw, 1/4-20 x 5/8 (Use as required) 222A Pop Rivet (Can be purchased locally) 250B 33269A Cover, Air cleaner 274 35865 Gasket, Exhaust 275 33280A Muffler 277 650729 Screw, 5/16-18 x 3-3/16" (Use as required) 290 29774 Fuel Line (Braided 8-1/4")(21cm)(As required) 290 30962 Fuel Line (Braided 8-1/4")(21cm)(As required) 291 26460 Fuel Line (Braided 32")(80cm)(As required) 292 26460 Fuel Line Clamp (Use as required) 298 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required I.D.)	
131A 650713 Screw, 5/16-18 x 5/8" 131 650737 Screw, 1/4-20 x 1/2" (Use as required) 131 650738 Screw, 1/4-20 x 5/8 (Use as required) 222A Pop Rivet (Can be purchased locally) 250B 33269A Cover, Air cleaner 274 35865 Gasket, Exhaust 275 33280A Muffler 277 650729 Screw, 5/16-18 x 3-3/16" (Use as required) 290 29774 Screw, 5/16-18 x 4-1/4" (Use as required) 290 29774 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 292 26460 Fuel Line (Braided 32")(80cm)(As required) 293 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required I.D.)	
131 650737 Screw, 1/4-20 x 1/2" (Use as required) 131 650738 Screw, 1/4-20 x 5/8 (Use as required) 222A Pop Rivet (Can be purchased locally) 250B 33269A Cover, Air cleaner 274 35865 Gasket, Exhaust 275 33280A Muffler 277 650729 Screw, 5/16-18 x 3-3/16" (Use as required) 290 29774 Fuel Line (Braided 8-1/4")(21cm)(As r equired) 290 29774 Fuel Line (Braided 32")(80cm)(As required) 292 26460 Fuel Line Clamp (Use as required) 298 650665 Screw, 1/4-15 x 7/8" 300 34156A Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 34355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required I.D.)	
131650738Screw, 1/4-20 x 5/8 (Use as required)222APop Rivet (Can be purchased locally)250B33269A2743586527533280A2776507292776510022902977429030962291Fuel Line (Braided 8-1/4")(21 cm)(As r equired)2922646029865066530034156A301A410144B410144BFuel Cap (White Plastic)(Standard) (Use as required)	
222APop Rivet (Can be purchased locally)250B33269ACover, Air cleaner27435865Gasket, Exhaust27533280AMuffler277650729Screw, 5/16-18 x 3-3/16" (Use as required)29029774Fuel Line (Braided 8-1/4")(21cm)(As r equired)29030962Fuel Line (Braided 32")(80cm)(As required)29226460Fuel Line (Camp (Use as required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
250B33269ACover, Air cleaner27435865Gasket, Exhaust27533280AMuffler277650729Screw, 5/16-18 x 3-3/16" (Use as required)29029774Screw, 5/16-18 x 4-1/4" (Use as required)29030962Fuel Line (Braided 8-1/4")(21cm)(As r equired)29226460Fuel Line (Braided 32")(80cm)(As required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
27435865Gasket, Exhaust27533280AMuffler277650729Screw, 5/16-18 x 3-3/16" (Use as required)277651002Screw, 5/16-18 x 4-1/4" (Use as required)29029774Fuel Line (Braided 8-1/4")(21cm)(As r equired)29030962Fuel Line (Braided 32")(80cm)(As required)29226460Fuel Line Clamp (Use as required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
27533280AMuffler277650729Screw, 5/16-18 x 3-3/16" (Use as required)277651002Screw, 5/16-18 x 4-1/4" (Use as required)29029774Fuel Line (Braided 8-1/4")(21cm)(As r equired)29030962Fuel Line (Braided 32")(80cm)(As required)29226460Fuel Line Clamp (Use as required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
277650729Screw, 5/16-18 x 3-3/16" (Use as required)277651002Screw, 5/16-18 x 4-1/4" (Use as required)29029774Fuel Line (Braided 8-1/4")(21cm)(As r equired)29030962Fuel Line (Braided 32")(80cm)(As required)29226460Fuel Line Clamp (Use as required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
277651002Screw, 5/16-18 x 4-1/4" (Use as required)29029774Fuel Line (Braided 8-1/4")(21cm)(As r equired)29030962Fuel Line (Braided 32")(80cm)(As required)29226460Fuel Line Clamp (Use as required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
29029774Fuel Line (Braided 8-1/4")(21cm)(As r equired)29030962Fuel Line (Braided 32")(80cm)(As required)29226460Fuel Line Clamp (Use as required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
29030962Fuel Line (Braided 32")(80cm)(As required)29226460Fuel Line Clamp (Use as required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
29226460Fuel Line Clamp (Use as required)298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
298650665Screw, 1/4-15 x 7/8"30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
30034156AFuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
builtwith different size fuel inlet openings. Tanks with 1-3/16" I.D. opening use fuel cap 34210. Tanks with 1-1/2" I.D. opening use fuel cap 35355. 301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required I.D.)	
1-3/16" I.D. opening use fuel cap 34210. Tanks with 11-1/2" I.D. opening use fuel cap 35355.301A 410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
301A410144B1-1/2" I.D. opening use fuel cap 35355.301A410144BFuel Cap (White Plastic)(Standard) (Use as required I.D.)	
301A 410144B Fuel Cap (White Plastic)(Standard) (Use as required I.D.)	the
I.D.)	
I.D.)) (1.5"
	/(
301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile)) (Use as
required) (1.5" I.D.)	
301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
as required) (1.5" I.D.)	, (
301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.)	
306 29673 * Gasket, Oil filler 338A 31291 Plug, Cover	
342 650561 Screw, 1/4-20 x 5/8" 414 33323 Opt.Muffler Screen (Mini-Bike applica tion)	
414 33323 Opt.Muller Screen (Mini-Bike application) 415 730130 Kit, Exhaust adapter (Incl. 274 & 277)	
415 750150 Kit, Exhaust adapter (incl. 274 & 277) 418 33700 Cover & Tube, Muffler (use as require d)	
416 35700 Cover & rube, Muller (use as required) 419 650578 Screw, 8-18 x 3/8" (use as required)	
419 050578 Screw, 6-16 x 5/8 (use as required) 421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	
421 730226 SAE 5W30 4-Cycle Engine Oil (Quart) 422 35824 Muffler Optional	



	Part Number	Qty Description
	30322	Nut & Lockwasher, 8-32
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
	650713	Screw, 5/16-18 x 5/8"
	730152	Control Bracket (Incl.1158-1171)(As r eq.)
222A		Pop Rivet (Can be purchased locally)
227	730127	Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as required)
238	28820	Screw, 10-32 x 1/2"
	27272A	* Gasket, Air cleaner
	33266	Bracket, Air cleaner
	33267	Bracket, Air cleaner
	33268	Element, Air cleaner
	33269A	Cover, Air cleaner
	650513	Nut, Wing 1/4-20
	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962	Fuel Line (Braided 32")(80cm)(As required)
	30705	Fuel Line (Braided 16")(40cm)(As required)
	33715	Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps
200		are replaced by 35813 and 35800 (WIP) pumps. The 33010
		(3000 series) repair kit is still available. The 35791 repair kit
		is used with the 35813 and 35800 fuel pumps.
294	35791	Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps
		are replaced by 35813 and 35800 (WIP) pumps. The 33010
		(3000 series) repair kit is still available. The 35791 repair kit
		is used with the 35813 and 35800 fuel pumps.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
		-
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
	-	as required) (1.5" I.D.)
0011	05055	
	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	32958	Fitting, Fuel
	29673	* Gasket, Oil filler
	31291	Plug, Cover
	34346	Decal, Instruction
	35274	Decal, Instruction
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
	35824	Muffler Optional
	30312	Screw, 10-32 x 1/2"
	28820	Screw, 10-32 x 1/2"
	27070	Lockwasher
1185	33816	Hub & Screen Assy.



Ref #	Part Number Q	ty Description
1	34922A	Cylinder (Cl liner)(3-5/16")(Incl.2,2 0 & 72)
2	27652	Pin, Dowel
23	33627	Bearing, Ball
	33628	Washer, Thrust
	30322	Nut & Lockwasher, 8-32
	27642	Plug, Oil drain
	31855	Retainer, Bearing
	611090	Flywheel
94	33450	Lock Nut, 10-32
95	30886A	Spring, Governor bolt
96	30845A	Bolt, Governor adjusting
	35135	Solid State Assy.
	650872	Stud, Solid state mounting
	650814	Screw, Torx T-15, 10-24 x 1"
	650727	Screw, 5/16-18 x 1-3/4 (Use as required)
	650737	Screw, 1/4-20 x 1/2" (Use as required)
131	650738	Screw, 1/4-20 x 5/8 (Use as required)
131A	650713	Screw, 5/16-18 x 5/8"
169	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	Element, Breather
	28425	
		Cover, Breather
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
175	650778	Lockwasher
176	650580	Nut, Lock
178	29752	Nut & Lockwasher, 1/4-28
207	33878	Link, Governor lever-to-throttle
222A		Pop Rivet (Can be purchased locally)
	28820	Screw, 10-32 x 1/2"
	27272A	* Gasket, Air cleaner
		,
	33266	Bracket, Air cleaner
	33267	Bracket, Air cleaner
	33268	Element, Air cleaner
	33269A	Cover, Air cleaner
251	650513	Nut, Wing 1/4-20
275	33280A	Muffler
275B	391026	Muffler (Incl. 284, 284A & 416) (This spark arrester
		mufflercan be used on any model.)
	31588	Plate, Muffler locking
276	35741	Plate, Muffler locking
	650729	Screw, 5/16-18 x 3-3/16" (Use as requ ired)
	651002	Screw, 5/16-18 x 4-1/4" (Use as required)
	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
501A	4101-440	I.D.)
004 ^	22022	
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)
/ -	0.1010	
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)
201 \	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	29673	* Gasket, Oil filler
	33876	Gasket, Stator (Used only on Std. poi nt ign.)
	31291	Plug, Cover
377	30547A	Breaker Points (Use with Std. point i gn.)

Ref #	Part Number	Qty	Description
380	632242		Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A, page A4-4 for breakdown or Fiche 18B, Grid D-3)
	730226 35824		SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional