




D-4 //	Dout Novel on	Description
		Description Odinder (Cl. lines) (2.5 (45 li) (line) 2.2 0.8 72)
	34922A	Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
	27652	Pin, Dowel
	650494	Screw, 6-40 x 5/16"
	30700	Yoke, Governor
	30699C	Rod Assy., Governor (Incl. 15A & 15B)
	33454	Governor Lever Assy.
17	29916	Clamp, Governor lever
18	650548	Screw, 8-32 x 5/16"
20	32630	Seal, Oil
25	29536	Blower Housing Baffle (Without electric starter knockout)
		(Use as required)
25	35256A	Blower Housing Baffle (With electric starter knockout) (Use
23	33230A	as required)
		. ,
26	650561	Screw, 1/4-20 x 5/8"
30	35216	Crankshaft (Incl. 108 & 109)
35	29826	Screw, 10-32 x 3/4"
36	29918	Lockwasher, #8 E.T.
37	29216	Locknut, 10-32
	30322	Nut & Lockwasher, 8-32
	29642	Ring, Retaining
	34860A	Piston, Pin & Ring Set (Std.)(3-5/16")
	34861A	Piston, Pin & Ring Set (0.010" OS)
	34862A	Piston, Pin & Ring Set (.020" OS)
	34863	
		Piston & Pin Ass'y. (Std.)(3-5/16")(I ncl.43)
	34864	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34865	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	34866A	Ring Set (Std.) (3-5/16" Bore)
	34867A	Ring Set (.010" OS)
	34868A	Ring Set (.020" OS)
43	27888	Ring, Piston Pin retaining
45	32591C	Rod Assy., Connecting (Incl. 46, 47 & 49)
46	650662C	Bolt, Connecting rod (2 pieces)
47	650662C	Bolt, Connecting rod (2 pieces)
48	34034	Lifter, Valve
49	34242	Dipper, Oil
	34143	Camshaft (MCR)
	33273A	Extension, Blower housing
	650760	Screw, 8-32 x 3/8"
	28545	Grommet, Plastic
	650128	Screw, 10-24 x 1/2"
		* Gasket, Flange
	35262	, 0
	33626B	Cyl.Cover (Incl.71,75,80,179,180,220, 221)
	27642	Plug, Oil drain
	33625	Seal, Oil
	31845	Shaft, Mechanical governor
	30590A	Washer, Flat
82	30591	Gear Assy., Governor (Incl. 81)
83	30588A	Spool, Governor
84	29193	Ring, Retaining
86	650833	Screw, 1/4-20 x 1-3/16 (Use as requir ed)
	650832	Screw, 1/4-20 x 1-11/16" (Use as required)
	32589	Key, Flywheel
	611091	Flywheel (w/ring gear)
	650815	Washer, Belleville
	8116	Nut, Hex
		·
	35135 37376	Solid State Assy.
101	27276	Cover, Spark plug


Ref #	Part Number Qty	Description
	650872	Stud, Solid state mounting
	650814	Screw, Torx T-15, 10-24 x 1"
	29783	Pin, Crankshaft gear (Only serviceable when gear is pinned
100	29100	to crank.)
400	00045	,
	33245	Gear, Crankshaft
	35183	Wire, Ground
	34923A	* Gasket, Cylinder head
	34030A	Head, Cylinder
	27878A	Exhaust Valve (Std.) (Incl. 151)
	27880A	Exhaust Valve (1/32" OS) (Incl. 151)
	34035	Intake Valve (Std.) (Incl. 151)
	34036	Intake Valve (1/32" OS) (Incl. 151)
	650691	Washer (Do not use with No. 6021A scr ew.)
	650690	Washer, Belleville (Use as required)
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
130	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No.
		650691 washer.)
130	650711	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A
		but discard 650691 washer.)
130	650694A	Screw, 5/16-18 x 2" (Use as required)
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
	650713	Screw, 5/16-18 x 5/8"
	650890	Washer, Internal Lock
	30747	Clip, Spark plug shorting
	33636	Resistor Spark Plug
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	35862	Seal Assy., Intake valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Breather
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	29752	Nut & Lockwasher, 1/4-28
	30088A	Screw, 1/4-28 x 1"
	33263	* Gasket, Carburetor
	34707	Pipe, Intake
	34661	Link, Governor lever
	34664	Control Bracket (Incl.19,203, 204, 20 6 & 209)
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33878	Link, Governor lever-to-throttle
	650821	Screw, 10-32 x 1/2"
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
222A	20012	Pop Rivet (Can be purchased locally)
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A	* Gasket, Intake pipe
	33269A	Cover, Air cleaner
	33375D	Blower Housing (For electric starter)
	650788	Screw, 5/16-18 x 3/4"
	29747B	·
202	23141D	Screw, 5/16-24 x 21/32"


Ref #	Part Number C	ty Description
	33272B	Cover, Cylinder head
	33280A	Muffler
	31588	Plate, Muffler locking
276	35741	Plate, Muffler locking
277	650729	Screw, 5/16-18 x 3-3/16" (Use as requ ired)
277	651002	Screw, 5/16-18 x 4-1/4" (Use as required)
281	33013	Cover, Starter bubble
282	650760	Screw, 8-32 x 7/16"
285	32125	Cup, Starter
286	35194	Screen, Starter
287	29752	Nut, 1/4-28
290	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962	Fuel Line (Braided 32")(80cm)(As requ ired)
	30705	Fuel Line (Braided 16")(40cm)(As requ ired)
	26460	Fuel Line Clamp (Use as required)
	650665	Screw, 1/4-15 x 7/8"
300	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
		builtwith different size fuel inlet openings. Tanks with the
		1-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
201 /	24240	. , , ,
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required) (1.5" I.D.)
301A	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
305	33992A	Oil Fill Tube
	33590	"O" Ring
	35844	Fill Tube & Dipstick Assy.
	34246	Clip, Ground wire
	31291	Plug, Cover
	650561	Screw, 1/4-20 x 5/8"
	34346	Decal, Instruction
	35274	Decal, Instruction
	34686	Decal, Name
	631021	Inlet Needle, Seat & Clip Assy.
380	632242	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page A4-4 for breakdown or Fiche 18B, Grid D-3)
400	33279G	* Gasket Set (Incl. items marked *)
	730225	SAE 30 4-Cycle Engine Oil (Quart)
421	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional





















Ref #	Part Number	Qty D	Description
37A	30322	N	lut & Lockwasher, 8-32
62	650760	S	Screw, 8-32 x 3/8"
63	28545	G	Grommet, Plastic
68	33356	Ta	ab, Ground terminal
129	650727	S	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131	650737	S	Screw, 1/4-20 x 1/2" (Use as required)
131	650738	S	Screw, 1/4-20 x 5/8 (Use as required)
131A	650713	S	Screw, 5/16-18 x 5/8"
222A		P	Pop Rivet (Can be purchased locally)
250B	33269A	С	Cover, Air cleaner
274	35865	G	Sasket, Exhaust
275	33280A	M	<i>fluffler</i>
277	650729	S	Screw, 5/16-18 x 3-3/16" (Use as requ ired)
277	651002		Screw, 5/16-18 x 4-1/4" (Use as requi red)
290	29774	F	uel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962	F	uel Line (Braided 32")(80cm)(As requ ired)
292	26460	F	uel Line Clamp (Use as required)
298	650665	S	Screw, 1/4-15 x 7/8"
300	34156A		uel Tank (Incl. 292 & 301) NOTE: These tanks were
			uiltwith different size fuel inlet openings. Tanks with the
			-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-	-1/2" I.D. opening use fuel cap 35355.
301A	410144B	F	uel Cap (White Plastic)(Standard) (Use as required) (1.5"
			D.)
204.4	22222		
301A	33032		fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		re	equired) (1.5" I.D.)
301A	34210	F	uel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as	s required) (1.5" I.D.)
301A	35355	Fi	Fuel Cap (Red Plastic)(1.75" I.D.)
	31291		Plug, Cover
	650561		Screw, 1/4-20 x 5/8"
	33323		Opt.Muffler Screen (Mini-Bike applica tion)
	730130		(it, Exhaust adapter (Incl. 274 & 277)
	33700		Cover & Tube, Muffler (use as require d)
	650578		Screw, 8-18 x 3/8" (use as required)
	730226		SAE 5W30 4-Cycle Engine Oil (Quart)
	35824		Auffler Optional



Ref #	Part Number	Qty	Description
129 131 131A 200B 203 204 210 211	30322 650727 650737 650738 650713 730152 31342 650549 27793 28942		Nut & Lockwasher, 8-32 Screw, 5/16-18 x 1-3/4 (Use as requir ed) Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 5/8 (Use as required) Screw, 5/16-18 x 5/8" Control Bracket (Incl.1158-1171)(As r eq.) Spring, Compression Screw, 5-40 x 7/16" Clip, Conduit Screw, 10-32 x 3/8" Pop Rivet (Can be purchased locally) Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as required)
239 241 242 245 250B 251 290 290 291	28820 27272A 33266 33267 33268 33269A 650513 29774 30962 30705 33715		Screw, 10-32 x 1/2" * Gasket, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Element, Air cleaner Cover, Air cleaner Nut, Wing 1/4-20 Fuel Line (Braided 8-1/4")(21cm)(As r equired) Fuel Line (Braided 32")(80cm)(As required) Fuel Line (Braided 16")(40cm)(As required) Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps are replaced by 35813 and 35800 (WIP) pumps. The 33010 (3000 series) repair kit is still available. The 35791 repair kit is used with the 35813 and 35800 fuel pumps.
294	35791		Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps are replaced by 35813 and 35800 (WIP) pumps. The 33010 (3000 series) repair kit is still available. The 35791 repair kit is used with the 35813 and 35800 fuel pumps.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)
303 338A 370 370 421 422 1159 1160 1160	35355 32958 31291 34346 35274 730226 35824 30312 28820 27070 33816		Fuel Cap (Red Plastic)(1.75" I.D.) Fitting, Fuel Plug, Cover Decal, Instruction Decal, Instruction SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional Screw, 10-32 x 1/2" Screw, 10-32 x 1/2" Lockwasher Hub & Screen Assy.



Dof #	Dort Number	Description
	Part Number Qty 34922A	Description Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
	27652	Pin, Dowel
	33627	,
	33628	Bearing, Ball Washer, Thrust
		Nut & Lockwasher, 8-32
	30322	•
	27642	Plug, Oil drain
	31855	Retainer, Bearing
	611091	Flywheel (w/ring gear)
	35135 37376	Solid State Assy.
	27276 650872	Cover, Spark plug
	650814	Stud, Solid state mounting
		Screw, Torx T-15, 10-24 x 1" Screw, F/16, 18 x 1, 2/4 (Use as required)
	650727	Screw, 5/16-18 x 1-3/4 (Use as required)
	650737 650738	Screw, 1/4-20 x 1/2" (Use as required)
	650738 650743	Screw, 1/4-20 x 5/8 (Use as required)
	650713 27806A	Screw, 5/16-18 x 5/8" * Cooleat Breather
	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Breather
	35350 650438	Tube, Breather
	650128 650778	Screw, 10-24 x 1/2"
	650778 650590	Lockwasher Nut. Lock
	650580 29752	Nut, Lock Nut & Lockwasher, 1/4-28
	33878	Link, Governor lever-to-throttle
207 222A	33076	Pop Rivet (Can be purchased locally)
	28820	Screw, 10-32 x 1/2"
	27272A	* Gasket, Air cleaner
	33266	Bracket, Air cleaner
	33267	Bracket, Air cleaner
	33268	Element, Air cleaner
	33269A	Cover, Air cleaner
	650513	Nut, Wing 1/4-20
	33280A	Muffler
	391026	Muffler (Incl. 284, 284A & 416) (This spark arrester
2100	331020	mufflercan be used on any model.)
		,
	31588	Plate, Muffler locking
	35741	Plate, Muffler locking
	650729	Screw, 5/16-18 x 3-3/16" (Use as requ ired)
	651002	Screw, 5/16-18 x 4-1/4" (Use as requi red)
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
00 11 (00002	required) (1.5" I.D.)
0044	04040	. , ,
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required) (1.5" I.D.)
301A	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	33876	Gasket, Stator (Used only on Std. poi nt ign.)
	31291	Plug, Cover
	30547A	Breaker Points (Use with Std. point i gn.)
	632242	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page A4-4 for breakdown or Fiche 18B, Grid D-3)
404	720226	,
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional