



Ref #	Part Number C	Description	
1	35371	Cylinder (CI liner)	(3-5/16")(Incl.2,2 0 & 72)
2	27652	Pin, Dowel	
	650494	Screw, 6-40 x 5/1	6"
	30699C		rnor (Incl. 15A & 15B)
	30700	Yoke, Governor	
	33454	Governor Lever A	SC) /
			•
	29916	Clamp, Governor	
	650548	Screw, 8-32 x 5/1	0
	35319	Seal, Oil	
25	35256A	•	Baffle (With electric starter knockout) (Use
		as required)	
25	35326	Baffle, Blower ho	usina
	29536		
25	29030	•	Baffle (Without electric starter knockout)
		(Use as required)	
26	650561	Screw, 1/4-20 x 5	5/8"
	35441A	Crankshaft	
	29826	Screw, 10-32 x 3	/4"
	29918	Lockwasher, #8 E	
	29216	Locknut, 10-32	
	30322	Nut & Lockwashe	ar 8-32
			1, 0-32
	29642	Ring, Retaining	
	35776		g Set (Std.)(3-3/16")
	35777	Piston, Pin & Rin	
	35778	Piston, Pin & Rin	
41	35773	Piston & Pin Ass	'y. (Std.)(3-5/16")(I ncl.43)
41	35774	Piston & Pin Ass	'y. (.010" OS) (Incl. 43)
41	35775	Piston & Pin Ass	'y. (.020" OS) (Incl. 43)
42	35779	Ring Set (Std.) (3	-5/16" Bore)
	35780	Ring Set (.010" C	
	35781	Ring Set (.020" C	
	35772	Ring, Piston Pin	
	35681		ecting (Incl. 46, 47 & 49)
	650908	Bolt, Connecting	
	650882		
			Bolt (2 pcs. on early Specs.)
	34034	Lifter, Valve	
	35374	Dipper, Oil	
	35375	Camshaft (MCR)	
	33273A	Extension, Blowe	0
	650802	Screw, 1/4-20 x 5	
	650128	Screw, 10-24 x 1,	/2"
	35262	* Gasket, Flange	
70	35376	Cover, Cylinder (I	ncl. 71, 75 & 80)
	35377	Bushing, Cranksh	
	27642	Plug, Oil drain	
	35319	Seal, Oil	
	31845	Shaft, Mechanica	l aovernor
	30590A	Washer, Flat	- <u></u>
	35378	Gear Assy., Gove	ernor (Incl. 81)
	30588A	•	
		Spool, Governor	
	29193	Ring, Retaining	
	650833		-3/16 (Use as requir ed)
	650832		-11/16" (Use as requ ired)
	32589	Key, Flywheel	
	611090	Flywheel	
92	650880	Washer, Lock	
93	650881	Nut, 5/8-18	
	35135	Solid State Assy	

	Part Number		Description
	650872		Stud, Solid state mounting
	650814		Screw, Torx T-15, 10-24 x 1"
108	29783		Pin, Crankshaft gear (Only serviceable when gear is pinned
		1	to crank.)
109	33245		Gear, Crankshaft
119	34923A		* Gasket, Cylinder head
	34030A		Head, Cylinder
	27878A		Exhaust Valve (Std.) (Incl. 151)
	27880A		Exhaust Valve (1/32" OS) (Incl. 151)
	34035		Intake Valve (Std.) (Incl. 151)
	34036		Intake Valve (1/32" OS) (Incl. 151)
	650691		
			Washer (Do not use with No. 6021A scr ew.)
	650690		Washer, Belleville (Use as required)
	650727		Screw, 5/16-18 x 1-3/4 (Use as required)
130	6021A		Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No
			650691 washer.)
130	650711	:	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A
			but discard 650691 washer.)
130	650694A	;	Screw, 5/16-18 x 2" (Use as required)
131	650737		Screw, 1/4-20 x 1/2" (Use as required )
	650738		Screw, 1/4-20 x 5/8 (Use as required)
	650713		Screw, 5/16-18 x 5/8"
	650890		Washer, Internal Lock
	30747		Clip, Spark plug shorting
	33636		Resistor Spark Plug
	33369		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	35862		Seal Assy., Intake valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	27896A		
			* Gasket, Breather
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Breather
	35350		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher, 1/4-28
	30088A		Screw, 1/4-28 x 1"
	33263		* Gasket, Carburetor
	34707		Pipe, Intake
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	33878		Link, Governor lever-to-throttle
222A			Pop Rivet (Can be purchased locally)
223	650378		Screw, Torx T-30, 5/16-18 x 1-1/8"
224	27915A		* Gasket, Intake pipe
	33269A		Cover, Air cleaner
	33375D		Blower Housing (For electric starter)
	650788		Screw, 5/16-18 x 3/4"
	29747B		Screw, 5/16-24 x 21/32"
	33272B		Cover, Cylinder head
	33280A		Muffler
	31588		Plate, Muffler locking
	01000		
	257/1	1	Plate Muffler locking
276	35741 650729		Plate, Muffler locking Screw, 5/16-18 x 3-3/16" (Use as required)


Ref #	Part Number Q	ty Description
281	33013	Cover, Starter bubble
282	650760	Screw, 8-32 x 7/16"
285	35287	Cup, Starter
	35446	Screen, Starter
	29752	Nut, 1/4-28
	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962	Fuel Line (Braided 32")(80cm)(As requ ired)
	30705	Fuel Line (Braided 16")(40cm)(As requ ired)
	26460	Fuel Line Clamp (Use as required)
	650665	Screw, 1/4-15 x 7/8"
300	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
		builtwith different size fuel inlet openings. Tanks with the
		1-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
301	35650	Fuel Cap (Red Plastic) (1.75" I.D.)
	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
201 0	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
301A	33032	required) (1.5" I.D.)
	29673	* Gasket, Oil filler
	35941	Dipstick (Incl. 306)
	31297	Dipstick (Incl. 307)
	27625	Oil Fill Plug (Incl. 312)
	29673	* Gasket, Oil filler plug
	35392	Plug, Starter
	31291	Plug, Cover
	34154	Plate, Upper fuel tank mtg.
	34155	Bracket, Lower fuel tank mtg.
	650561	Screw, 1/4-20 x 5/8"
	34346	Decal, Instruction
	35274	Decal, Instruction
	34686	Decal, Name
	631021	Inlet Needle, Seat & Clip Assy.
380	632242	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page A4-4 for breakdown or Fiche 18B, Grid D-3)
390	590633	Rewind Starter (Refer to Division 5, Section C, page 30 for
		breakdown or Fiche 18B, Grid G-1)
400	33279G	* Gasket Set (Incl. items marked *)
	730225	SAE 30 4-Cycle Engine Oil (Quart)
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
	35824	Muffler Optional



Ref #	Part Number Qty	Description
	30322	Nut & Lockwasher, 8-32
	650802	Screw, 1/4-20 x 5/8"
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	650713	Screw, 5/16-18 x 5/8"
	650737	Screw, 1/4-20 x 1/2" (Use as required )
	650738	Screw, 1/4-20 x 5/8 (Use as required)
222A		Pop Rivet (Can be purchased locally)
	33269A	Cover, Air cleaner
	35865	Gasket, Exhaust
	33280A	Muffler
	650729	Screw, 5/16-18 x 3-3/16" (Use as requ ired)
	651002	Screw, 5/16-18 x 4-1/4" (Use as requi red)
	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962	Fuel Line (Braided 32")(80cm)(As requ ired)
	26460	Fuel Line Clamp (Use as required)
	650665	Screw, 1/4-15 x 7/8"
300	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
		builtwith different size fuel inlet openings. Tanks with the
		1-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
301	35650	Fuel Cap (Red Plastic) (1.75" I.D.)
	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
0014	00000	,
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
306	29673	* Gasket, Oil filler
310B	35941	Dipstick (Incl. 306)
338A	31291	Plug, Cover
341	34155	Bracket, Lower fuel tank mtg.
342	650561	Screw, 1/4-20 x 5/8"
414	33323	Opt.Muffler Screen (Mini-Bike applica tion)
	730130	Kit, Exhaust adapter (Incl. 274 & 277 )
418	33700	Cover & Tube, Muffler (use as require d)
419	650578	Screw, 8-18 x 3/8" (use as required)
421	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
422	35824	Muffler Optional



Ref #	Part Number	Qty Description
	30322	Nut & Lockwasher, 8-32
	650802	Screw, 1/4-20 x 5/8"
	650727	Screw, 5/16-18 x 1-3/4 (Use as requir ed)
	650737	Screw, 1/4-20 x 1/2" (Use as required )
131	650738	Screw, 1/4-20 x 5/8 (Use as required)
131A	650713	Screw, 5/16-18 x 5/8"
200B	730152	Control Bracket (Incl.1158-1171)(As r eq.)
203	31342	Spring, Compression
204	650549	Screw, 5-40 x 7/16"
222A		Pop Rivet (Can be purchased locally)
227	730127	Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as
		required)
	28820	Screw, 10-32 x 1/2"
239	27272A	* Gasket, Air cleaner
241	33266	Bracket, Air cleaner
242	33267	Bracket, Air cleaner
245	33268	Element, Air cleaner
250B	33269A	Cover, Air cleaner
251	650513	Nut, Wing 1/4-20
290	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962	Fuel Line (Braided 32")(80cm)(As required)
291	30705	Fuel Line (Braided 16")(40cm)(As required)
293	33715	Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps
		are replaced by 35813 and 35800 (WIP) pumps. The 33010
		(3000 series) repair kit is still available. The 35791 repair kit
		is used with the 35813 and 35800 fuel pumps.
294	35791	Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps
201		are replaced by 35813 and 35800 (WIP) pumps. The 33010
		(3000 series) repair kit is still available. The 35791 repair kit
		is used with the 35813 and 35800 fuel pumps.
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
		required) (1.5" I.D.)
303	32958	Fitting, Fuel
	29673	* Gasket, Oil filler
	35941	Dipstick (Incl. 306)
	35392	Plug, Starter
	31291	Plug, Cover
	34346	Decal, Instruction
	35274	Decal, Instruction
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
	35824	Muffler Optional
	30312	Screw, $10-32 \times 1/2$ "
	28820	Screw, 10-32 x 1/2"
	27070	Lockwasher
	33816	Hub & Screen Assy.
1100		



		y Description
	35371	Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
2	27652	Pin, Dowel
37A	30322	Nut & Lockwasher, 8-32
64	650802	Screw, 1/4-20 x 5/8"
72	27642	Plug, Oil drain
90	611090	Flywheel
	33450	Lock Nut, 10-32
	30886A	Spring, Governor bolt
	30845A	Bolt, Governor adjusting
	35135	Solid State Assy.
	650872	Stud, Solid state mounting
	650814	Screw, Torx T-15, 10-24 x 1"
	650727	Screw, 5/16-18 x 1-3/4 (Use as required)
	650737	Screw, $1/4-20 \times 1/2"$ (Use as required )
	650738	Screw, 1/4-20 x 1/2 (Use as required)
	650713	
		Screw, 5/16-18 x 5/8"
	27896A	* Gasket, Breather
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Breather
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	29752	Nut & Lockwasher, 1/4-28
207	33878	Link, Governor lever-to-throttle
222A		Pop Rivet (Can be purchased locally)
238	28820	Screw, 10-32 x 1/2"
239	27272A	* Gasket, Air cleaner
241	33266	Bracket, Air cleaner
242	33267	Bracket, Air cleaner
245	33268	Element, Air cleaner
	33269A	Cover, Air cleaner
	650513	Nut, Wing 1/4-20
	33280A	Muffler
	391026	Muffler (Incl. 284, 284A & 416) (This spark arrester
2100	001020	mufflercan be used on any model.)
		• •
	31588	Plate, Muffler locking
276	35741	Plate, Muffler locking
277	650729	Screw, 5/16-18 x 3-3/16" (Use as requ ired)
277	651002	Screw, 5/16-18 x 4-1/4" (Use as requi red)
301A	410144B	Fuel Cap (White Plastic) (Standard) (Use as required) (1.5"
		I.D.)
0044	00000	-
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use a
		required) (1.5" I.D.)
306	29673	* Gasket, Oil filler
	35941	Dipstick (Incl. 306)
	33876	Gasket, Stator (Used only on Std. poi nt ign.)
	31291	Plug, Cover
	30547A	Breaker Points (Use with Std. point i gn.)
380	632242	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page A4-4 for breakdown or Fiche 18B, Grid D-3)
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
421	130220	