




Ref #	Part Number C	Oty Description
	34922A	Cylinder (CI liner)(3-5/16")(Incl.2,2 0 & 72)
	27652	Pin, Dowel
	30699C	Rod Assy., Governor (Incl. 15A & 15B)
	30700	· · · · · · · · · · · · · · · · · · ·
		Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	33454	Governor Lever Assy.
	29916	Clamp, Governor lever
	650548	Screw, 8-32 x 5/16"
20	32630	Seal, Oil
25	35256A	Blower Housing Baffle (With electric starter knockout) (Use
		as required)
05	05000	• ,
	35326	Baffle, Blower housing
25	29536	Blower Housing Baffle (Without electric starter knockout)
		(Use as required)
26	650561	Screw, 1/4-20 x 5/8"
	35207	Crankshaft (Incl. 108 & 109)
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
	30322	Nut & Lockwasher, 8-32
	29216	Locknut, 10-32
	29642	Ring, Retaining
40	34860A	Piston, Pin & Ring Set (Std.)(3-5/16")
40	34861A	Piston, Pin & Ring Set (.010" OS)
40	34862A	Piston, Pin & Ring Set (.020" OS)
41	34863	Piston & Pin Ass'y. (Std.)(3-5/16")(I ncl.43)
41	34864	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	34865	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	34866A	Ring Set (Std.) (3-5/16" Bore)
	34867A	Ring Set (010" OS)
	34868A	Ring Set (.020" OS)
	27888	Ring, Piston Pin retaining
	32591C	9
		Rod Assy., Connecting (Incl. 46, 47 & 49)
	650662C	Bolt, Connecting rod (2 pieces)
	650662C	Bolt, Connecting rod (2 pieces)
	34034	Lifter, Valve
	34242	Dipper, Oil
	34143	Camshaft (MCR)
60	33273A	Extension, Blower housing
64	650802	Screw, 1/4-20 x 5/8"
65	650128	Screw, 10-24 x 1/2"
69	35262	* Gasket, Flange
70	33367B	Cover, Cylinder (Incl. 71, 75 & 80)
71	33368	Bushing, Crankshaft
	27642	Plug, Oil drain
	31950	Seal, Oil
	31845	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	·
		Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
	29193	Ring, Retaining
	650833	Screw, 1/4-20 x 1-3/16 (Use as requir ed)
	650832	Screw, 1/4-20 x 1-11/16" (Use as requ ired)
	32589	Key, Flywheel
90	611091	Flywheel (w/ring gear)
92	650815	Washer, Belleville
	8116	Nut, Hex
	35135	Solid State Assy.


Def #	Dout Ni, web as	Description
		Description Court of the Court
	27276	Cover, Spark plug
	650872	Stud, Solid state mounting
	650814	Screw, Torx T-15, 10-24 x 1"
108	29783	Pin, Crankshaft gear (Only serviceable when gear is pinned
		to crank.)
109	33245	Gear, Crankshaft
	35183	Wire, Ground
	34923A	* Gasket, Cylinder head
	34030A	Head, Cylinder
	27878A	Exhaust Valve (Std.) (Incl. 151)
	27880A	Exhaust Valve (1/32" OS) (Incl. 151)
	34035	Intake Valve (Std.) (Incl. 151)
	34036	Intake Valve (1/32" OS) (Incl. 151)
	650691	Washer (Do not use with No. 6021A scr ew.)
	650690	Washer, Belleville (Use as required)
	650727	Screw, 5/16-18 x 1-3/4 (Use as required)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No.
130	0021A	650691 washer.)
		000091 Washer.)
130	650711	Screw, 5/16-18 x 1-5/8 " (Use as required) (Can use 6021A
		but discard 650691 washer.)
130	650694A	Screw, 5/16-18 x 2" (Use as required)
	650713	Screw, 5/16-18 x 5/8"
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8 (Use as required)
	650890	Washer, Internal Lock
	30747	Clip, Spark plug shorting
	33636	Resistor Spark Plug
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	35862	Seal Assy., Intake valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	27896A	* Gasket, Breather
	28423	·
	28424	Body, Breather Element, Breather
	28425	
	35350	Cover, Breather
		Tube, Breather Screw, 10-24 x 1/2"
	650128 29752	•
	30088A	Nut & Lockwasher, 1/4-28
		Screw, 1/4-28 x 1" * Gasket, Carburetor
	33263 33877	,
	34661	Pipe, Intake
		Link, Governor lever
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	610973	Terminal Assy.
	33878	Link, Governor lever-to-throttle
222A	650279	Pop Rivet (Can be purchased locally)
	650378 37045 A	Screw, Torx T-30, 5/16-18 x 1-1/8"
	27915A	* Gasket, Intake pipe
	33269A	Cover, Air cleaner
	33375D	Blower Housing (For electric starter)
	650788	Screw, 5/16-18 x 3/4"
	29747B	Screw, 5/16-24 x 21/32"
	33272B	Cover, Cylinder head
275	33280A	Muffler


Dof #	Dort Ni work on	· Description
		y Description
	31588	Plate, Muffler locking
	35741	Plate, Muffler locking
	650729	Screw, 5/16-18 x 3-3/16" (Use as required)
	651002	Screw, 5/16-18 x 4-1/4" (Use as requi red)
	33013	Cover, Starter bubble
	650760	Screw, 8-32 x 7/16"
	32125	Cup, Starter
	35446	Screen, Starter
	29752	Nut, 1/4-28
290	29774	Fuel Line (Braided 8-1/4")(21cm)(As r equired)
290	30962	Fuel Line (Braided 32")(80cm)(As requ ired)
291	30705	Fuel Line (Braided 16")(40cm)(As requ ired)
292	26460	Fuel Line Clamp (Use as required)
298	650665	Screw, 1/4-15 x 7/8"
300	34156A	Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
		builtwith different size fuel inlet openings. Tanks with the
		1-3/16" I.D. opening use fuel cap 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
		·
301A	410144B	Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
		I.D.)
301A	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
•••	55552	required) (1.5" I.D.)
301A	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
		as required) (1.5" I.D.)
301A	35355	Fuel Cap (Red Plastic)(1.75" I.D.)
	35554	Oil Fill Tube
	29673	* Gasket, Oil filler
	35540	Clip, Fill tube
	31297	Dipstick (Incl. 307)
	36205	Dipstick (ind. 307)
		Oil Fill Plug (Incl. 312)
	27625	O ()
	29673	* Gasket, Oil filler plug
	34246	Clip, Ground wire
	31291	Plug, Cover
	34154	Plate, Upper fuel tank mtg.
	34155	Bracket, Lower fuel tank mtg.
	650561	Screw, 1/4-20 x 5/8"
	34686	Decal, Name
	34346	Decal, Instruction
	35274	Decal, Instruction
	631021	Inlet Needle, Seat & Clip Assy.
380	632255	Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A,
		page A4-4 for breakdown or Fiche 18B, Grid D-3)
300	590633	Rewind Starter (Refer to Division 5, Section C, page 30 for
390	J30000	
		breakdown or Fiche 18B, Grid G-1)
400	33279G	* Gasket Set (Incl. items marked *)
	730225	SAE 30 4-Cycle Engine Oil (Quart)
	730226	SAE 5W30 4-Cycle Engine Oil (Quart)
	35824	Muffler Optional
		. L













Ref #	Part Number	Qty	Description
37A	30322	•	Nut & Lockwasher, 8-32
64	650802		Screw, 1/4-20 x 5/8"
68	33356		Tab, Ground terminal
129	650727		Screw, 5/16-18 x 1-3/4 (Use as requir ed)
131A	650713		Screw, 5/16-18 x 5/8"
131	650737		Screw, 1/4-20 x 1/2" (Use as required)
131	650738		Screw, 1/4-20 x 5/8 (Use as required)
222A			Pop Rivet (Can be purchased locally)
	33269A		Cover, Air cleaner
	35865		Gasket, Exhaust
	33280A		Muffler
277	650729		Screw, 5/16-18 x 3-3/16" (Use as requ ired)
277	651002		Screw, 5/16-18 x 4-1/4" (Use as requi red)
	29774		Fuel Line (Braided 8-1/4")(21cm)(As r equired)
	30962		Fuel Line (Braided 32")(80cm)(As required)
	26460		Fuel Line Clamp (Use as required)
	650665		Screw, 1/4-15 x 7/8"
300	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
			builtwith different size fuel inlet openings. Tanks with the
			1-3/16" I.D. opening use fuel cap 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5"
			I.D.)
201 /	22022		•
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
			required) (1.5" I.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
			as required) (1.5" I.D.)
2∩1∧	35355		Fuel Cap (Red Plastic)(1.75" I.D.)
	29673		* Gasket, Oil filler
	31291		Plug, Cover
	34155		Bracket, Lower fuel tank mtg.
-T ZZ			mano. Optional
342 414 415 418 419 421	650561 33323 730130 33700 650578 730226 35824		Screw, 1/4-20 x 5/8" Opt.Muffler Screen (Mini-Bike applica tion) Kit, Exhaust adapter (Incl. 274 & 277) Cover & Tube, Muffler (use as require d) Screw, 8-18 x 3/8" (use as required) SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional



Ref #	Part Number	Qty	Description
64 129 131A 131 131 200B 203 204 222A	30322 650802 650727 650713 650737 650738 730152 31342 650549		Nut & Lockwasher, 8-32 Screw, 1/4-20 x 5/8" Screw, 5/16-18 x 1-3/4 (Use as requir ed) Screw, 5/16-18 x 5/8" Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 5/8 (Use as required) Control Bracket (Incl.1158-1171)(As r eq.) Spring, Compression Screw, 5-40 x 7/16" Pop Rivet (Can be purchased locally) Air Cleaner Ass'y. (Incl. 238, 239, 242, 246, 250) (Use as required)
239 241 242 245 250B 251 290 290 291	28820 27272A 33266 33267 33268 33269A 650513 29774 30962 30705 33715		Screw, 10-32 x 1/2" * Gasket, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Element, Air cleaner Cover, Air cleaner Nut, Wing 1/4-20 Fuel Line (Braided 8-1/4")(21cm)(As r equired) Fuel Line (Braided 32")(80cm)(As required) Fuel Line (Braided 16")(40cm)(As required) Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps are replaced by 35813 and 35800 (WIP) pumps. The 33010 (3000 series) repair kit is still available. The 35791 repair kit is used with the 35813 and 35800 fuel pumps.
294	35791		Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps are replaced by 35813 and 35800 (WIP) pumps. The 33010 (3000 series) repair kit is still available. The 35791 repair kit is used with the 35813 and 35800 fuel pumps.
301A	410144B		Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)
301A	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)
301A	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)
303 306 338A 370 370 421 422 1159 1160 1160	35355 32958 29673 31291 34346 35274 730226 35824 30312 28820 27070 33816		Fuel Cap (Red Plastic)(1.75" I.D.) Fitting, Fuel * Gasket, Oil filler Plug, Cover Decal, Instruction Decal, Instruction SAE 5W30 4-Cycle Engine Oil (Quart) Muffler Optional Screw, 10-32 x 1/2" Screw, 10-32 x 1/2" Lockwasher Hub & Screen Assy.



Ref # Part Number Qty Description 1 34922A Cylinder (Cl liner)(3-5/16")(Incl.2,2 0 & 72) 2 27652 Pin, Dowel 37A 30322 Nut & Lockwasher, 8-32	
2 27652 Pin, Dowel 37A 30322 Nut & Lockwasher, 8-32	
37A 30322 Nut & Lockwasher, 8-32	
37A 30322 Nut & Lockwasher, 8-32	
•	
64 650802 Screw, 1/4-20 x 5/8"	
•	
72 27642 Plug, Oil drain	
90 611091 Flywheel (w/ring gear)	
94 33450 Lock Nut, 10-32	
95 30886A Spring, Governor bolt	
96 30845A Bolt, Governor adjusting	
100 35135 Solid State Assy.	
•	
101 27276 Cover, Spark plug	
102 650872 Stud, Solid state mounting	
103 650814 Screw, Torx T-15, 10-24 x 1"	
129 650727 Screw, 5/16-18 x 1-3/4 (Use as requir ed)	
131A 650713 Screw, 5/16-18 x 5/8"	
131 650737 Screw, 1/4-20 x 1/2" (Use as required)	
169 27896A * Gasket, Breather	
170 28423 Body, Breather	
171 28424 Element, Breather	
172 28425 Cover, Breather	
173 35350 Tube, Breather	
·	
174 650128 Screw, 10-24 x 1/2"	
178 29752 Nut & Lockwasher, 1/4-28	
207 33878 Link, Governor lever-to-throttle	
222A Pop Rivet (Can be purchased locally)	
238 28820 Screw, 10-32 x 1/2"	
239 27272A * Gasket, Air cleaner	
·	
241 33266 Bracket, Air cleaner	
242 33267 Bracket, Air cleaner	
245 33268 Element, Air cleaner	
250B 33269A Cover, Air cleaner	
251 650513 Nut, Wing 1/4-20	
275 33280A Muffler	
275B 391026 Muffler (Incl. 284, 284A & 416) (This spark arrester	
\cdot	
mufflercan be used on any model.)	
276 31588 Plate, Muffler locking	
276 35741 Plate, Muffler locking	
277 650729 Screw, 5/16-18 x 3-3/16" (Use as required)	
277 651002 Screw, 5/16-18 x 4-1/4" (Use as requi red)	
301A 410144B Fuel Cap (White Plastic)(Standard) (Use as requir	ed) (1.5"
I.D.)	, (
, ,	
301A 33032 Fuel Cap (Red Plastic) (Spurt Resistant, Low Prof	le) (Use as
required) (1.5" I.D.)	, (
. , , ,	
301A 34210 Fuel Cap (Red Plastic) (Spurt Resistant, High Prof	ile) (Use
as required) (1.5" I.D.)	
. , ,	
301A 35355 Fuel Cap (Red Plastic)(1.75" I.D.)	
306 29673 * Gasket, Oil filler	
313A 33876 Gasket, Stator (Used only on Std. poi nt ign.)	
338A 31291 Plug, Cover	
\mathbf{o}^{\prime}	
377 30547A Breaker Points (Use with Std. point i gn.)	
380 632255 Carburetor (Incl. 184 & 379) (Refer to Division 5, S	ection A,
page A4-4 for breakdown or Fiche 18B, Grid D-3)	
· •	
404 700000	
421 730226 SAE 5W30 4-Cycle Engine Oil (Quart)	
421 730226 SAE 5W30 4-Cycle Engine Oil (Quart) 422 35824 Muffler Optional	