



Rof #	Part Number	Qty Description
	34347A	Cylinder (Incl. 3, 4 & 5) (2-15/16" B ore)
	27642	
		Plug, Pipe (1/4-18)
	32630	Seal, Oil
	27652	Pin, Dowel
6	29536	Blower Housing Baffle (No knock-out for electric start) (Use
		as required)
6	35256A	Blower Housing Baffle (With knock-out for electricstart) (Use
		as required)
	650561	Screw, 1/4-20 x 5/8"
	33453A	Crankshaft
8A	29783	Crankshaft Gear Pin (Used on early pr od.)
8B	33245	Crankshaft Gear (Used on early produc tion)
9A	34321A	Piston & Pin Ass'y. (Std.)(Incl.10)(2 -15/16")
9A	34322A	Piston & Pin Ass'y. (.010" OS) (Incl. 10)
9A	34323A	Piston & Pin Ass'y. (.020" OS) (Incl. 10)
9	34549	Piston, Pin & Ring Set (Std.) (2-15/1 6")
9	34550	Piston, Pin & Ring Set (.010" OS)
9	34551	Piston, Pin & Ring Set (.020" OS)
10	27888	Ring, Piston pin retaining
	34324	Ring Set (Std.) (2-15/16" Bore)
	34325	Ring Set (.010" OS)
	34326	Ring Set (.020" OS)
	32591C	Rod Assy., Connecting (Incl. 18 & 19)
	32590	Plate, Lock & Oil dipper (This plate may be replaced by No.
10, (02000	34242 oil dipper but No. 650662C screw must be used.)
10	34242	,
		Dipper, Oil
	650662C	Bolt, Connecting rod (2 pcs.)
	34034	Lifter, Valve
	34143	Camshaft (MCR)
	33273A	Extension, Blower housing
	650128	Screw, 10-24 x 1/2"
	35262	* Gasket, Cylinder cover
	33367B	Cover, Cylinder (Incl. 26, 27, 37, 58 A & 59)
	33368	Bushing, Crankshaft
	31950	Seal, Oil
33A	30699B	Rod, Governor (This one piece governor rodis no longer used.
		It is replaced by No. 30699C assembly, Ref. No. 5A.)
	30699C	Rod Assy., Governor (Incl. 34 & 35)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29642	Ring, Retaining
	31845	Shaft, Mechanical governor
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	30591	Gear Assy., Governor (Incl. 39)
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	29916	Clamp, Governor lever
50	29826	Screw, 10-32 x 3/4"
51	29216	Locknut, 10-32
52	33454	Lever Assy., Governor
	29918	Lockwasher, No. 8 E.T.
	650548	Screw, 8-32 x 5/16"
	30322	Locknut, 8-32
	650832	Screw, 1/4-20 x 1-11/16"
		•

Dof #	Port Number	Description
	Part Number Qty 650833	Description Screw, 1/4-20 x 1-3/16"
	34122A	Dipstick (Incl. 59)
	27625	Plug, Oil filler (Incl. 59)
	29673	* Gasket, Oil fill
		Oil Fill Tube
	33951A	
	27878A	Exhaust Valve (Std.) (Incl. 70)
	27880A 34035	Exhaust Valve (1/32" OS) (Incl. 70)
	34036	Intake Valve (Std.) (Incl. 70)
		Intake Valve (1/32" OS) (Incl. 70)
	27882	Cap, Upper valve spring
	27882 27881	Cap, Upper valve spring
	32581	Spring, Valve
		Cap, Lower valve spring
	32589 650845	Key, Flywheel
	650815	Washer, Belleville
	8116	Nut, Hex
	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
	650489	Screw, 1/4-20 x 5/8"
	30831	Ground Wire (Incl. 164)
	34327A	* Gasket, Cylinder head
	34030	Head, Cylinder
	650692 6034 A	Screw, 5/16-18 x 1-3/4" (Use as required)
96	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse No.
		650691 washer.)
98	650711	Screw, 5/16-18 x 1-5/8" (Use as required) (Can use No.
		6021A but discard No. 650691 washer.)
99	34251	Resistor Spark Plug (RJ17LM)
	650691	Washer (Use as req.) (Do not use w/60 21A)
	650727	Screw, 5/16-18 x 1-3/4" (Use as requi red)
	27896A	* Gasket, Breather
	28423	Body, Breather
106	28424	Element, Breather
107	28425	Cover, Breather
108	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
114	29752	Nut, Whiz lock, 1/4-28
115	33263	* Gasket, Carburetor
117	34707	Pipe, Intake
118	30088A	Screw, 1/4-28 x 1"
119	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
120	27915A	* Gasket, Intake
128	30747	Clip, Spark plug shorting
129	650890	Washer, Lock
130	33375C	Blower Housing (For electric starter)
	610973	Terminal Assy. (Use as required)
	33878	Link, Governor lever-to-throttle
	650788	Screw, 5/16-18 x 3/4"
	29747B	Screw, 5/16-24 x 21/32"
	33013	Cover, Starter bubble
	650760	Screw, 8-32 x 3/8"
	33356	Terminal, Ground
	28545	Grommet, Plastic
	650760	Screw, 8-32 x 3/8"
	34586	Rod, Choke
	33272A	Cover, Cylinder head
169	650737	Screw, 1/4-20 x 1/2" (Use as required)

Ref #	Part Number	Qty [Description
169	650738		Screw, 1/4-20 x 5/8" (Use as required)
169	650713		Screw, 5/16-18 x 5/8" (Use as require d)
169	650802		Screw, 1/4-20 x 5/8" (Use as required)
170	34154		Plate, Upper fuel tank mounting
	650713		Screw, 5/16-18 x 5/8" (Use as require d)
	34155		Bracket Assy., Lower fuel tank mtg.
	650561		Screw, 1/4-20 x 5/8"
	650665		Screw, 1/4-15 x 7/8"
175	34156A	V I.	Fuel Tank (Incl. 176 & 178) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" .D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.
176	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
176	410144B	F	Fuel Cap (White Plastic) (Std) (Use a s req.)
176	34210	F	Fuel Cap (Ref Plastic) (Spurt Resistant, High Profile) (Use as required)
176	35355	F	Fuel Cap (Red Plastic) (Use as requir ed)
	29774		Fuel Line (Use as required) (8.25") (21 cm)
177	30705		Fuel Line (Use as required) (16.0") (41 cm)
178	26460		Clamp, Fuel line (Use as required)
186	27930A	*	Gasket, Exhaust (Use as required)
195B	33662	H	Hub & Screen Assy., Starter
196	29752	١	Nut, Whiz lock, 1/4-28
273	631725	lı	nlet Needle, Seat & Clip Assy.
274	632008		Carburetor (Incl. 115) (Refer to Division 5, Section A, page 150 for breakdown)
276	590479		Rewind Starter (Refer to Division 5, Section C, page 30 for preakdown)
280	33279G	*	Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
44	30845A		Bolt, Governor spring adjusting
45	33450		Nut, Lock, 10-32
46	30886A		Spring, Extension
136	610973		Terminal Assy. (Use as required)
158	34586		Rod, Choke
177	29774		Fuel Line (Use as required) (8.25") (21 cm)
177	30705		Fuel Line (Use as required) (16.0") (41 cm)
190A	33700		Cover & Tube, Muffler (Use as require d)
190C	650578		Screw, 8-18 x 3/8" (Use as required)
190	391026		Muffler (Incl. 190A, 190B & 190C) (This spark arrestor
			mufflercan be used on any model)
190B	33323		Screen, Muffler (Use as required)
193	34479		Spark Arrestor Kit (Fits "L" shaped m ufflers)
218	33715		Fuel Pump, Impulse
219	33713		Fitting, Fuel line elbow
220	33010		Repair Kit, Fuel pump



Ref #	Part Number Qty	Description
82A	610118	Cover, Spark plug (Use as required)
82A	27276	Cover, Spark plug
	650489	Screw, 1/4-20 x 5/8"
	33876	Gasket, Stator
	28820	Screw, 10-32 x 1/2"
	27272A	* Gasket, Air cleaner
232	33268	Element, Air cleaner
233	33269A	Cover, Air cleaner
235	33266	Bracket, Air cleaner
	33267	Bracket, Air cleaner
	650513	Nut, Wing, 1/4-20
	34687	Air Cleaner, Starter Can be used on HM70 with diecast
255A	34007	•
		starter
255B	34869	Bracket, Starter air cleaner Can be used on HM70 with
2002	0.000	diecast starter
		diedast starter
255C	34870	Instruction Decal Can be used on HM70 with diecast starter.
255	730572	Starter Muff Kit (Incl. 255A, 255B, & 255C) Can be used on
		HM70 with diecast starter
		1 IIVI7 O WILLI GICCASE Starter
256A	35568	Debris Screen Can be used on HM70 with stamped steel
		recoil starter
256B	35569	Spacer, Screen Can be used on HM70 with stamped steel
		recoil starter
0505	24207	hastmatica. Decal Condensation of MAZO with atomas and atom
256E	34387	Instruction Decal Can be used on HM70 with stamped steel
		recoil starter.
256	730573	Debris Screen Kit (Incl. 256A thru 25 6E) Can be used on
200	100010	HM70 with stamped steel recoil starter
		1 IIVI70 WILLI STALLIPEU STEELI TECOII STALLEI
256D	650907	Screw, 5/16-18 x 1-5/8" Can be used on HM70 with stamped
		steel recoil starter
256C	35570	Seal, Screen Can be used on HM70 with stamped steel
		recoil starter
070	205 47 4	Contact Acces Decelor
	30547A	Contact Assy., Breaker
	30548B	Condenser
275	610842	Magneto NOTE: The complete magneto is not available as
		an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as
		shown in parts list. (Refer to Division 5, Section B, page 28
		for breakdown)
		ioi bieardowii)
278	33329D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
		motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		, ,
		bosses and a ring gear flywheel has been added (see #279).
		Refer to service number stamped on end cap ofmotor, or
		decal fo
270	610847	Flywheel (Ring gear flywheel requiredon engine using
219	0100-11	
		110-120 Volt starter motor kits listed above.) (Use on Std.
		point ignition)
270	611091	Flywheel (Minimum ring gear flywheel required on engine
213	011001	using 110-120 Volt starter motor kits listed above.) (Use on
		Solid State ignition)