


		Aty Description
	34347A	Cylinder (Incl. 3, 4 & 5) (2-15/16" B ore)
	27642	Plug, Pipe (1/4-18)
	32630	Seal, Oil
	27652	Pin, Dowel
6	29536	Blower Housing Baffle (No knock-out for electric start) (Use as required)
6	35256A	Blower Housing Baffle (With knock-out for electricstart) (Use as required)
	650561	Screw, 1/4-20 x 5/8"
	29783	Crankshaft Gear Pin (Used on early pr od.)
	33245	Crankshaft Gear (Used on early produc tion)
	35198	Crankshaft
	34549	Piston, Pin & Ring Set (Std.) (2-15/1 6")
	34550	Piston, Pin & Ring Set (.010" OS)
	34551	Piston, Pin & Ring Set (.020" OS)
	34321A	Piston & Pin Ass'y. (Std.)(Incl.10)(2 -15/16")
	34322A	Piston & Pin Ass'y. (.010" OS) (Incl. 10)
	34323A	Piston & Pin Ass'y. (.020" OS) (Incl. 10)
	27888	Ring, Piston pin retaining
	34324	Ring Set (Std.) (2-15/16" Bore)
	34325	Ring Set (.010" OS)
	34326	Ring Set (.020" OS)
	32591C	Rod Assy., Connecting (Incl. 18 & 19)
18A	32590	Plate, Lock & Oil dipper (This plate may be replaced by No. 34242 oil dipper but No. 650662C screw must be used.)
18	34242	Dipper, Oil
	650662C	Bolt, Connecting rod (2 pcs.)
	34034	Lifter, Valve
	34143	Camshaft (MCR)
22	33273A	Extension, Blower housing
	650128	Screw, 10-24 x 1/2"
	35262	* Gasket, Cylinder cover
	33367B	Cover, Cylinder (Incl. 26, 27, 37, 58 A & 59)
	33368	Bushing, Crankshaft
	31950	Seal, Oil
	30699C	Rod Assy., Governor (Incl. 34 & 35)
33A	30699B	Rod, Governor (This one piece governor rodis no longer used. It is replaced by No. 30699C assembly, Ref. No. 5A.)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29642	Ring, Retaining
	31845	Shaft, Mechanical governor
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	30591	Gear Assy., Governor (Incl. 39)
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	29916	Clamp, Governor lever
	29826	Screw, 10-32 x 3/4"
	29216	Locknut, 10-32
	33454	Lever Assy., Governor
	29918	Lockwasher, No. 8 E.T.
	650548	Screw, 8-32 x 5/16"
	30322	Locknut, 8-32
56	650832	Screw, 1/4-20 x 1-11/16"


	Part Number	ty Description	
	650833	Screw, 1/4-20 x 1-3/16"	
58	33463	Dipstick (Incl. 59)	
59	29673	* Gasket, Oil fill	
	27878A	Exhaust Valve (Std.) (Incl. 70)	
	27880A	Exhaust Valve (1/32" OS) (Incl. 70)	
	34035	Intake Valve (Std.) (Incl. 70)	
67	34036	Intake Valve (1/32" OS) (Incl. 70)	
68	27882	Cap, Upper valve spring	
	27882	Cap, Upper valve spring	
	27881	Spring, Valve	
	32581	Cap, Lower valve spring	
76	32589	Key, Flywheel	
78	611090	Flywheel	
79	650815	Washer, Belleville	
	8116	Nut, Hex	
	650872	Stud, Solid State mounting	
82	35135	Solid State Assy.	
82A	610118	Cover, Spark plug (Use as required)	
	650814	Screw, Torx T-15, 10-24 x 1"	
	34327A	* Gasket, Cylinder head	
		•	
	34030	Head, Cylinder	
98	650692	Screw, 5/16-18 x 1-3/4" (Use as requi red)	
98	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do no	otuse No
		650691 washer.)	
QQ	650711	Screw, 5/16-18 x 1-5/8" (Use as required) (Can use	No د
30	000711	6021A but discard No. 650691 washer.)	5 I NO.
00	22020		
	33636	Resistor Spark Plug (RJ-8C)	
100	650691	Washer (Use as req.) (Do not use w/60 21A)	
101	650727	Screw, 5/16-18 x 1-3/4" (Use as requi red)	
	27896A	* Gasket, Breather	
	28423	Body, Breather	
		-	
	28424	Element, Breather	
	28425	Cover, Breather	
108	35350	Tube, Breather	
109	650128	Screw, 10-24 x 1/2"	
	29752	Nut, Whiz lock, 1/4-28	
	33263	* Gasket, Carburetor	
	34707	Pipe, Intake	
118	30088A	Screw, 1/4-28 x 1"	
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"	
	27915A	* Gasket, Intake	
	30747	Clip, Spark plug shorting	
129	650890	Washer, Lock	
130	33375C	Blower Housing (For electric starter)	
	34677	Control Bracket (Incl. 134, 135, 136 & 138)	
	31342	Spring, Compression	
	650549	Screw, 5-40 x 7/16"	
136	610973	Terminal Assy. (Use as required)	
137	650821	Screw, 10-32 x 1/2"	
	34663	Spring, Speed control	
139	34661	Link, Governor	
	33878	Link, Governor lever-to-throttle	
	CE0700	Screw, 5/16-18 x 3/4"	
	650788	,	
143		Screw 5/16-24 x 21/32"	
143 144	29747B	Screw, 5/16-24 x 21/32"	
143 144 145	29747B 33013	Cover, Starter bubble	
143 144 145 146	29747B		

HM70-132018C Engine Parts List #1

		ty Description
	34586	Rod, Choke
	33272A	Cover, Cylinder head
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8" (Use as required)
	650713	Screw, 5/16-18 x 5/8" (Use as require d)
	650802	Screw, 1/4-20 x 5/8" (Use as required)
	34154	Plate, Upper fuel tank mounting
	650713	Screw, 5/16-18 x 5/8" (Use as require d)
	34155	Bracket Assy., Lower fuel tank mtg.
	650561	Screw, 1/4-20 x 5/8"
	650665	Screw, 1/4-15 x 7/8"
175	34156A	Fuel Tank (Incl. 176 & 178) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.
176	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
176	410144B	Fuel Cap (White Plastic) (Std) (Use a s req.)
	34210	Fuel Cap (Ref Plastic) (Spurt Resistant, High Profile) (Use as required)
176	35355	Fuel Cap (Red Plastic) (Use as requir ed)
	29774	Fuel Line (Use as required) (8.25") (21 cm)
	30705	Fuel Line (Use as required) (16.0") (41 cm)
	26460	Clamp, Fuel line (Use as réquired)
186	27930A	* Gasket, Exhaust (Use as required)
187	33280A	Muffler
188	31588	Plate, Muffler locking
189	650729	Screw, 5/16-18 x 3-3/16"
	32125	Cup, Starter
	35194	Screen, Starter
	29752	Nut, Whiz lock, 1/4-28
	550223	Decal, Name
	33962	Decal, Control
	631021	Inlet Needle, Seat & Clip Assy.
274	632351	Carburetor (Incl. 115) (Refer to Division 5, Section A, page 188 for breakdown)
276	590479	Rewind Starter (Refer to Division 5, Section C, page 30 for breakdown)
280	33279G	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
134	31342		Spring, Compression
135	650549		Screw, 5-40 x 7/16"
136	610973		Terminal Assy. (Use as required)
158	34586		Rod, Choke
177	29774		Fuel Line (Use as required) (8.25") (21 cm)
177	30705		Fuel Line (Use as required) (16.0") (41 cm)
190	391026		Muffler (Incl. 190A, 190B & 190C) (This spark arrestor mufflercan be used on any model)
190C	650578		Screw, 8-18 x 3/8" (Use as required)
190B	33323		Screen, Muffler (Use as required)
190A	33700		Cover & Tube, Muffler (Use as require d)
193	34479		Spark Arrestor Kit (Fits "L" shaped m ufflers)



		Qty Description
	611090	Flywheel
	650872	Stud, Solid State mounting
82	35135	Solid State Assy.
82A	610118	Cover, Spark plug (Use as required)
83	650814	Screw, Torx T-15, 10-24 x 1"
230	28820	Screw, 10-32 x 1/2"
231	27272A	* Gasket, Air cleaner
232	33268	Element, Air cleaner
233	33269A	Cover, Air cleaner
235	33266	Bracket, Air cleaner
236	33267	Bracket, Air cleaner
	650513	Nut, Wing, 1/4-20
	34687	Air Cleaner, Starter Can be used on HM70 with diecast
		starter
255B	34869	Bracket, Starter air cleaner Can be used on HM70 with
		diecast starter
255C	34870	Instruction Decal Can be used on HM70 with diecast starter.
255	730572	Starter Muff Kit (Incl. 255A, 255B, & 255C) Can be used on
		HM70 with diecast starter
256E	34387	Instruction Decal Can be used on HM70 with stamped steel
2002	01001	recoil starter.
256D	650907	Screw, 5/16-18 x 1-5/8" Can be used on HM70 with stamped
2002		steel recoil starter
256	730573	Debris Screen Kit (Incl. 256A thru 25 6E) Can be used on
200	100010	HM70 with stamped steel recoil starter
256C	35570	Seal, Screen Can be used on HM70 with stamped steel
		recoil starter
256B	35569	Spacer, Screen Can be used on HM70 with stamped steel
		recoil starter
0504	05500	
256A	35568	Debris Screen Can be used on HM70 with stamped steel
		recoil starter
260	34346	Decal, Instruction
	33329D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
		motor kit may have been added to this engine. It can be
		decal fo
270	610847	Flywheel (Ring gear flywheel requiredon engine using
219		
279	611091	Flywheel (Minimum ring gear flywheel required on engine
		using 110-120 Volt starter motor kits listed above.) (Use on
		Solid State ignition)
	610847 611091	 added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #279) Refer to service number stamped on end cap ofmotor, or decal fo Flywheel (Ring gear flywheel requiredon engine using 110-120 Volt starter motor kits listed above.) (Use on Std. point ignition) Flywheel (Minimum ring gear flywheel required on engine using 110-120 Volt starter motor kits listed above.) (Use on Std. point ignition)