



Ref #	Part Number Qty	Description
1	35385	Cylinder (Incl. 2,20,72,72A) (3-1/8" Bore)
2	27652	Pin, Dowel
15B	650494	Screw, 6-40 x 5/16"
	30700	Yoke, Governor
	30699C	Rod Assy., Governor (Incl. 15A & 15B)
	33454	Governor Lever Assy.
	29916	Clamp, Governor lever
	650548	Screw, 8-32 x 5/16"
	35319	Seal, Oil
	35326	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	35425A	Crankshaft
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, # 8 E.T.
	29216	Nut & Lockwasher, 10-32 "Keps"
	30322	•
		Locknut, Hex "Keps", 8-32
	29642	Ring, Retaining
	34552	Piston, Pin & Ring Set (Std.)(Incl. 4 1,42 & 43)
	34553	Piston, Pin & Ring Set (.010)(Incl. 4 1,42 & 43)
	34554	Piston, Pin & Ring Set (.020)(Incl. 4 1,42 & 43)
	34329A	Piston & Pin Ass'y. (Std.) (Incl. 43)
	34330A	Piston & Pin Ass'y. (.010) (Incl. 43)
	34331A	Piston & Pin Ass'y. (.020) (Incl. 43)
	34332	Ring Set (Std.)
	34333	Ring Set (.010)
	34334	Ring Set (.020)
	27888	Piston Pin Retaining Ring
	35373A	Connecting Rod
	650908	Connecting Rod Bolt
	650882	Connecting Rod Bolt
	34034	Lifter, Valve
	35374	Dipper, Oil
50	35375	Camshaft (MCR)
60	33273A	Extension, Blower housing
65	650128	Screw, 10-24 x 1/2"
69	35262	* Gasket, Cylinder cover
70	35376	Cover, Cylinder (Incl. 75, 80, 311 & 312)
71	35377	Bushing, Crankshaft
72	27642	Plug, Oil drain
75	35319	Seal, Oil
80	31845	Shaft, Mechanical governor
81	30590A	Washer, Flat
82	35378	Gear Assy., Governor (Incl. 81)
83	30588A	Spool, Governor
	29193	Ring, Retaining
	650833	Screw, 1/4-20 x 1-3/16"
	650832	Screw, 1/4-20 x 1-11/16"
	32589	Key, Flywheel
	611090	Flywheel
	650880	Washer, Belleville
	650881	Nut, Hex (5/8-18) (Add-on alternator)
	33450	Nut Lock, 10-32
	30886A	Spring, Extension
	30845A	Bolt, Governor spring adjusting
97		Lockwasher, Heavy split, #10 (Buy loc ally)
	35135	Lamination Assy., Solid State
	27276	Cover, Spark plug
	610118	Cover, Spark plug (Use as required)
101		over, opant plug (ood as required)

102 650 103 650	0872	Stud Lamination mounting
103 650		Stud, Lamination mounting
	0814	Screw, Torx T-15, 10-24 x 1"
119 340		* Gasket, Head
120 340		Head, Cylinder
120 040		
		Exhaust Valve (Std.) (Incl. 151)
125 278		Exhaust Valve (1/32" OS) (Incl. 151)
126 340		Intake Valve (Std.) (Incl. 151)
126 340	036	Intake Valve (1/32" OS) (Incl. 151)
127 650	0691	Washer (Use as req., but not w/6021A screw)
127A 260	073	Washer, Flat (Use as required)
127A 650		Washer, Flat (Use as required)
128 650		Washer, Belleville
120 650		Screw, 5/16-18 x 1-3/4" (Use as required)
130 650		Screw, 5/16-18 x 2" (Use as required)
130A 602	21A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with
		650691 washer)
1211 650	0712	Sorow $5/16$ 19 x $5/9$ " (Lico ac require d)
131A 650		Screw, $5/16-18 \times 5/8$ " (Use as require d)
131A 792		Screw, 5/16-18 x 7/8" (Use as require d)
135 336		Resistor Spark Plug (RJ17LM)
139 333	369	Bracket, Governor gear
140 650	0836	Screw, 10-24 x 1/2"
149A 358	862	Seal Assy., Intake valve
149 278		Cap, Upper valve spring
150 278		Spring, Valve
151 325		Cap, Lower valve spring
169 278		
		* Gasket, Breather cover
170 284		Body, Breather
171 284		Element, Breather
172 284		Cover, Valve spring
173 353	350	Tube, Breather
174 650	0128	Screw, 10-24 x 1/2"
174 650	0597	Screw, 10-24 x 5/8"
178 297		Nut & Lockwasher, 1/4-28
179B 305		Clip, Primer line (Use as required)
182 300		Screw, 1/4-28 x 1"
		•
184 332		* Gasket, Carburetor
185 347		Pipe, Intake
206 610		Terminal Assy. (Use as required)
207 338	878	Link, Governor-to-throttle
223 650	0378	Screw, Torx T-30, 5/16-18 x 1-1/8 "
224 279	915A	* Gasket, Intake pipe
228A 650		Stud, 1/4-20 x 7.33 (Use as required)
228A 650		Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
220/ (000		elbow)
242 332		Bracket, Air cleaner
250B 332	269A	Cover, Air cleaner
260 333		Blower Housing (For electric starter)
261 650		Screw, 5/16-18 x 3/4" (Use as require d)
262 297		Screw, 5/16-24 x 21/32"
265 332		
		Cover, Cylinder head
275B 391	1020	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffle
		can be used on any model.)
275 332	280A	Muffler
277 650	0729	Screw, 5/16-18 x 3-3/16"
281 330		Cover, Starter bubble
	0760	Screw, 8-32 x 3/8"


	Part Number		Description
285	32125	(Cup, Starter
286A	35194	5	Screen, Starter
287	29752	1	Nut & Lockwasher, 1/4-28
290	29774	F	Fuel Line (Braided 8-1/4")(21 cm)(As req.)
290	30705		Fuel Line (Braided 16")(41 cm)(Use as req.)
	30962		Fuel Line (Braided 32")(81 cm)(Use as req.)
	26460		Clamp, Fuel line (Use as required)
	650665		Screw, 1/4-15 x 7/8"
	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
000	04100/		builtwith different size fuel inlet openings. Tanks with the
			1-3/16" I.D. opening use fuel cap 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
301	410144B	F	Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032	F	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16
			I.D.)
204	24240		
301	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
		((1-3/16" I.D)
301	35355	F	Fuel Cap (Red plastic) (1-1/2" I.D.)
306	29673	ł	* Gasket, Oil fill
310A	35941		Dipstick (Incl. 306)
	29443		Clip, Fuel line (Use as required)
	34246		Clip, Ground wire (Use as required)
	34154		Plate, Fuel tank mounting
	34155		Bracket, Fuel tank mounting
	650561		Screw, 1/4-20 x 5/8"
	34387		Decal, Instruction Can be used on HM80 with stamped stee
0/08	0.001		recoil starter.
070	04040		
	34346		Decal, Instruction
	34870		Decal, Instruction Can be used on HM80 with diecast starte
	34686		Decal, Name
	631021		Inlet Needle, Seat & Clip Assy.
380	632351		Carburetor (Incl. 184) (Refer to Division 5, Section A, page
			188 for breakdown or Fiche18A-1, Grid F-5)
390	590479	F	Rewind Starter (Refer to Division 5, Section C, page 30 for
			breakdown or Fiche 18A-1, Grid G-5)
	000000		
395	33329D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel. Refer to service number
			stamped on end cap of motor, or on decal for identification.
		I	Ref
400	33279G	(Gasket Set (Incl. items marked*)
	730225		SAE 30, 4-Cycle Engine Oil (Quart)
	730226		
101		•	SAE 5W30, 4-Cycle Engine Oil (Quart)



		y Description
	35385	Cylinder (Incl. 2,20,72,72A) (3-1/8" Bore)
2	27652	Pin, Dowel
72	27642	Plug, Oil drain
97		Lockwasher, Heavy split, #10 (Buy loc ally)
101A	27276	Cover, Spark plug
127A		Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	650597	Screw, 10-24 x 5/8"
	29752	Nut & Lockwasher, 1/4-28
179B		Clip, Primer line (Use as required)
	33878	Link, Governor-to-throttle
227	730127	Air Cleaner Ass'y. (Incl.238,239,240,241,243,245 & 370)
		(Use as required)
207	730164	Air Cleaner Ass'y. (Incl. 238, 239, 240, 241, 243 & 245) (Use
221	750104	
		as required)
228A	650824	Stud, 1/4-20 x 7.33 (Use as required)
228A	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
		elbow)
000	070704	
	27272A	* Gasket, Air cleaner
	27272A	* Gasket, Air cleaner
	33266	Bracket, Air cleaner
	33267	Bracket, Air cleaner
243	28820	Screw, 10-32 x 1/2"
245A	34700	Element, Air cleaner
245	33268	Element, Air cleaner
250B	33269A	Cover, Air cleaner
	650513	Nut, Wing, 1/2-20
	33280A	Muffler
	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
2100	001020	can be used on any model.)
		• •
	650729	Screw, 5/16-18 x 3-3/16"
286A	35194	Screen, Starter
292	26460	Clamp, Fuel line (Use as required)
306	29673	* Gasket, Oil fill
310A		Dipstick (Incl. 306)
	34870	Decal, Instruction Can be used on HM80 with diecast starter.
370B		Decal, Instruction Can be used on HM80 with stamped steel
5700		recoil starter.
380	632351	Carburetor (Incl. 184) (Refer to Division 5, Section A, page



		Qty	Description
	33454		Governor Lever Assy.
17	29916		Clamp, Governor lever
18	650548		Screw, 8-32 x 5/16"
30	35425A		Crankshaft
35	29826		Screw, 10-32 x 3/4"
36	29918		Lockwasher, # 8 E.T.
	29216		Nut & Lockwasher, 10-32 "Keps"
	30322		Locknut, Hex "Keps", 8-32
	29642		Ring, Retaining
	35262		* Gasket, Cylinder cover
	35376		Cover, Cylinder (Incl. 75, 80, 311 & 312)
	31855		Retainer, Bearing
	35319		Seal, Oil
	650833		Screw, 1/4-20 x 1-3/16"
	650832		Screw, 1/4-20 x 1-3/10 Screw, 1/4-20 x 1-11/16"
	32589		Key, Flywheel
97	07070		Lockwasher, Heavy split, #10 (Buy loc ally)
	27276		Cover, Spark plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
130A	6021A		Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with
			650691 washer)
131Δ	650713		Screw, 5/16-18 x 5/8" (Use as require d)
	792028		Screw, 5/16-18 x 7/8" (Use as require d)
	650802 650727		Screw, 1/4-20 x 5/8" (Use as required)
	650737		Screw, 1/4-20 x 1/2" (Use as required)
	650738		Screw, 1/4-20 x 5/8" (Use as required)
	650890		Washer, Lock, 5/16"
	30747		Clip, Spark plug shorting
	30593		Clip, Primer line (Use as required)
	650824		Stud, 1/4-20 x 7.33 (Use as required)
228A	650851		Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
			elbow)
040	22267		Prochet Air cleaner
	33267		Bracket, Air cleaner
	33269A		Cover, Air cleaner
	35865		Gasket, Exhaust (Use as required)
275B	391026		Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
			can be used on any model.)
275	33280A		Muffler
	34479A		Spark Arrester Kit (Incl. 277A) (Also as an optional part)
	650729		Screw, 5/16-18 x 3-3/16"
	35194		Screen, Starter
	650665 410144B		Screw, 1/4-15 x 7/8"
			Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16"
			I.D.)
301	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
001			(1-3/16" I.D)
	35355		Fuel Cap (Red plastic) (1-1/2" I.D.)
339	35038		Spacer, Tank
370J	34870		Decal, Instruction Can be used on HM80 with diecast starter.
415	730130		Exh.Adapter Kit (Incl.274,277)(Use as req.)



	Part Number 0	Qty Description
97		Lockwasher, Heavy split, #10 (Buy loc ally)
101A	27276	Cover, Spark plug
	650814	Screw, Torx T-15, 10-24 x 1"
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
179B	30593	Clip, Primer line (Use as required)
228A	650824	Stud, 1/4-20 x 7.33 (Use as required)
	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
		elbow)
242	33267	Bracket, Air cleaner
	33269A	Cover, Air cleaner
	391026	
2100	391020	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler can be used on any model.)
0750	25924	· <i>i</i>
	35824	Muffler (Optional quiet muffler)
	34479A	Spark Arrester Kit (Incl. 277A) (Also as an optional part)
277A	650696	Screw, 5/16-18x2-3/4" (Used with 276A)
286A	35194	Screen, Starter
	410144B	Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16
301	3303Z	I.D.)
004	0.404.0	•
301	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
		(1-3/16" l.D)
301	35355	Fuel Cap (Red plastic) (1-1/2" I.D.)
339	35038	Spacer, Tank
	650561	Screw, 1/4-20 x 5/8"
	34870	•
		Decal, Instruction Can be used on HM80 with diecast starter
3708	34387	Decal, Instruction Can be used on HM80 with stamped steel recoil starter.
390	590479	Rewind Starter (Refer to Division 5, Section C, page 30 for
000	000110	breakdown or Fiche 18A-1, Grid G-5)
400	05570	
408	35570	Screen Seal (Can be used on HM80 with stamped steel
		recoil starter)
409	35569	Spacer (Can be used on HM80 with stamped steel recoil
		starter)
410	730573	Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be
410	100010	used on HM80 with stamped steel recoil starter)
	25500	
411	35568	Debris Screen (Can be used on HM80 with stamped steel
		recoil starter)
/13	650907	Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with
10	000001	
		stamped steel recoil starter)
<i>4</i> 15	730130	Exh.Adapter Kit (Incl.274,277)(Use as req.)
	730572	
420	130312	Starter Muff Kit (Incl. 370J, 426 & 4 27) (Can be used on
		HM80 with die cast starter)
/20	650868	Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to
429		
		Mechanics Handbook for installation instructions).
	611077	Alternator, Add on (Lise as required) (Pofor to Mochanica
100		Alternator, Add on (Use as required) (Refer to Mechanics
430		Handbook for installation instructions).
430		
	590609	,
	590609	Centering tube (Use with engines equipped with die cast
	590609	,

Ref #	Part Number	Qty Description
431	590610	Centering tube (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611078	A.C. Lighting Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611079	D.C. Charging Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590611	Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590636	Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).