



Ref #	Part Number	Qty	Description
1	35385		Cylinder (Incl. 2,20,72,72A) (3-1/8" Bore)
2	27652		Pin, Dowel
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	30699C		Rod Assy., Governor (Incl. 15A & 15B)
	33454		Governor Lever Assy.
	29916		Clamp, Governor lever
18	650548		Screw, 8-32 x 5/16"
20	35319		Seal, Oil
25	35326		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	35425A		Crankshaft
	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, # 8 E.T.
	30322		Locknut, Hex "Keps", 8-32
	29216		Nut & Lockwasher, 10-32 "Keps"
	29642		Ring, Retaining
40	34552		Piston, Pin & Ring Set (Std.)(Incl. 4 1,42 & 43)
40	34553		Piston, Pin & Ring Set (.010)(Incl. 4 1,42 & 43)
40	34554		Piston, Pin & Ring Set (.020)(Incl. 4 1,42 & 43)
41	34329A		Piston & Pin Ass'y. (Std.) (Incl. 43)
	34330A		Piston & Pin Ass'y. (.010) (Incl. 43)
	34331A		Piston & Pin Ass'y. (.020) (Incl. 43)
	34332		
			Ring Set (Std.)
	34333		Ring Set (.010)
	34334		Ring Set (.020)
	35373A		Connecting Rod (Incl. 49)
46	650908		Connecting Rod Bolt
47	650882		Connecting Rod Bolt
48	34034		Lifter, Valve
49	35374		Dipper, Oil
	35375		Camshaft (MCR)
	33273A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	35262		•
			* Gasket, Cylinder cover
	35376		Cover, Cylinder (Incl. 75, 80, 311 & 312)
	35377		Bushing, Crankshaft
	27642		Plug, Oil drain
75	35319		Seal, Oil
80	31845		Shaft, Mechanical governor
81	30590A		Washer, Flat
82	35378		Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650833		Screw, 1/4-20 x 1-3/16"
			,
	650832		Screw, 1/4-20 x 1-11/16"
	32589		Key, Flywheel
	611090		Flywheel
	650880		Washer, Belleville
93	650881		Nut, Hex (5/8-18) (Add-on alternator)
94	33450		Nut Lock, 10-32
95	30886A		Spring, Extension
	30845A		Bolt, Governor spring adjusting
97	-		Lockwasher, Heavy split, #10 (Buy loc ally)
	35135		Lamination Assy., Solid State
	610118		•
			Cover, Spark plug (Use as required)
	27276		Cover, Spark plug
102	650872		Stud, Lamination mounting

	Part Number Qty	
103	650814	Screw, Torx T-15, 10-24 x 1"
119	34041A	* Gasket, Head
120	34030A	Head, Cylinder
125	27878A	Exhaust Valve (Std.) (Incl. 151)
	27880A	Exhaust Valve (1/32" OS) (Incl. 151)
	34035	Intake Valve (Std.) (Incl. 151)
	34036	Intake Valve (1/32" OS) (Incl. 151)
	650691	Washer (Use as req., but not w/6021A screw)
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	650690	Washer, Belleville
	650727	Screw, 5/16-18 x 1-3/4" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
130A	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with
		650691 washer)
131Δ	650713	Screw $5/16-18 \times 5/8"$ (Lise as require d)
	792028	Screw, $5/16-18 \times 5/8$ " (Use as require d)
		Screw, 5/16-18 x 7/8" (Use as require d)
	33636	Resistor Spark Plug (RJ17LM)
	33369	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	27882	Cap, Upper valve spring
	35862	Seal Assy., Intake valve
150	27881	Spring, Valve
151	32581	Cap, Lower valve spring
169	27896A	* Gasket, Breather cover
170	28423	Body, Breather
171	28424	Element, Breather
	28425	Cover, Valve spring
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	650597	Screw, 10-24 x 5/8"
	29752	Nut & Lockwasher, 1/4-28
	30593	
		Clip, Primer line (Use as required) Screw, 1/4-28 x 1"
	30088A	,
	33263	* Gasket, Carburetor
	34707	Pipe, Intake
	610973	Terminal Assy. (Use as required)
	33878	Link, Governor-to-throttle
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8 "
	27915A	* Gasket, Intake pipe
228A	650824	Stud, 1/4-20 x 7.33 (Use as required)
228A	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
		elbow)
040	22267	·
	33267	Bracket, Air cleaner
	33269A	Cover, Air cleaner
	33375D	Blower Housing (For electric starter)
	650788	Screw, 5/16-18 x 3/4" (Use as require d)
	29747B	Screw, 5/16-24 x 21/32"
	33272B	Cover, Cylinder head
275B	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
		can be used on any model.)
075	22200.4	
	33280A	
	650729	Screw, 5/16-18 x 3-3/16"
	33013	Cover, Starter bubble
	650760	Screw, 8-32 x 3/8"
	35287	Cup, Starter


	Part Number	Qty	Description
286	35446		Screen, Starter (Stationary)
287	29752		Nut & Lockwasher, 1/4-28
290	29774		Fuel Line (Braided 8-1/4")(21 cm)(As req.)
290	30705		Fuel Line (Braided 16")(41 cm)(Use as req.)
	30962		Fuel Line (Braided 32")(81 cm)(Use as req.)
	26460		Clamp, Fuel line (Use as required)
	650665		Screw, 1/4-15 x 7/8"
	34156A		Fuel Tank (Incl. 292 & 301) NOTE: These tanks were
000	011007		builtwith different size fuel inlet openings. Tanks with the
			1-3/16" I.D. opening use fuel cap 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355.
			1-1/2 1.D. Opening use rule cap 55555.
301	410144B		Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16
			I.D.)
301	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
501	04210		(1-3/16" I.D)
	35355		Fuel Cap (Red plastic) (1-1/2" I.D.)
306	29673		* Gasket, Oil fill
310A	35941		Dipstick (Incl. 306)
325	29443		Clip, Fuel line (Use as required)
325	34246		Clip, Ground wire (Use as required)
327	35392		Plug, Starter
	34154		Plate, Fuel tank mounting
	34155		Bracket, Fuel tank mounting
	650561		Screw, 1/4-20 x 5/8"
	34870		Decal, Instruction Can be used on HM80 with diecast starte
	34346		Decal, Instruction
	34686		Decal, Name
	34387		Decal, Instruction Can be used on HM80 with stamped stee
0/08	0-001		recoil starter.
	631021		Inlet Needle, Seat & Clip Assy.
380	632351		Carburetor (Incl. 184) (Refer to Division 5, Section A, page
			188 for breakdown or Fiche18A-1, Grid F-5)
3000	590633		Rewind Starter (Refer to Division 5, Section C, page 30 for
000A	000000		breakdown or Fiche 18A-1, Grid G-5)
395	33329D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel. Refer to service number
			stamped on end cap of motor, or on decal for identification.
			Ref
400	22270		Coolect Sot (Incl. items marked*)
	33279G		Gasket Set (Incl. items marked*)
420	33279G 730225 730226		Gasket Set (Incl. items marked*) SAE 30, 4-Cycle Engine Oil (Quart) SAE 5W30, 4-Cycle Engine Oil (Quart)



		ty Description
1	35385	Cylinder (Incl. 2,20,72,72A) (3-1/8" Bore)
2	27652	Pin, Dowel
72	27642	Plug, Oil drain
97		Lockwasher, Heavy split, #10 (Buy loc ally)
101A	27276	Cover, Spark plug
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
	35350	Tube, Breather
	650128	Screw, 10-24 x 1/2"
	650597	Screw, 10-24 x 5/8"
	29752	Nut & Lockwasher, 1/4-28
179B	30593	Clip, Primer line (Use as required)
207	33878	Link, Governor-to-throttle
227	730127	Air Cleaner Ass'y. (Incl.238,239,240,241,243,245 & 370)
		(Use as required)
007	700404	
227	730164	Air Cleaner Ass'y. (Incl. 238, 239, 240, 241, 243 & 245) (Us
		as required)
228A	650824	Stud, 1/4-20 x 7.33 (Use as required)
	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
220/1		elbow)
		CIDOW)
239	27272A	* Gasket, Air cleaner
239	27272A	* Gasket, Air cleaner
241	33266	Bracket, Air cleaner
242	33267	Bracket, Air cleaner
	28820	Screw, 10-32 x 1/2"
	33268	Element, Air cleaner
	34700	Element, Air cleaner
	33269A	Cover, Air cleaner
	650513	
		Nut, Wing, 1/2-20
2/00	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffle
		can be used on any model.)
275	33280A	Muffler
	650729	Screw, 5/16-18 x 3-3/16"
	26460	Clamp, Fuel line (Use as required)
	29673	* Gasket, Oil fill
	35941	Dipstick (Incl. 306)
	34870	Decal, Instruction Can be used on HM80 with diecast starte
370B	34387	Decal, Instruction Can be used on HM80 with stamped stee recoil starter.
280	632351	Carburetor (Incl. 184) (Refer to Division 5, Section A, page



Ref #	Part Number Qt	y Description
	33454	Governor Lever Assy.
17	29916	Clamp, Governor lever
18	650548	Screw, 8-32 x 5/16"
30	35425A	Crankshaft
35	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, # 8 E.T.
	29216	Nut & Lockwasher, 10-32 "Keps"
	30322	Locknut, Hex "Keps", 8-32
	29642	Ring, Retaining
	35262	* Gasket, Cylinder cover
	35376	Cover, Cylinder (Incl. 75, 80, 311 & 312)
	31855	Retainer, Bearing
	35319	Seal, Oil
	650833	Screw, 1/4-20 x 1-3/16"
	650832	Screw, 1/4-20 x 1-0/10 Screw, 1/4-20 x 1-11/16"
89 97	32589	Key, Flywheel
	07070	Lockwasher, Heavy split, #10 (Buy loc ally)
	27276	Cover, Spark plug
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
130A	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with
		650691 washer)
131	650802	Screw, 1/4-20 x 5/8" (Use as required)
	650737	Screw, 1/4-20 x 1/2" (Use as required)
	650738	Screw, 1/4-20 x 5/8" (Use as required)
	650713	Screw, 5/16-18 x 5/8" (Use as require d)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	650890	Washer, Lock, 5/16"
	30747	Clip, Spark plug shorting
	30593	Clip, Primer line (Use as required)
	650824	Stud, 1/4-20 x 7.33 (Use as required)
	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
2204	050051	elbow)
		eloow)
242	33267	Bracket, Air cleaner
250B	33269A	Cover, Air cleaner
274	35865	Gasket, Exhaust (Use as required)
275	33280A	Muffler
275B	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
		can be used on any model.)
	244704	
	34479A	Spark Arrester Kit (Incl. 277A) (Also as an optional part)
	650729	Screw, 5/16-18 x 3-3/16"
	650665	Screw, 1/4-15 x 7/8"
	410144B	Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16"
		I.D.)
301	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
001	01210	(1-3/16" I.D)
		, ,
	35355	Fuel Cap (Red plastic) (1-1/2" I.D.)
	35038	Spacer, Tank
	34870	Decal, Instruction Can be used on HM80 with diecast starter.
415	730130	Exh.Adapter Kit (Incl.274,277)(Use as req.)



Ref #	Part Number Qt	y Description
97		Lockwasher, Heavy split, #10 (Buy loc ally)
101A	27276	Cover, Spark plug
103	650814	Screw, Torx T-15, 10-24 x 1"
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	30593	Clip, Primer line (Use as required)
	650824	Stud, 1/4-20 x 7.33 (Use as required)
228A	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru elbow)
242	33267	Bracket, Air cleaner
250B	33269A	Cover, Air cleaner
275B	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler can be used on any model.)
275C	35824	Muffler (Optional quiet muffler)
	34479A	Spark Arrester Kit (Incl. 277A) (Also as an optional part)
	650696	Screw, 5/16-18x2-3/4" (Used with 276A)
	410144B	Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16
501		I.D.)
301	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (1-3/16" I.D)
		(1-3/10 L)
301	35355	Fuel Cap (Red plastic) (1-1/2" I.D.)
327	35392	Plug, Starter
	35038	Spacer, Tank
	650561	Screw, 1/4-20 x 5/8"
	34870	Decal, Instruction Can be used on HM80 with diecast starter
3700	34387	Decal, Instruction Can be used on HM80 with stamped steel recoil starter.
408	35570	Screen Seal (Can be used on HM80 with stamped steel recoil starter)
409	35569	Spacer (Can be used on HM80 with stamped steel recoil starter)
410	730573	Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be used on HM80 with stamped steel recoil starter)
411	35568	Debris Screen (Can be used on HM80 with stamped steel recoil starter)
413	650907	Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with stamped steel recoil starter)
115	730130	Exh.Adapter Kit (Incl.274,277)(Use as req.)
	730572	Starter Muff Kit (Incl. 370J, 426 & 4 27) (Can be used on HM80 with die cast starter)
429	650868	Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to Mechanics Handbook for installation instructions).
430	611077	Alternator, Add on (Use as required) (Refer to Mechanics Handbook for installation instructions).
431	590609	Centering tube (Use with engines equipped with die cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions)
431	590610	Centering tube (Use as required) (Refer to Mechanics Handbook for installation instructions).

Ref #	Part Number	Qty	Description
432	611078	-	A.C. Lighting Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611079		D.C. Charging Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590611		Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590636		Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).