


Ref #	Part Number Qty	Description
1	33674B	Cylinder (Incl. 2, 3 & 4) (2-13/16" B ore)
2	26727	Pin, Dowel
	27642	Oil Drain Plug
	32600	Seal, Oil
	32644A	Intake Valve (Std.) (Incl. 9)
	32645A	Intake Valve (1/32" OS) (Incl. 9)
	29313C	Exhaust Valve (Std.) (Incl. 9)
	29315C	Exhaust Valve (1/32" OS) (Incl. 9)
	31672	Spring, Valve
	31673	Cap, Lower valve spring
	610951	Key, Flywheel
	33676	Crankshaft (Incl. 24)
13	33876	Gasket, Stator
14A	33562B	Piston & Pin Ass'y.(Std.)(Incl.16)(2- 13/16")
14A	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6" Bore)
	34536	Piston, Pin & Ring Set (.010" OS)
	34537	Piston, Pin & Ring Set (.020" OS)
	33567	Ring Set (Std.) (2-13/16" Bore)
	33568	Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
	20381	Ring, Piston pin retaining
		<b>0</b> 1 <b>0</b>
	32875	Rod Assy., Connecting (Incl. 18 & 20)
	32610A	Bolt, Connecting Rod
	32654	Dipper, Oil
	27241	Lifter, Valve
	33158	Camshaft
	30756B	Cover, Cylinder (Incl. 24, 30, 31 & 1 06)
	28540	Seal, Oil
	27677A	* Gasket, Cylinder cover
29	650451	Screw, 1/4-20 x 1" (Use as required)
29	650488	Screw, 1/4-20 x 1-1/4" (Use as requir ed)
30	27625	Plug, Oil filler (Incl. 31)
31	29673	* Gasket, Oil fill plug
32	33554A	Gasket, Cylinder head
33	33016A	Head, Cylinder(Incl. 35)
	26073	Washer (Not used on late production)
	650691	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650818	Screw, 5/16-18 x 1-1/2" (Use as required)
	650865	Screw, 5/16-18 x 2" (Use as required)
	6021A	Screw, 5/16-18 x 1-1/2" (As req;not w /650691)
	33636	Resistor Spark Plug (RJ-8C)
	31619A	* Gasket, Breather
	31337A	Breather Ass'y. (Incl. 38 & 40)
	31410	Element, Breather
	650128	Screw, 10-24 x 1/2"
	33673A	* Gasket, Intake (1/32" thick)
47	33666	Pipe, Intake
48	30646	Screw, 1/4-20 x 1-3/8"
59	32698	Link, Governor-to-throttle
	31510	Lever, Governor
	31334	Rod, Governor (Incl. 67)
	33342	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	29752	Nut & Lockwasher Assy., 1/4-28 (As re quired)
66		Pop Rivet (Purchase locally)(Use as r equired)
00		


67 68 69	Part Number 28277 650168 29212 33663C	Qty	Description Washer, Flat Washer, Flat Screw, 1/4-28 x 7/16" Blower Housing (For electric starter) NOTE: In original production some starters are riveted to the blower housing. Replacement housing has threaded studs. Order four nuts (29752) for remounting of starter.
75 76 81 82 83 84 85 86 87 90 92 93 94 95	30747 650890 27272A 29752 33341 650701 6201 650870 28212 26756 31715 650152 31691 28820 33344 730127		Clip, Spark plug shorting Lockwasher * Gasket, Air cleaner Nut & Lockwasher Assy., 1/4-28 Extension, Baffle Screw, 8-18 x 7/16" Screw, 1/4-28 x 7/8" Screw, 1/4-28 x 1-11/16" Spacer * Gasket, Carburetor Body, Air cleaner Screw, 8-32 x 3/8" Bracket, Air cleaner Screw, 10-32 x 1/2" Baffle, Heat Air Cleaner Ass'y. (Incl.76,76A,90A,91A,92,93,94, & 221A)(Use as required)
105 106 107 108 109 111 112 113 114 115 115	28458 30590A 30574 30591 30588A 29193 28371B 32762 650561 34711 410144B 33032		Bearing, Ball Washer, Flat Shaft, Mechanical governor Gear Assy.,Governor (Incl. 105) Spool Governor Ring, Retaining Fuel Tank Bracket Fuel Tank Bracket Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 123) Fuel Cap (Std.)(Wh.Plastic)(1-1/2" I. D.) Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, Low profile) Eval Cap (Red Plastic)(1 2/16" I.D.) (Spurt resistant, High
116 118 118 119 121 122 123 129 129 129 129 130 130 139 140D 140C 140 140	34210 650665 29774 30795 30962 28819 29745 650128 26460 650489 650516 27276 33670A 26073 650628A 650561 30063 27275		Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, High profile) Screw, 1/4-15 x 7/8" Line, Fuel (Braided 8.25") Line, Fuel (Braided 16") Line, Fuel (Braided 32") Spring, Fuel line (Use as required) Extension, Blower housing Screw, 10-24 x 1/2" Clamp, Fuel line (Use as required) Screw, 1/4-20 x 5/8" Screw, 1/4-20 x 1-1/8" Cover, Spark plug * Gasket, Muffler Washer, flat 5/16-18 x 2-3/8" Screw, 1/4-20 x 5/8" Screw, 1/4-20 x 1/2" (Use as required ) Clip, Wire retaining

Ref #	Part Number Qty	Description
161	29443	Clip, Fuel line
182	28545	Grommet, Plastic
183	650760	Screw, 8-32 x 3/8"
197	650548	Screw, 8-32 x 5/16"
201	610973	Terminal Assy. (Use as required)
202A	32923	Spring, Torsion (Used in early produc tion)
202	33857	Spring Assy. (Used in late production )
203	730136A	Control Brkt (Incl.202,202A,204,205,2 06,207)
204	650139	Screw, 8-32 x 1/2" (Use as required)
204	650152	Screw, 8-32 x 3/8" (Use as required)
204	30200	Screw, 10-24 9/16" (Use as required)
205	30322	Nut & Lockwasher (Use as required)
206	650688	Screw, 10-32 x 1" (Used on early prod uction)
	650549	Screw, 5-40 x 7/16" (Used on late pro duction)
	32924	Compression Spring (Used on early pro duction)
207	31342	Compression Spring (Used on late prod uction)
209	28942	Screw, 10-32 x 3/8"
	27793	Clip, Conduit
	31426	Spring, Extension
	650815	Washer, Belleville
	650607	Nut, Flywheel
	33668	Screen, Starter
	33667	Cup, Starter
	34080	Spacer, Flywheel key
	650872	Stud, Solid State Assy.
	31752	Decal, Air cleaner
	34346	Decal. Instruction
	550223	Decal, Name
	631021	Inlet Needle, Seat & Clip Assy.
	631702	Carburetor (Incl. 87) (Refer to Division 5, Section A, page 114
		for breakdown)
245	610943A	Magneto (w/ring gear) NOTE: The complete magneto is not
		available as an assembly. The magneto number is shown for
		reference purposes only. Order component partsindividually,
		as shown in partslist. (12 Volt, 3 Amp, 2 Circuit) (Refer to
		Division 5, Section B, page 27 for breakdown)
0/6	590420A	Rewind Starter NOTE: In original production some starters
240	330420A	are riveted to the blowerhousing. Replacement housing has
		threaded studs. Order four nuts (29752) for remounting of
		starter. (Refer to Division 5, Section C, page 25 for
		breakdown)
249	33683B	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
13	33876		Gasket, Stator
90	31715		Body, Air cleaner
91	30727		Element, Air cleaner
94	28820		Screw, 10-32 x 1/2"
100A	730164		Air Cleaner Ass'y. (Incl. 76, 90, 91, 92, 93, 94, & 221B) (Use as required)
111	28371B		Fuel Tank Bracket
139	33670A		* Gasket, Muffler
140	650561		Screw, 1/4-20 x 5/8"
140	30063		Screw, 1/4-20 x 1/2" (Use as required )
141A	33699		Muffler (Spark Arresting)(In.143,144, 145)
141D	391026		Muffler (Incl. 143, 144 & 145) (This spark arrester mufflercan be used on any model.)
143	33323		Screen, Muffler
144	33700		Cover & Tube, Muffler
145	650578		Screw, 8-18 x 3/8"
157	730165		Muff.Adapter Kit (Incl.139,140)(As re quired)
201	610973		Terminal Assy. (Use as required)
245	610943A		Magneto (w/ring gear) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (12 Volt, 3 Amp, 2 Circuit) (Refer to Division 5, Section B, page 27 for breakdown)

HS50-67007C Engine Parts List #3



Ref #	Part Number Qty	Description
13	33876	Gasket, Stator
	26073	Washer (Not used on late production)
	650691	Washer (Use as required)
	31619A	* Gasket, Breather
	31410	Element, Breather
	650128	Screw, 10-24 x 1/2"
	30200	Screw, 10-24 x 9/16"
	28458	Bearing, Ball
	28539	Ring, Retaining
	28537	Washer, Flat
	29918	Washer, Lock, #8
	30322	Nut & Lockwasher, 8-32
	29826	Screw, 10-32 x 3/4"
	29216	Nut, Square, 10-32
	29642	Ring, Retaining
	29916	Clamp, Governor lever
	650548	Screw, 8-32 x 5/16"
	34788	Pulley, Starter rope
	35189	Spacer, Coil Assy.
	30547A	Contact Assy., Breaker
	30548B	Condenser
245	610943A	Magneto (w/ring gear) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (12 Volt, 3 Amp, 2 Circuit) (Refer to Division 5, Section B, page 27 for breakdown)
247	33290D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel. Refer to service number stamped on end cap of motor, or on decal, for identification. Ref