


	Part Number	Qty Description
	33674B	Cylinder (Incl. 2, 3 & 4) (2-13/16" B ore)
2	26727	Pin, Dowel
3	27642	Oil Drain Plug
3	28582	Oil Drain Plug
4	32600	Seal, Oil
5	32644A	Intake Valve (Std.) (Incl. 9)
	32645A	Intake Valve (1/32" OS) (Incl. 9)
	29313C	Exhaust Valve (Std.) (Íncl. 9)
	29315C	Exhaust Valve (1/32" OS) (Incl. 9)
	31672	Spring, Valve
	31673	Cap, Lower valve spring
	610951	Key, Flywheel
	33676	Crankshaft (Incl. 24)
	33876	Gasket, Stator
	33562B	Piston & Pin Ass'y.(Std.)(Incl.16)(2- 13/16")
	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34535	
		Piston, Pin & Ring Set (Std.) (2-13/1 6" Bore)
	34536	Piston, Pin & Ring Set (.010" OS)
	34537	Piston, Pin & Ring Set (.020" OS)
	33567	Ring Set (Std.) (2-13/16" Bore)
	33568	Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
	20381	Ring, Piston pin retaining
	32875	Rod Assy., Connecting (Incl. 18 & 20)
	32610A	Bolt, Connecting Rod
	32654	Dipper, Oil
	27241	Lifter, Valve
	33158	Camshaft
	30756B	Cover, Cylinder (Incl. 24, 30, 31 & 1 06)
	28540	Seal, Oil
	32969	Dipstick (Incl. 27)
27	29673	* Gasket, Dipstick
28	27677A	* Gasket, Cylinder cover
29	650451	Screw, 1/4-20 x 1" (Use as required)
29	650488	Screw, 1/4-20 x 1-1/4" (Use as requir ed)
32	33554A	Gasket, Cylinder head
33	33016A	Head, Cylinder(Incl. 35)
34	26073	Washer (Not used on late production)
	650691	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650818	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650865	Screw, 5/16-18 x 2" (Use as required)
	6021A	Screw, 5/16-18 x 1-1/2" (As req;not w /650691)
	33636	Resistor Spark Plug (RJ-8C)
	31619A	* Gasket, Breather
	31337A	Breather Ass'y. (Incl. 38 & 40)
	31410	Element, Breather
	650128	Screw, $10-24 \times 1/2$ "
	33673A	
		* Gasket, Intake (1/32" thick)
	33669	Pipe, Intake
	30646	Screw, 1/4-20 x 1-3/8"
	31858	Link, Governor-to-throttle
	33302	Lever, Governor
601	31334	Rod, Governor (Incl. 67)
	00040	Poffle Plower boucing
64	33342	Baffle, Blower housing
64 65	33342 650561 29752	Screw, 1/4-20 x 5/8" Nut & Lockwasher Assy., 1/4-28 (As re quired)


	Part Number Qty	
66		Pop Rivet (Purchase locally)(Use as r equired)
	28277	Washer, Flat
	650168	Washer, Flat
69 2	29212	Screw, 1/4-28 x 7/16"
70 3	33663C	Blower Housing (For electric starter) NOTE: In original
		production some starters are riveted to the blower housing.
		Replacement housing has threaded studs. Order four nuts
		(29752) for remounting of starter.
	27272A	* Gasket, Air cleaner
	34212	Bracket, Holddown
	30200	Screw, 10-24 x 9/16"
82 3	33341	Extension, Baffle
83 6	650701	Screw, 8-18 x 7/16"
84 6	650517	Screw, 1/4-20 x 13/16"
85 6	650517	Screw, 1/4-20 x 13/16"
87 2	26756	* Gasket, Carburetor
90 3	31715	Body, Air cleaner
	650152	Screw, 8-32 x 3/8"
	31691	Bracket, Air cleaner
	28820	Screw, 10-32 x 1/2"
	35349	Ground Wire
	730127	Air Cleaner Ass'y. (Incl.76,76A,90A,91A,92,93,94, &
100 1	00121	221A)(Use as required)
102 2	28458	Bearing, Ball
105 3	30590A	Washer, Flat
106 3	30574	Shaft, Mechanical governor
107 3	30591	Gear Assy., Governor (Incl. 105)
108 3	30588A	Spool Governor
109 2	29193	Ring, Retaining
113 6	650751	Screw, 1/4-20 x 7/16"
115 4	410144B	Fuel Cap (Std.)(Wh.Plastic)(1-1/2" I. D.)
115 3	33032	Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, Low
		profile)
115 3	34210	Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, High
		profile)
118 2	99774	Line, Fuel (Braided 8.25")
118 3		Line, Fuel (Braided 16")
118 3		Line, Fuel (Braided 10)
110 2		Spring, Fuel line (Use as required)
119 2		
		Extension, Blower housing
	650128 26460	Screw, 10-24 x 1/2"
123 2		Clamp, Fuel line (Use as required)
	550489	Screw, 1/4-20 x 5/8"
130 2		Cover, Spark plug
140D 2		Washer, flat
140 3		Screw, 1/4-20 x 1/2" (Use as required )
	650628A	5/16-18 x 2-3/8"
161A 2		Clip, Wire retaining
181 3		Terminal, Ground
182 2	28545	Grommet, Plastic
	650760	Screw, 8-32 x 3/8"
	650548	Screw, 8-32 x 5/16"
	610973	Terminal Assy. (Use as required)
202 3		Spring Assy. (Used in late production )
202A 3		Spring, Torsion (Used in early production)
	730136A	Control Brkt (Incl.202,202A,204,205,2 06,207)
200 1		

		Description
	650139	Screw, 8-32 x 1/2" (Use as required)
	650152	Screw, 8-32 x 3/8" (Use as required)
	30200	Screw, 10-24 9/16" (Use as required)
	30322	Nut & Lockwasher (Use as required)
	650688	Screw, 10-32 x 1" (Used on early prod uction)
	650549	Screw, 5-40 x 7/16" (Used on late pro duction)
	32924	Compression Spring (Used on early pro duction)
	31342	Compression Spring (Used on late prod uction)
	28942	Screw, 10-32 x 3/8"
	27793	Clip, Conduit
211	31426	Spring, Extension
	650815	Washer, Belleville
	650607	Nut, Flywheel
	33668	Screen, Starter
	33667	Cup, Starter
	34080	Spacer, Flywheel key
	650872	Stud, Solid State Assy.
	34346	Decal. Instruction
	31752	Decal, Air cleaner
240A	550223	Decal, Name
	631021	Inlet Needle, Seat & Clip Assy.
244	631703	Carburetor (Incl. 87) (Refer to Division 5, Section A, page 114 for breakdown)
245	610942A	Magneto NOTE: The complete magneto is not available as
2.0		an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 35 for breakdown)
246	590420A	Rewind Starter NOTE: In original production some starters are riveted to the blowerhousing. Replacement housing has threaded studs. Order four nuts (29752) for remounting of starter. (Refer to Division 5, Section C, page 25 for breakdown)
249	33683B	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty Description
90 91	33876 31715 30727	Gasket, Stator Body, Air cleaner Element, Air cleaner
	28820 730164	Screw, 10-32 x 1/2" Air Cleaner Ass'y. (Incl. 76, 90, 91, 92, 93, 94, & 221B) (Use as required)
141C	30063 730522 391026	Screw, 1/4-20 x 1/2" (Use as required ) Muffler (Incl. 139 & 143 thru 152) Muffler (Incl. 143, 144 & 145) (This spark arrester mufflercan be used on any model.)
144 145 146 147 148 149 150 151 152 153 154 157 201	33323 33700 650578 650561 33325 33321 650721 650722 650864 33322 33168 33514 730165 610973 610942A	Screen, Muffler Cover & Tube, Muffler Screw, 8-18 x 3/8" Screw, 1/4-20 x 5/8" Bracket, Muffler mtg. Strap, Muffler mtg. Screw, 1/4-20 x 3/4" Lockwasher Nut, 1/4-20 Adapter, Muffler Clamp, Muffler Clamp, Muffler Tube & Clamp Assy. (Incl. 153) Muff.Adapter Kit (Incl.139,140)(As re quired) Terminal Assy. (Use as required) Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 35 for breakdown)

HS50-67060C Engine Parts List #3



		Description
	33876	Gasket, Stator
34	26073	Washer (Not used on late production)
34	650691	Washer (Use as required)
38	31619A	* Gasket, Breather
	31410	Element, Breather
	650128	Screw, 10-24 x 1/2"
	30200	Screw, 10-24 x 9/16"
	28458	Bearing, Ball
	28539	Ring, Retaining
	28537	Washer, Flat
	29918	Washer, Lock, #8
	30322	Nut & Lockwasher, 8-32
	29826	Screw, 10-32 x 3/4"
	29216	Nut, Square, 10-32
	29642	Ring, Retaining
	29916	Clamp, Governor lever
	650548	Screw, 8-32 x 5/16"
	34788	Pulley, Starter rope
	35189	Spacer, Coil Assy.
	30547A	Contact Assy., Breaker
	30548B	Condenser
245	610942A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 35 for breakdown)
247	33290D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel. Refer to service number stamped on end cap of motor, or on decal, for identification. Ref