


|     | Deat Numerican 2 | t. Description                                 |
|-----|------------------|--|
|     |                  | ty Description                                 |
|     | 33674B           | Cylinder (Incl. 2, 3 & 4) (2-13/16" B ore)     |
|     | 26727            | Pin, Dowel                                     |
| 3   | 27642            | Oil Drain Plug                                 |
| 4   | 32600            | Seal, Oil                                      |
|     | 32644A           | Intake Valve (Std.) (Incl. 9)                  |
|     | 32645A           | Intake Valve (1/32" OS) (Incl. 9)              |
|     | 29313C           | Exhaust Valve (Std.) (Incl. 9)                 |
|     | 29315C           |  |
|     |                  | Exhaust Valve (1/32" OS) (Incl. 9)             |
|     | 31672            | Spring, Valve                                  |
|     | 31673            | Cap, Lower valve spring                        |
|     | 610961           | Key Flywheel                                   |
|     | 34728            | Crankshaft (Incl. 24)                          |
| 13  | 33876            | Gasket, Stator                                 |
| 14A | 33562B           | Piston & Pin Ass'y.(Std.)(Incl.16)(2- 13/16")  |
| 14A | 33563B           | Piston & Pin Ass'y. (.010" OS) (Incl. 16)      |
|     | 33564B           | Piston & Pin Ass'y. (.020" OS) (Incl. 16)      |
|     | 34535            | Piston, Pin & Ring Set (Std.) (2-13/1 6" Bore) |
|     | 34536            | Piston, Pin & Ring Set (.010" OS)              |
|     |                  |  |
|     | 34537            | Piston, Pin & Ring Set (.020" OS)              |
|     | 33567            | Ring Set (Std.) (2-13/16" Bore)                |
|     | 33568            | Ring Set (.010" OS)                            |
|     | 33569            | Ring Set (.020" OS)                            |
| 16  | 20381            | Ring, Piston pin retaining                     |
| 17  | 32875            | Rod Assy., Connecting (Incl. 18 & 20)          |
| 18  | 32610A           | Bolt, Connecting Rod                           |
|     | 32654            | Dipper, Oil                                    |
|     | 27241            | Lifter, Valve                                  |
|     | 33158            | Camshaft                                       |
|     | 30756B           | Cover, Cylinder (Incl. 24, 30, 31 & 1 06)      |
|     |                  |  |
|     | 28540            | Seal, Oil                                      |
|     | 27677A           | * Gasket, Cylinder cover                       |
|     | 650451           | Screw, 1/4-20 x 1" (Use as required)           |
|     | 650488           | Screw, 1/4-20 x 1-1/4" (Use as requir ed)      |
| 30  | 27625            | Plug, Oil filler (Incl. 31)                    |
| 31  | 29673            | * Gasket, Oil fill plug                        |
| 32  | 33554A           | Gasket, Cylinder head                          |
|     | 33016A           | Head, Cylinder(Incl. 35)                       |
|     | 26073            | Washer (Not used on late production)           |
|     | 650691           | Washer (Use as required)                       |
|     | 650694A          |  |
|     |                  | Screw, $5/16-18 \times 2"$ (Use as required)   |
|     | 650818           | Screw, 5/16-18 x 1-1/2" (Use as required)      |
|     | 650865           | Screw, 5/16-18 x 2" (Use as required)          |
|     | 6021A            | Screw, 5/16-18 x 1-1/2" (As req;not w /650691) |
|     | 33636            | Resistor Spark Plug (RJ-8C)                    |
|     | 31619A           | * Gasket, Breather                             |
| 39A | 31337A           | Breather Ass'y. (Incl. 38 & 40)                |
|     | 31410            | Element, Breather                              |
|     | 650128           | Screw, 10-24 x 1/2"                            |
|     | 33673A           | * Gasket, Intake (1/32" thick)                 |
|     | 33666            | Pipe, Intake                                   |
|     |                  | •  |
|     | 30646            | Screw, 1/4-20 x 1-3/8"                         |
|     | 32698            | Link, Governor-to-throttle                     |
|     | 31510            | Lever, Governor                                |
|     | 31334            | Rod, Governor (Incl. 67)                       |
| 64  | 33342            | Baffle, Blower housing                         |
| 65  | 650561           | Screw, 1/4-20 x 5/8"                           |
|     | 29752            | Nut & Lockwasher Assy., 1/4-28 (As re quired)  |
| 66  |                  | Pop Rivet (Purchase locally)(Use as r equired) |
| 50  |                  |  |


|     | Part Number<br>28277 | Qty | Description<br>Washer, Flat                                    |
|-----|----------------------|-----|--|
|     | 650168               |     | Washer, Flat   |
|     | 29212                |     | Screw, 1/4-28 x 7/16"  |
|     | 33663C               |     | Blower Housing (For electric starter) NOTE: In original        |
| 10  |                      |     | production some starters are riveted to the blower housing.    |
|     |                      |     | Replacement housing has threaded studs. Order four nuts        |
|     |                      |     | (29752) for remounting of starter.                             |
|     |                      |     |  |
| 74A | 30747                |     | Clip, Spark plug shorting                                      |
| 75  | 650890               |     | Lockwasher   |
| 76  | 27272A               |     | * Gasket, Air cleaner  |
| 77  | 34212                |     | Bracket, Holddown  |
| 78  | 30200                |     | Screw, 10-24 x 9/16"   |
| 81  | 29752                |     | Nut & Lockwasher Assy., 1/4-28                                 |
| 82  | 33341                |     | Extension, Baffle  |
| 83  | 650701               |     | Screw, 8-18 x 7/16"  |
| 84  | 6201                 |     | Screw, 1/4-28 x 7/8"   |
| 85  | 650870               |     | Screw, 1/4-28 x 1-11/16"                                       |
| 86  | 28212                |     | Spacer   |
| 87  | 26756                |     | * Gasket, Carburetor   |
| 90  | 31715                |     | Body, Air cleaner  |
| 92  | 650152               |     | Screw, 8-32 x 3/8"   |
| 93  | 31691                |     | Bracket, Air cleaner   |
| 94  | 28820                |     | Screw, 10-32 x 1/2"  |
| 95  | 33344                |     | Baffle, Heat   |
|     | 35349                |     | Ground Wire  |
| 100 | 730127               |     | Air Cleaner Ass'y. (Incl.76,76A,90A,91A,92,93,94, &            |
|     |                      |     | 221A)(Use as required)   |
| 400 | 00450                |     |  |
|     | 28458                |     | Bearing, Ball  |
|     | 30590A               |     | Washer, Flat   |
|     | 30574                |     | Shaft, Mechanical governor                                     |
|     | 30591                |     | Gear Assy., Governor (Incl. 105)                               |
|     | 30588A               |     | Spool Governor   |
|     | 29193<br>28271 P     |     | Ring, Retaining  |
|     | 28371B               |     | Fuel Tank Bracket  |
|     | 650561               |     | Screw, 1/4-20 x 5/8"   |
|     | 34711<br>410144B     |     | Fuel Tank (Incl. 115 & 123)                                    |
|     | 410144B              |     | Fuel Cap (Std.)(Wh.Plastic)(1-1/2" I. D.)                      |
| CII | 33032                |     | Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, Low     |
|     |                      |     | profile)   |
| 115 | 34210                |     | Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, High    |
|     |                      |     | profile)   |
| 116 | 650665               |     | Screw, 1/4-15 x 7/8"   |
|     | 29774                |     | Line, Fuel (Braided 8.25")                                     |
|     | 30795                |     | Line, Fuel (Braided 16")                                       |
|     | 30962                |     | Line, Fuel (Braided 32")                                       |
|     | 28819                |     | Spring, Fuel line (Use as required)                            |
|     | 29745                |     | Extension, Blower housing                                      |
|     | 650128               |     | Screw, 10-24 x 1/2"  |
|     | 26460                |     | Clamp, Fuel line (Use as required)                             |
|     | 650489               |     | Screw, 1/4-20 x 5/8"   |
|     | 27276                |     | Cover, Spark plug  |
|     | 33670A               |     | * Gasket, Muffler  |
|     | 650628A              |     | 5/16-18 x 2-3/8"   |
|     | 26073                |     | Washer, flat   |
|     | 650561               |     | Screw, 1/4-20 x 5/8"   |
|     | 30063                |     | Screw, 1/4-20 x 5/8<br>Screw, 1/4-20 x 1/2" (Use as required ) |
| 140 |                      |     | $OOOW, 1/T 20 \times 1/2$ (Obe as required )                   |

|      |         | Qty | Description   |
|------|---------|-----|---|
|      | 29443   |     | Clip, Fuel line   |
|      | 33356   |     | Terminal, Ground  |
|      | 28545   |     | Grommet, Plastic  |
|      | 650760  |     | Screw, 8-32 x 3/8"  |
| 197  | 650548  |     | Screw, 8-32 x 5/16"   |
| 201  | 610973  |     | Terminal Assy. (Use as required)  |
| 202  | 33857   |     | Spring Assy. (Used in late production )   |
| 202A | 32923   |     | Spring, Torsion (Used in early produc tion)   |
| 203  | 730136A |     | Control Brkt (Incl.202,202A,204,205,2 06,207)   |
| 204  | 650139  |     | Screw, 8-32 x 1/2" (Use as required)  |
| 204  | 650152  |     | Screw, 8-32 x 3/8" (Use as required)  |
| 204  | 30200   |     | Screw, 10-24 9/16" (Use as required)  |
| 205  | 30322   |     | Nut & Lockwasher (Use as required)  |
| 206  | 650688  |     | Screw, 10-32 x 1" (Used on early prod uction)   |
|      | 650549  |     | Screw, 5-40 x 7/16" (Used on late pro duction)  |
|      | 32924   |     | Compression Spring (Used on early pro duction)  |
|      | 31342   |     | Compression Spring (Used on late prod uction)   |
|      | 28942   |     | Screw, 10-32 x 3/8"   |
|      | 27793   |     | Clip, Conduit   |
|      | 31426   |     | Spring, Extension   |
|      | 650815  |     | Washer, Belleville  |
|      | 650816  |     | Nut, Flywheel   |
|      | 33668   |     | Screen, Starter   |
|      | 34694   |     | Cup, Starter  |
|      | 34080   |     | Spacer, Flywheel key  |
|      | 650872  |     | Stud, Solid State Assy.   |
|      | 34346   |     | Decal. Instruction  |
|      | 550223  |     | Decal, Name   |
|      | 31752   |     | Decal, Air cleaner  |
|      | 631021  |     | Inlet Needle, Seat & Clip Assy.   |
| 244  | 631702  |     | Carburetor (Incl. 87) (Refer to Division 5, Section A, page 114   |
|      |         |     | for breakdown)  |
| 245  | 611025  |     | Magneto NOTE: The complete magneto is not available as  |
|      |         |     | an assembly. The magneto number is shown for reference  |
|      |         |     | purposes only. Order component partsindividually, as shown  |
|      |         |     | in partslist. (Refer to Division 5, Section B, page 39 for  |
|      |         |     | breakdown)  |
| 246  | E00420A |     | Powind Starter NOTE: In original production some starters   |
| 240  | 590420A |     | Rewind Starter NOTE: In original production some starters are riveted to the blowerhousing. Replacement housing has |
|      |         |     | threaded studs. Order four nuts (29752) for remounting of   |
|      |         |     | starter. (Refer to Division 5, Section C, page 25 for   |
|      |         |     | breakdown)  |
|      |         |     |   |
| 249  | 33683B  |     | * Gasket Set (Incl. items marked *)   |
|      |         |     |   |



| Ref # | Part Number | Qty I      | Description  |
|-------|-------------|------------|--|
| 13    | 33876       | (          | Gasket, Stator   |
| 90    | 31715       | I          | Body, Air cleaner  |
| 91    | 30727       | I          | Element, Air cleaner   |
| 94    | 28820       | ;          | Screw, 10-32 x 1/2"  |
| 100A  | 730164      |            | Air Cleaner Ass'y. (Incl. 76, 90, 91, 92, 93, 94, & 221B) (Use<br>as required)   |
| 111   | 28371B      |            | Fuel Tank Bracket  |
| 112B  | 34182       |            | Fuel Tank Bracket  |
| 139   | 33670A      | 3          | * Gasket, Muffler  |
| 140   | 650561      | :          | Screw, 1/4-20 x 5/8"   |
| 140   | 30063       | ļ          | Screw, 1/4-20 x 1/2" (Use as required )  |
| 141A  | 33699       | I          | Muffler (Spark Arresting)(In.143,144, 145)   |
| 141D  | 391026      |            | Muffler (Incl. 143, 144 & 145) (This spark arrester mufflercan be used on any model.)  |
| 143   | 33323       |            | Screen, Muffler  |
|       | 33700       |            | Cover & Tube, Muffler  |
| 145   | 650578      |            | Screw, 8-18 x 3/8"   |
| 157   | 730165      |            | Muff.Adapter Kit (Incl.139,140)(As re quired)  |
| 201   | 610973      |            | Terminal Assy. (Use as required)   |
| 245   | 611025      | ;<br> <br> | Magneto NOTE: The complete magneto is not available as<br>an assembly. The magneto number is shown for reference<br>purposes only. Order component partsindividually, as shown<br>in partslist. (Refer to Division 5, Section B, page 39 for<br>breakdown) |

HS50-67124D Engine Parts List #3



| Ref # | Part Number Qty | Description  |
|-------|-----------------|--|
|       | 33876           | Gasket, Stator   |
|       | 26073           | Washer (Not used on late production)   |
|       | 650691          | Washer (Use as required)   |
|       | 31619A          | * Gasket, Breather   |
|       | 31410           | Element, Breather  |
|       | 650128          | Screw, 10-24 x 1/2"  |
|       | 30200           | Screw, 10-24 x 9/16"   |
|       | 28458           | Bearing, Ball  |
|       | 28539           | Ring, Retaining  |
|       | 28537           | Washer, Flat   |
|       | 29918           | Washer, Lock, #8   |
|       | 30322           | Nut & Lockwasher, 8-32   |
|       | 29826           | Screw, 10-32 x 3/4"  |
|       | 29216           | Nut, Square, 10-32   |
|       | 29642           | Ring, Retaining  |
|       | 29916           | Clamp, Governor lever  |
|       | 650548          | Screw, 8-32 x 5/16"  |
|       | 34788           | Pulley, Starter rope   |
|       | 35189           | Spacer, Coil Assy.   |
|       | 30547A          | Contact Assy., Breaker   |
|       | 30548B          | Condenser  |
| 245   | 611025          | Magneto NOTE: The complete magneto is not available as<br>an assembly. The magneto number is shown for reference<br>purposes only. Order component partsindividually, as shown<br>in partslist. (Refer to Division 5, Section B, page 39 for<br>breakdown)   |
| 247   | 33290D          | Starter Motor Kit (110-120 Volt) This 110-120 volt starter<br>motor kit may have been added to this engine. It can be<br>added only if cylinder hasdrilled and tapped starter mounting<br>bosses and a ring gear flywheel. Refer to service number<br>stamped on end cap of motor, or on decal, for identification.<br>Ref |