



Ref #	Part Number	Qty	Description
	33674B	٠.,	Cylinder (Incl. 2, 3 & 4) (2-13/16" B ore)
	26727		Pin, Dowel
	27642		Oil Drain Plug
	32600		Seal, Oil
	32644A		Intake Valve (Std.) (Incl. 9)
	32645A		Intake Valve (1/32" OS) (Incl. 9)
	29313C		Exhaust Valve (Std.) (Incl. 9)
	29315C		Exhaust Valve (1/32" OS) (Incl. 9)
	31672		Spring, Valve
9	31673		Cap, Lower valve spring
10	610951		Key, Flywheel
11	33677A		Crankshaft
12	32323		Washer, Thrust
13	33876		Gasket, Stator
	33562B		Piston & Pin Ass'y.(Std.)(Incl.16)(2- 13/16")
	33563B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33564B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34535		Piston, Pin & Ring Set (Std.) (2-13/1 6" Bore)
	34536		Piston, Pin & Ring Set (.010" OS)
	34537		Piston, Pin & Ring Set (.020" OS)
	33567		,
			Ring Set (Std.) (2-13/16" Bore)
	33568		Ring Set (.010" OS)
	33569		Ring Set (.020" OS)
	20381		Ring, Piston pin retaining
	32875		Rod Assy., Connecting (Incl. 18 & 20)
	32610A		Bolt, Connecting Rod
	32654		Dipper, Oil
	27241		Lifter, Valve
	33158		Camshaft
23	32700A		Cover, Cylinder (Incl. 24, 29, 30, 31 & 106)
24	27897		Seal, Oil
28	27677A		* Gasket, Cylinder cover
29	650451		Screw, 1/4-20 x 1" (Use as required)
29	650488		Screw, 1/4-20 x 1-1/4" (Use as requir ed)
	27625		Plug, Oil filler (Incl. 31)
	29673		* Gasket, Oil fill plug
	33554A		Gasket, Cylinder head
	33016A		Head, Cylinder(Incl. 35)
	26073		Washer (Not used on late production)
	650691		Washer (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650818		Screw, 5/16-18 x 1-1/2" (Use as required)
	650865		Screw, 5/16-18 x 2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (As req;not w /650691)
	33636		Resistor Spark Plug (RJ-8C)
	31619A		* Gasket, Breather
	31337A		Breather Ass'y. (Incl. 38 & 40)
	31410		Element, Breather
	650128		Screw, 10-24 x 1/2"
	33673A		* Gasket, Intake (1/32" thick)
	33666		Pipe, Intake
	30646		Screw, 1/4-20 x 1-3/8"
59	32698		Link, Governor-to-throttle
60	31510		Lever, Governor
	31334		Rod, Governor (Incl. 67)
	33342		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	29752		Nut & Lockwasher Assy., 1/4-28 (As re quired)
33			( is to dames)

Def II Deat	Nh wali an	Description
Ref # Part	Number Qty	Description  Pen Pivot (Purchage legally)/( legalar agriculty)
66	77	Pop Rivet (Purchase locally)(Use as r equired)
67 2827 69 6501		Washer, Flat
68 6501		Washer, Flat
69 2921		Screw, 1/4-28 x 7/16"
70 3366	03C	Blower Housing (For electric starter) NOTE: In original
		production some starters are riveted to the blower housing.
		Replacement housing has threaded studs. Order four nuts
		(29752) for remounting of starter.
76 2727	72A	* Gasket, Air cleaner
77 3421	12	Bracket, Holddown
78 3020		Screw, 10-24 x 9/16"
81 2975		Nut & Lockwasher Assy., 1/4-28
82 3334		Extension, Baffle
83 6507		Screw, 8-18 x 7/16"
84 6201		Screw, 1/4-28 x 7/8"
85 6508		Screw, 1/4-28 x 1-11/16"
86 2821		Spacer
87 2675		* Gasket, Carburetor
90 3171		Body, Air cleaner
91A 3170		Element, Air Cleaner
92 6501		Screw, 8-32 x 3/8"
93 3191		Bracket, Air cleaner
94 2882		Screw, 10-32 x 1/2"
95 3334		Baffle, Heat
98 3534		Ground Wire
100 7301		Air Cleaner Ass'y. (Incl.76,76A,90A,91A,92,93,94, &
	<del>-</del>	221A)(Use as required)
405 005	004	,,
105 3059		Washer, Flat
106 3057		Shaft, Mechanical governor
107 3059		Gear Assy., Governor (Incl. 105)
108 3058		Spool Governor
109 2919		Ring, Retaining
111 2837		Fuel Tank Bracket
112 3276		Fuel Tank Bracket
113 6505		Screw, 1/4-20 x 5/8"
114 3558		Fuel Tank (Incl. 115 & 123)
115 4101		Fuel Cap (Std.)(Wh.Plastic)(1-1/2" I. D.)
115 3303	32	Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, Low
		profile)
115 3421	10	Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, High
		profile)
116 6506		Screw, 1/4-15 x 7/8"
118 2977		·
118 3079		Line, Fuel (Braided 8.25") Line, Fuel (Braided 16")
118 3096		
119 2881		Line, Fuel (Braided 32")
121 2974		Spring, Fuel line (Use as required)
		Extension, Blower housing
122 6501 123 2646		Screw, 10-24 x 1/2"  Clamp, Fuel line (Use as required)
123 2646 120 650/		Clamp, Fuel line (Use as required)
129 6504 120 6101		Screw, 1/4-20 x 5/8"
130 6101		Cover, Spark plug
139 3367		* Gasket, Muffler
140 7920		Screw, 1/4-20 x 2-1/4"  Screw, 1/4-20 x 1/2" (Lips on required.)
140 3006		Screw, 1/4-20 x 1/2" (Use as required )
140D 2607		Washer, flat
140C 6506	020A	5/16-18 x 2-3/8"

Ref #	Part Number	Qty	Description
141	33671A		Muffler (Side Discharge)
161	29443		Clip, Fuel line
196A	31335		Clamp, Governor lever
197	650548		Screw, 8-32 x 5/16"
201	610973		Terminal Assy. (Use as required)
203	33879A		Control Brkt(ln.201,204,205,206,207,2 09,210)
204	650139		Screw, 8-32 x 1/2" (Use as required)
204	650152		Screw, 8-32 x 3/8" (Use as required)
204	30200		Screw, 10-24 9/16" (Use as required)
205	30322		Nut & Lockwasher (Use as required)
206	650688		Screw, 10-32 x 1" (Used on early prod uction)
206	650549		Screw, 5-40 x 7/16" (Used on late pro duction)
207	32924		Compression Spring (Used on early pro duction)
	31342		Compression Spring (Used on late prod uction)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	31426		Spring, Extension
	650815		Washer, Belleville
	650607		Nut, Flywheel
	33668		Screen, Starter
	33667		Cup, Starter
	34080		Spacer, Flywheel key
	650872		Stud, Solid State Assy.
	34346		Decal. Instruction
	631021		Inlet Needle, Seat & Clip Assy.
244	631923		Carburetor (Incl. 87) (Refer to Division 5, Section A, page 140 for breakdown)
245	610942A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 35 for breakdown)
246	590420A		Rewind Starter NOTE: In original production some starters are riveted to the blowerhousing. Replacement housing has threaded studs. Order four nuts (29752) for remounting of starter. (Refer to Division 5, Section C, page 25 for breakdown)
249	33683B		* Gasket Set (Incl. items marked *)



Pof #	Part Number	Otv	Description
		Qty	
	33876		Gasket, Stator
	31715		Body, Air cleaner
	28820		Screw, 10-32 x 1/2"
100A	730164		Air Cleaner Ass'y. (Incl. 76, 90, 91, 92, 93, 94, & 221B) (Use as required)
111	28371B		Fuel Tank Bracket
139	33670A		* Gasket, Muffler
	792020		Screw, 1/4-20 x 2-1/4"
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	391026		Muffler (Incl. 143, 144 & 145) (This spark arrester mufflercan be used on any model.)
157	730165		Muff.Adapter Kit (Incl.139,140)(As re quired)
201	610973		Terminal Assy. (Use as required)
	610942A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 35 for breakdown)



Dof #	Part Number	Ohi	Description
		Qty	
	33876		Gasket, Stator
	26073		Washer (Not used on late production)
34	650691		Washer (Use as required)
38	31619A		* Gasket, Breather
40	31410		Element, Breather
45	650128		Screw, 10-24 x 1/2"
197	650548		Screw, 8-32 x 5/16"
219	34788		Pulley, Starter rope
225	35189		Spacer, Coil Assy.
241	30547A		Contact Assy., Breaker
242	30548B		Condenser
	610942A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 35 for breakdown)
247	33290D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel. Refer to service number stamped on end cap of motor, or on decal, for identification. Ref