



Ref #	Part Number Qty	Description
1	33674B	Cylinder (Incl. 2, 3 & 4) (2-13/16" B ore)
2	26727	Pin, Dowel
3	27642	Oil Drain Plug
4	32600	Seal, Oil
5	32644A	Intake Valve (Std.) (Incl. 9)
5	32645A	Intake Valve (1/32" OS) (Incl. 9)
6	29313C	Exhaust Valve (Std.) (Incl. 9)
6	29315C	Exhaust Valve (1/32" OS) (Incl. 9)
8	31672	Spring, Valve
9	31673	Cap, Lower valve spring
10	610961	Key Flywheel
	34744	Crankshaft (Incl. 24)
14	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6" Bore)
	34536	Piston, Pin & Ring Set (.010" OS)
	34537	Piston, Pin & Ring Set (.020" OS)
	33562B	Piston & Pin Ass'y.(Std.)(Incl.16)(2- 13/16")
	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	33567	Ring Set (Std.) (2-13/16" Bore)
	33568	Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
	20381	Ring, Piston pin retaining
	32875	Rod Assy., Connecting (Incl. 18 & 20)
	32610A	Bolt, Connecting Rod
	32654	Dipper, Oil
	27241	Lifter, Valve
	33158	Camshaft
	30756B	Cover, Cylinder (Incl. 24, 30, 31 & 1 06)
	28540	Seal, Oil
	27677A	* Gasket, Cylinder cover
	650451 650488	Screw, 1/4-20 x 1" (Use as required)
	650488 27625	Screw, 1/4-20 x 1-1/4" (Use as requir ed)
	29673	Plug, Oil filler (Incl. 31)  * Gasket, Oil fill plug
	33554A	Gasket, Cylinder head
	33016A	Head, Cylinder Incl. 35)
	26073	Washer (Not used on late production)
	650691	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650818	Screw, 5/16-18 x 1-1/2" (Use as required)
	650865	Screw, 5/16-18 x 2" (Use as required)
	6021A	Screw, 5/16-18 x 1-1/2" (As req;not w /650691)
	33636	Resistor Spark Plug (RJ-8C)
	31619A	* Gasket, Breather
39A	31337A	Breather Ass'y. (Incl. 38 & 40)
40	31410	Element, Breather
45	650128	Screw, 10-24 x 1/2"
46	33673A	* Gasket, Intake (1/32" thick)
48	30646	Screw, 1/4-20 x 1-3/8"
59	32698	Link, Governor-to-throttle
	31510	Lever, Governor
	31334	Rod, Governor (Incl. 67)
	33342	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	29752	Nut & Lockwasher Assy., 1/4-28 (As re quired)
66		Pop Rivet (Purchase locally)(Use as r equired)
	28277	Washer, Flat
68	650168	Washer, Flat

	Oty Description
	Screw, 1/4-28 x 7/16" Blower Housing (For electric starter) NOTE: In original production some starters are riveted to the blower housing. Replacement housing has threaded studs. Order four nuts (29752) for remounting of starter.
650890 27272A 34212 30200 29752 33341 650701 6201 650870 28212 26756 31715 650152 31914 28820 33344	Clip, Spark plug shorting Lockwasher  * Gasket, Air cleaner Bracket, Holddown Screw, 10-24 x 9/16" Nut & Lockwasher Assy., 1/4-28 Extension, Baffle Screw, 8-18 x 7/16" Screw, 1/4-28 x 7/8" Screw, 1/4-28 x 1-11/16" Spacer  * Gasket, Carburetor Body, Air cleaner Screw, 8-32 x 3/8" Bracket, Air cleaner Screw, 10-32 x 1/2" Baffle, Heat Air Cleaner Ass'y. (Incl.76,76A,90A,91A,92,93,94, & 221A)(Use as required)
30590A 30574 30591 30588A 29193 28371B 650561 35584 410144B	Bearing, Ball Washer, Flat Shaft, Mechanical governor Gear Assy.,Governor (Incl. 105) Spool Governor Ring, Retaining Fuel Tank Bracket Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 123) Fuel Cap (Std.)(Wh.Plastic)(1-1/2" I. D.) Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, Low profile)
34210	Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, High profile)
29774 30795 30962 28819 29745 650128 26460 650814 33670A 30063 8345 650774 30063 26073 650628A 33697A	Screw, 1/4-15 x 7/8" Line, Fuel (Braided 8.25") Line, Fuel (Braided 32") Spring, Fuel line (Use as required) Extension, Blower housing Screw, 10-24 x 1/2" Clamp, Fuel line (Use as required) Screw, 10-24 x1" * Gasket, Muffler Screw, 1/4-20 x 1/2" Flatwasher, 1/4" Screw, 1/4-20 x 2-3/8" Screw, 1/4-20 x 1/2" (Use as required ) Washer, flat 5/16-18 x 2-3/8" Muffler (Front Discharge) Clamp, Governor lever
	29212 33663C  30747 650890 27272A 34212 30200 29752 33341 650701 6201 650870 28212 26756 31715 650152 31914 28820 33344 730127  28458 30590A 30574 30591 30588A 29193 28371B 650561 35584 410144B 33032  34210  650665 29774 30795 30962 28819 29745 650128 26460 650814 33670A 30063 8345 650774 30063 26073 650628A 33697A 31335

Ref #	Part Number	Qty	Description
197	650548	-	Screw, 8-32 x 5/16"
201	610973		Terminal Assy. (Use as required)
204	650139		Screw, 8-32 x 1/2" (Use as required)
204	650152		Screw, 8-32 x 3/8" (Use as required)
204	30200		Screw, 10-24 9/16" (Use as required)
205	30322		Nut & Lockwasher (Use as required)
213	650815		Washer, Belleville
214	650816		Nut, Flywheel
217	31585		Screen, Starter
218	34694		Cup, Starter
221	34080		Spacer, Flywheel key
222	650872		Stud, Solid State Assy.
223	34443A		Solid State Assy.
224	611080		Flywheel
240	34346		Decal. Instruction
240A	550223		Decal, Name
243	631021		Inlet Needle, Seat & Clip Assy.
244	631923		Carburetor (Incl. 87) (Refer to Division 5, Section A, page 140 for breakdown)
246	590420A		Rewind Starter NOTE: In original production some starters are riveted to the blowerhousing. Replacement housing has threaded studs. Order four nuts (29752) for remounting of starter. (Refer to Division 5, Section C, page 25 for breakdown)
249	33683B		* Gasket Set (Incl. items marked *)



Ref #	Part Number C	Oty Description
90	31715	Body, Air cleaner
91	30727	Element, Air cleaner
94	28820	Screw, 10-32 x 1/2"
100A	730164	Air Cleaner Ass'y. (Incl. 76, 90, 91, 92, 93, 94, & 221B) (Use as required)
111	28371B	Fuel Tank Bracket
112B	34182	Fuel Tank Bracket
139	33670A	* Gasket, Muffler
140	650774	Screw, 1/4-20 x 2-3/8"
140	30063	Screw, 1/4-20 x 1/2" (Use as required)
141D	391026	Muffler (Incl. 143, 144 & 145) (This spark arrester mufflercan be used on any model.)
157	730165	Muff.Adapter Kit (Incl.139,140)(As re quired)
201	610973	Terminal Assy. (Use as required)



Ref #	Part Number Qty	Description
34	26073	Washer (Not used on late production)
34	650691	Washer (Use as required)
38	31619A	* Gasket, Breather
40	31410	Element, Breather
45	650128	Screw, 10-24 x 1/2"
101	30200	Screw, 10-24 x 9/16"
102	28458	Bearing, Ball
103	28539	Ring, Retaining
104	28537	Washer, Flat
184	33450	Nut, Hex
185	30342	Spring Extension
186	30845A	Bolt, Governor spring adj.
187	650518	Washer, Lock
188	30200	Screw, 10-24 x 9/16"
189	30846	Bracket, Governor adj. bolt
197	650548	Screw, 8-32 x 5/16"
219	34788	Pulley, Starter rope
	611080	Flywheel
	35189	Spacer, Coil Assy.
247	33290D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
		motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel. Refer to service number
		stamped on end cap of motor, or on decal, for identification.
		Ref