



	Part Number	Qty	Description
	33674B		Cylinder (Incl. 2, 3 & 4) (2-13/16" B ore)
2	26727		Pin, Dowel
3	27642		Oil Drain Plug
3	28582		Oil Drain Plug
4	32600		Seal, Oil
	32644A		Intake Valve (Std.) (Incl. 9)
	32645A		Intake Valve (1/32" OS) (Incl. 9)
	29313C		Exhaust Valve (Std.) (Incl. 9)
	29315C		Exhaust Valve (1/32" OS) (Incl. 9)
	31672		Spring, Valve
	31673		Cap, Lower valve spring
	610961		Key Flywheel
	34728		Crankshaft (Incl. 24)
	33876		Gasket, Stator
	33562B		Piston & Pin Ass'y.(Std.)(Incl.16)(2- 13/16")
	33563B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	33564B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34535		Piston, Pin & Ring Set (Std.) (2-13/1 6" Bore)
14	34536		Piston, Pin & Ring Set (.010" OS)
14	34537		Piston, Pin & Ring Set (.020" OS)
15	33567		Ring Set (Std.) (2-13/16" Bore)
	33568		Ring Set (.010" OS)
	33569		Ring Set (.020" OS)
	20381		Ring, Piston pin retaining
	32875		Rod Assy., Connecting (Incl. 18 & 20)
	32610A		Bolt, Connecting Rod
	32654		Dipper, Oil
	27241		Lifter, Valve
			·
	33158 30755D		Camshaft
	30756B		Cover, Cylinder (Incl. 24, 30, 31 & 1 06)
	28540		Seal, Oil
	27677A		* Gasket, Cylinder cover
	650451		Screw, 1/4-20 x 1" (Use as required)
	650488		Screw, 1/4-20 x 1-1/4" (Use as requir ed)
	27625		Plug, Oil filler (Incl. 31)
31	29673		* Gasket, Oil fill plug
32	33554A		Gasket, Cylinder head
33	33016A		Head, Cylinder(Incl. 35)
34	26073		Washer (Not used on late production)
34	650691		Washer (Use as required)
35	650694A		Screw, 5/16-18 x 2" (Use as required)
	650818		Screw, 5/16-18 x 1-1/2" (Use as required)
	650865		Screw, 5/16-18 x 2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (As req;not w /650691)
	33636		Resistor Spark Plug (RJ-8C)
	31619A		* Gasket, Breather
	31337A		Breather Ass'y. (Incl. 38 & 40)
	31410		Element, Breather
			·
	650128 33673A		Screw, 10-24 x 1/2"  * Cooket Inteks (1/22" thick)
	33673A		* Gasket, Intake (1/32" thick)
	30646		Screw, 1/4-20 x 1-3/8"
	32698		Link, Governor-to-throttle
	31510		Lever, Governor
	31334		Rod, Governor (Incl. 67)
	33342		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	29752		Nut & Lockwasher Assy., 1/4-28 (As re quired)
66			Pop Rivet (Purchase locally)(Use as r equired)

Ref #	Part Number	Qty	Description
	28277	٠.,	Washer, Flat
	650168		Washer, Flat
	29212		Screw, 1/4-28 x 7/16"
	33663C		Blower Housing (For electric starter) NOTE: In original
70	300000		production some starters are riveted to the blower housing.
			Replacement housing has threaded studs. Order four nuts
			(29752) for remounting of starter.
			(29752) for remounting or starter.
74A	30747		Clip, Spark plug shorting
75	650890		Lockwasher
76	27272A		* Gasket, Air cleaner
77	34212		Bracket, Holddown
78	30200		Screw, 10-24 x 9/16"
81	29752		Nut & Lockwasher Assy., 1/4-28
82	33341		Extension, Baffle
83	650701		Screw, 8-18 x 7/16"
84	6201		Screw, 1/4-28 x 7/8"
85	650870		Screw, 1/4-28 x 1-11/16"
86	28212		Spacer
87	26756		* Gasket, Carburetor
90	31715		Body, Air cleaner
92	650152		Screw, 8-32 x 3/8"
93	31691		Bracket, Air cleaner
94	28820		Screw, 10-32 x 1/2"
98	35349		Ground Wire
100	730127		Air Cleaner Ass'y. (Incl.76,76A,90A,91A,92,93,94, &
			221A)(Use as required)
102	28458		Bearing, Ball
	30590A		Washer, Flat
	30574		Shaft, Mechanical governor
	30591		Gear Assy.,Governor (Incl. 105)
	30588A		Spool Governor
	29193		Ring, Retaining
	28371B		Fuel Tank Bracket
	650561		Screw, 1/4-20 x 5/8"
	34711		Fuel Tank (Incl. 115 & 123)
	410144B		Fuel Cap (Std.)(Wh.Plastic)(1-1/2" I. D.)
	33032		Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, Low
	5555_		profile)
115	34210		Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, High
113	34210		profile)
440	050005		•
	650665		Screw, 1/4-15 x 7/8"
	30795		Line, Fuel (Braided 16")
	30962		Line, Fuel (Braided 32")
	29774		Line, Fuel (Braided 8.25")
	28819		Spring, Fuel line (Use as required)
	29745		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	26460		Clamp, Fuel line (Use as required)
	650489		Screw, 1/4-20 x 5/8"
	27276		Cover, Spark plug
	33670A		* Gasket, Muffler
	650561		Screw, 1/4-20 x 5/8"
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	650628A		5/16-18 x 2-3/8"
	26073		Washer, flat
181	33356		Terminal, Ground

Ref #	Part Number	Otv	Description
	28545	Qıy	Grommet, Plastic
	650760		Screw, 8-32 x 3/8"
	650548		Screw, 8-32 x 5/16"
	610973		Terminal Assy. (Use as required)
	34653		
			Spring, Extension (.290 diameter)
	34654		Spring, Extension (.190 diameter)
203	34652		Control Bracket (Incl.206,207,209,210 ,211) NOTE: In original production the speed control assembly is riveted to the blower housing baffle. Replacement speed control assembly may include screws (Ref #204) and nuts (Ref
			#205) for mounting, otherwise use pop rivets which can be purchased locally.
204	650139		Screw, 8-32 x 1/2" (Use as required)
204	650152		Screw, 8-32 x 3/8" (Use as required)
204	30200		Screw, 10-24 9/16" (Use as required)
	30322		Nut & Lockwasher (Use as required)
	650688		Screw, 10-32 x 1" (Used on early prod uction)
	650549		Screw, 5-40 x 7/16" (Used on late pro duction)
	32924		Compression Spring (Used on early pro duction)
	31342		Compression Spring (Used on late prod uction)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	31426		
	650815		Spring, Extension
			Washer, Belleville
	650816		Nut, Flywheel
	33668		Screen, Starter
	34694		Cup, Starter
	34080		Spacer, Flywheel key
	650872		Stud, Solid State Assy.
	34346		Decal. Instruction
	631021		Inlet Needle, Seat & Clip Assy.
244	631702		Carburetor (Incl. 87) (Refer to Division 5, Section A, page 114 for breakdown)
245	611025		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 39 for breakdown)
246	590420A		Rewind Starter NOTE: In original production some starters are riveted to the blowerhousing. Replacement housing has threaded studs. Order four nuts (29752) for remounting of starter. (Refer to Division 5, Section C, page 25 for breakdown)
249	33683B		* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty	Description
90 91 94	33876 31715 30727 28820 730164		Gasket, Stator Body, Air cleaner Element, Air cleaner Screw, 10-32 x 1/2" Air Cleaner Ass'y. (Incl. 76, 90, 91, 92, 93, 94, & 221B) (Use as required)
112B 139 140 140 141A	28371B 34182 33670A 650561 30063 33699 391026		Fuel Tank Bracket Fuel Tank Bracket * Gasket, Muffler Screw, 1/4-20 x 5/8" Screw, 1/4-20 x 1/2" (Use as required ) Muffler (Spark Arresting)(In.143,144, 145) Muffler (Incl. 143, 144 & 145) (This spark arrester mufflercan be used on any model.)
144 145 157 201	33323 33700 650578 730165 610973 611025		Screen, Muffler Cover & Tube, Muffler Screw, 8-18 x 3/8" Muff.Adapter Kit (Incl.139,140)(As re quired) Terminal Assy. (Use as required) Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 39 for breakdown)



Ref #	Part Number	Qty	Description
13	33876	•	Gasket, Stator
34	26073		Washer (Not used on late production)
34	650691		Washer (Use as required)
38	31619A		* Gasket, Breather
40	31410		Element, Breather
45	650128		Screw, 10-24 x 1/2"
101	30200		Screw, 10-24 x 9/16"
102	28458		Bearing, Ball
103	28539		Ring, Retaining
104	28537		Washer, Flat
	29918		Washer, Lock, #8
	30322		Nut & Lockwasher, 8-32
	29826		Screw, 10-32 x 3/4"
	29216		Nut, Square, 10-32
	29642		Ring, Retaining
	29916		Clamp, Governor lever
	650548		Screw, 8-32 x 5/16"
	34788		Pulley, Starter rope
	35189		Spacer, Coil Assy.
	30547A		Contact Assy., Breaker
	30548B		Condenser
245	611025		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 39 for breakdown)
247	33290D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel. Refer to service number stamped on end cap of motor, or on decal, for identification. Ref