


Ref # Part Number	Qty Description
1 33674B	Cylinder (Incl. 2, 3 & 4) (2-13/16" B ore)
2 26727	Pin, Dowel
3 27642	Oil Drain Plug
3 28582	Oil Drain Plug
4 32600	Seal, Oil
5 32644A	Intake Valve (Std.) (Incl. 9)
5 32645A	Intake Valve (1/32" OS) (Incl. 9)
6 29313C	Exhaust Valve (Std.) (Incl. 9)
6 29315C	Exhaust Valve (1/32" OS) (Incl. 9)
8 31672	Spring, Valve
9 31673	Cap, Lower valve spring
10 610961	
	Key Flywheel
11 34728	Crankshaft (Incl. 24)
13 33876	Gasket, Stator
14A 33562B	Piston & Pin Ass'y.(Std.)(Incl.16)(2-13/16")
14A 33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14 34535	Piston, Pin & Ring Set (Std.) (2-13/1 6" Bore)
14 34536	Piston, Pin & Ring Set (.010" OS)
14 34537	Piston, Pin & Ring Set (.020" OS)
15 33567	Ring Set (Std.) (2-13/16" Bore)
15 33568	Ring Set (.010" OS)
15 33569	Ring Set (.020" OS)
16 20381	Ring, Piston pin retaining
17 32875	Rod Assy., Connecting (Incl. 18 & 20)
18 32610A	Bolt, Connecting Rod
20 32654	Dipper, Oil
21 27241	Lifter, Valve
22 33158	Camshaft
23 30756B	Cover, Cylinder (Incl. 24, 30, 31 & 1 06)
24 28540	Seal, Oil
28 27677A	* Gasket, Cylinder cover
29 650451	Screw, 1/4-20 x 1" (Use as required)
29 650488	Screw, 1/4-20 x 1-1/4" (Use as required)
30 27625	Plug, Oil filler (Incl. 31)
31 29673	* Gasket, Oil fill plug
32 33554A	Gasket, Cylinder head
33 33016A	Head, Cylinder(Incl. 35)
34 26073	Washer (Not used on late production)
34 650691	Washer (Use as required)
35 650694A	Screw, 5/16-18 x 2" (Use as required)
35 650818	Screw, 5/16-18 x 1-1/2" (Use as required)
35 650865	Screw, 5/16-18 x 2" (Use as required)
36 6021A	Screw, 5/16-18 x 1-1/2" (As req;not w /650691)
37 33636	Resistor Spark Plug (RJ-8C)
37 33030 38 31619A	* Gasket, Breather
39A 31337A	Breather Ass'y. (Incl. 38 & 40)
40 31410	Element, Breather
45 650128	Screw, 10-24 x 1/2"
46 33673A	* Gasket, Intake (1/32" thick)
48 30646	Screw, 1/4-20 x 1-3/8"
59 32698	Link, Governor-to-throttle
60 31510	Lever, Governor
63A 31334	Rod, Governor (Incl. 67)
	Bame, Blower nousing
64 33342	Baffle, Blower housing Screw, 1/4-20 x 5/8"
	Bame, Blower nousing Screw, 1/4-20 x 5/8" Nut & Lockwasher Assy., 1/4-28 (As re quired)


Ref # Part Number 67 28277	Qty Description Washer, Flat
69 29212	Screw, 1/4-28 x 7/16"
70 33663C	Blower Housing (For electric starter) NOTE: In original
70 500000	production some starters are riveted to the blower housing.
	Replacement housing has threaded studs. Order four nuts
	(29752) for remounting of starter.
74A 30747	Clip, Spark plug shorting
75 650890	Lockwasher
76 27272A	* Gasket, Air cleaner
77 34212	Bracket, Holddown
78 30200	Screw, 10-24 x 9/16"
81 29752	Nut & Lockwasher Assy., 1/4-28
84 6201	Screw, 1/4-28 x 7/8"
85 650870	Screw, 1/4-28 x 1-11/16"
87 26756	* Gasket, Carburetor
90 31715	Body, Air cleaner
92 650152	Screw, 8-32 x 3/8"
93 31691	Bracket, Air cleaner
95 33344	Baffle, Heat
100 730127	Air Cleaner Ass'y. (Incl.76,76A,90A,91A,92,93,94, &
	221A)(Use as required)
102 28458	Bearing, Ball
105 30590A	Washer, Flat
106 30574	Shaft, Mechanical governor
107 30591	Gear Assy.,Governor (Incl. 105)
108 30588A	Spool Governor
109 29193	Ring, Retaining
111 34089	Fuel Tank Bracket
113 650561	Screw, 1/4-20 x 5/8"
113A 650168	Washer, Flat
114 34711	Fuel Tank (Incl. 115 & 123)
115 410144B	Fuel Cap (Std.)(Wh.Plastic)(1-1/2" I. D.)
115 33032	Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, Low
113 33032	profile)
115 34210	Fuel Cap (Red Plastic)(1-3/16" I.D.) (Spurt resistant, High
113 34210	profile)
116 650665	Screw, 1/4-15 x 7/8"
118 29774	Line, Fuel (Braided 8.25")
118 30795	Line, Fuel (Braided 16")
118 30962	Line, Fuel (Braided 32")
119 28819	Spring, Fuel line (Use as required)
121 29745	Extension, Blower housing
122 650128	Screw, 10-24 x 1/2"
123 26460	Clamp, Fuel line (Use as required)
129 650516	Screw, 1/4-20 x 1-1/8"
130 27276	Cover, Spark plug
139 33670A	* Gasket, Muffler
140 650561	Screw, 1/4-20 x 5/8"
140 30063	Screw, 1/4-20 x 1/2" (Use as required)
140C 650628A	5/16-18 x 2-3/8"
140D 26073	Washer, flat
	Terminal, Ground
181 33356	
181 33356 182 28545	Grommet, Plastic
181 33356 182 28545 183 650760	Grommet, Plastic Screw, 8-32 x 3/8"
181 33356 182 28545	Grommet, Plastic

Ref #	Part Number Qty	Description
202	34653 34654 34652	Spring, Extension (.290 diameter) Spring, Extension (.190 diameter) Control Bracket (Incl.206,207,209,210,211) NOTE: In original production the speed control assembly is riveted to the blower housing baffle. Replacement speed control assembly may include screws (Ref #204) and nuts (Ref #205) for mounting, otherwise use pop rivets which can be purchased locally.
204 205 206 206 207 207 209 210 211 213 214 217 218 221 222 240 240A 243	650139 650152 30200 30322 650688 650549 32924 31342 28942 27793 31426 650815 650816 33668 34694 34080 650872 34346 550223 631021 631702	Screw, 8-32 x 1/2" (Use as required) Screw, 8-32 x 3/8" (Use as required) Screw, 10-24 9/16" (Use as required) Nut & Lockwasher (Use as required) Screw, 10-32 x 1" (Used on early prod uction) Screw, 5-40 x 7/16" (Used on late prod uction) Compression Spring (Used on early pro duction) Compression Spring (Used on late prod uction) Screw, 10-32 x 3/8" Clip, Conduit Spring, Extension Washer, Belleville Nut, Flywheel Screen, Starter Cup, Starter Spacer, Flywheel key Stud, Solid State Assy. Decal. Instruction Decal, Name Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 87) (Refer to Division 5, Section A, page 114 for breakdown)
245	611036	Magneto (12 volt, 3 amp) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 37 for breakdown)
246	590420A	Rewind Starter NOTE: In original production some starters are riveted to the blowerhousing. Replacement housing has threaded studs. Order four nuts (29752) for remounting of starter. (Refer to Division 5, Section C, page 25 for breakdown)
249	33683B	* Gasket Set (Incl. items marked *)



Ref #	Part Number	Qty Description
	33876	Gasket, Stator
90	31715	Body, Air cleaner
	30727	Element, Air cleaner
100A	730164	Air Cleaner Ass'y. (Incl. 76, 90, 91, 92, 93, 94, & 221B) (Use as required)
111	34089	Fuel Tank Bracket
112B	34182	Fuel Tank Bracket
113A	650168	Washer, Flat
128	29752	Nut & Lockwasher, 1/4-28
139	33670A	* Gasket, Muffler
140	650561	Screw, 1/4-20 x 5/8"
140	30063	Screw, 1/4-20 x 1/2" (Use as required)
141D	391026	Muffler (Incl. 143, 144 & 145) (This spark arrester mufflercan be used on any model.)
141A	33699	Muffler (Spark Arresting)(In.143,144, 145)
143	33323	Screen, Muffler
144	33700	Cover & Tube, Muffler
145	650578	Screw, 8-18 x 3/8"
157	730165	Muff.Adapter Kit (Incl.139,140)(As re quired)
201	610973	Terminal Assy. (Use as required)
245	611036	Magneto (12 volt, 3 amp) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 37 for breakdown)

HS50-67204D Engine Parts List #3



	,	Description
	33876	Gasket, Stator
	26073	Washer (Not used on late production)
34	650691	Washer (Use as required)
38	31619A	* Gasket, Breather
40	31410	Element, Breather
45	650128	Screw, 10-24 x 1/2"
66A	650738	Screw, 1/4-20 x 5/8"
	30200	Screw, 10-24 x 9/16"
102	28458	Bearing, Ball
103	28539	Ring, Retaining
104	28537	Washer, Flat
191	29918	Washer, Lock, #8
192	30322	Nut & Lockwasher, 8-32
193	29826	Screw, 10-32 x 3/4"
194	29216	Nut, Square, 10-32
195	29642	Ring, Retaining
196	29916	Clamp, Governor lever
197	650548	Screw, 8-32 x 5/16"
219	34788	Pulley, Starter rope
225	35189	Spacer, Coil Assy.
241	30547A	Contact Assy., Breaker
242	30548B	Condenser
245	611036	Magneto (12 volt, 3 amp) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component partsindividually, as shown in partslist. (Refer to Division 5, Section B, page 37 for breakdown)
246B	33607	Electric Starter Motor (12 volt) (Refer to Division 5, Section D, page 22 for breakdown)
247	33290D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel. Refer to service number stamped on end cap of motor, or on decal, for identification. Ref