



Ref # Part Number	Qty Description
1 33027B	Cylinder (Incl. 2, 8, 9 & 20) (2-5/8" Bore)
2 26727	Pin, Dowel
14 28277	Washer, Flat
15 30589	Rod, Governor (Incl. 14)
16 32651	Lever, Governor
17 31335	Clamp, Governor lever (Clamp is positioned towardsspark
17 01000	plug end on 1977-78 and latermodels. It is positioned
	opposite spark plugend on earlier models.)
	,
18 650548	Screw, 8-32 x 5/16"
19 31386	Spring, Governor
20 32600	Seal, Oil
30 32881B	Crankshaft
32 32323	Washer, Thrust
40 34851	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
40 34852	Piston, Pin & Ring Set (.010" OS)
40 34853	Piston, Pin & Ring Set (.020" OS)
41 32603B	Piston & Pin Ass'y.(Std.)(Incl. 43)(2 -5/8")
41 32604B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
41 32605B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
42 34854	Ring Set (Std.) (2-5/8" Bore)
42 34855	Ring Set (.010" OS)
42 34856	Ring Set (.020" OS)
43 20381	Ring, Piston pin retaining
45 32875	Rod Assy., Connecting (Incl. 18)
46A 32609	Plate, Lock (Do not use with 32610A locking type screw)
46 32610	Connecting Rod Bolt (Early Production)
46 32610A	Bolt, Connecting rod
48 27241	Lifter, Exhaust valve
48A 27241	Lifter, Intake valve
50 33154	Camshaft
52 29914	Pump Assy., Oil
60 29745	Extension, Blower housing
66 30063	Screw, Torx T-30, 1/4-20 x 1/2"
69 35261	* Gasket, Mounting flange
70 32612A	Flange Ass'y. (Incl. 72, 75 & 80)
72 30572	Plug, Oil drain (Incl. 73)
72A 9556	Oil Drain Plug (Use as required)
73 28833	* Drain Plug Gasket (Do not use w/plast ic plug)
75 27897	Seal, Oil
80 30574	Shaft, Mechanical governor
81 30590A	Washer, Flat
82 30591	Gear Assy., Governor (Incl. 81)
83 30588A 84 29193	Spool, Governor
86 650488	Ring, Retaining
89 610951	Screw, 1/4-20 x 1-1/4" Key, Flywheel
92 650815	Washer, Belleville
93 650607	Nut, Flywheel
103 650489	Screw, 1/4-20 x 5/8"
110 35349	Ground Wire
119 33015A	* Gasket, Cylinder head
120 33016A	Head, Cylinder (Incl. 131)
125 32644A	Intake Valve (STD)(Incl.151) (Inverte d Ports)
125 32645A	Intake Valve (315)(Incl.131) (Inverted Ports)
126 29313C	Exhaust Valve (STD)(Incl. 151) (Inverted Ports)
126 29315C	Exhaust Valve (1/32" OS)(Incl. 151) (Inverted Ports)
127 26073	Washer (Not used in late production)
·-···	The second secon

Dof #	Port Number Oty	Description
		Description Washer (Used on late production)
	650691	
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required)
	650818	Screw, 5/16-18 x 1-1/2" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	33636	Spark Plug (J-8C)
	31671	Valve Spring Cap) (Used in early prod uction)
	31672	Spring, Valve
	31673	Cap, Lower valve spring
	32924	Spring, Speed adj. screw
	650688	Screw, 10-32 x 1"
	31619A	* Gasket, Valve spring cover
	31337A	Body Assy., Breather (Incl. 169 & 171)
	31410	Element, Breather
174	650128	Screw, 10-24 x 1/2"
178	29752	Nut & Lockwasher, 1/4-28
181	6201	Screw, 1/4-28 x 7/8"
182	6201	Screw, 1/4-28 x 7/8"
184	26756	* Gasket, Carburetor
185	32650	Pipe, Intake
186	33151	Link, Governor spring
200	33155A	Control Bracket (Incl. 206)
	33150	Bracket, Control
	610973	Terminal Assy.
	33133	Link, Governor-to-throttle
	30200	Screw, 10-24 x 9/16"
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
	650664	Screw, 1/4-20 x 1-19/32"
	32649A	* Gasket, Intake
	650707	Screw, 10-32 x 5/8"
	33051	* Gasket, Air cleaner
	33005	Body, Air cleaner
	33006	Element, Air cleaner
	33008	Tube, Air cleaner
	33007	Cover, Air cleaner
	32455B	Housing, Blower NOTE: Replacement hardware may differ
200	J2400B	when servicing starter assy. or blower housing. Refer to
		Service Bulletin 508.
		Service Bulletin 300.
261	650561	Screw, 1/4 20 x 5/8"
274	26754A	* Gasket, Exhaust
275	35771	Muffler (Incl. 274)
277	30063	Screw, Torx T-30, 1/4-20 x 1/2" (Use as req.)
285A	590416	Cup, Starter
286	590417	Screen, Starter cup
287	29716	Screw, 1/4-28 x 7/16" (Use as require d)
287	30513	Screw & Lockwasher, 1/4-28 x 1/2"
287		Pop Rivet (Purchase locally) (3/16" d ia.)
	29752	Nut & Lockwasher, 1/4-28 (Use as required)
	29774	Fuel Line(Braided 8-1/4")(21 cm)(Use as req.)
	34357	Fuel Line (Epichlorohydrin 6-3/4") (1 7 cm)
	30705	Fuel Line (Braided 16")(40 cm)(Use as req.)
	26460	Fuel Line Clamp (Use as required)
	32671	Fuel Tank (Incl. 292 & 301)
	410144B	Fuel Cap (Std.) (Use as required)
	33032	Fuel Cap (Use as required)
	34210	Fuel Cap (use as required)
301	UTZ IU	i dei Oap (doc as iequiled)

Ref #	Part Number	Qty	Description
311	27625	-	Plug, Oil filler (Incl. 312)
312	29673		* Gasket, Oil filler
325A	27275		Clip, Hi-tension wire (Use as require d)
370	34346		Decal, Instruction
370A	550223		Name & Instruction Decal
375	610755		Magneto (W/Ring Gear) NOTE: This magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts breakdown. Refer to Division 5, Section B, page24 or Fiche 6, Grid F-11 for breakdown)
377	30547A		Contact Assy., Breaker
378	30548B		Condenser
379	631021		Inlet Needle, Seat & Clip Assy.
380	631597		Carburetor (Incl. 184) Refer to Division 5, SectionA, page 104 or Fiche 6, Grid E-1 for breakdown)
390	590420A		Rewind Starter NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33238D		* Gasket Set (Incl. items marked *)
420	730225		SAE 30 4-Cycle Engine Oil (Quart)



Ref #	Part Number	Qty	Description
19	31386		Spring, Governor
32	32323		Washer, Thrust
92	650815		Washer, Belleville
93	650607		Nut, Flywheel
167	32924		Spring, Speed adj. screw
168	650688		Screw, 10-32 x 1"
182	6201		Screw, 1/4-28 x 7/8"
201	33150		Bracket, Control
261	650561		Screw, 1/4 20 x 5/8"
262	650561		Screw, 1/4-20 x 5/8"
287	29716		Screw, 1/4-28 x 7/16" (Use as require d)
287	30513		Screw & Lockwasher, 1/4-28 x 1/2"
287			Pop Rivet (Purchase locally) (3/16" d ia.)
306	34282		"O" Ring (This "O" ring is required with metal fill tube only
			when replacement mounting flange with .777 dia. oil fill hole
			has been used.)
370A	550223		Name & Instruction Decal
	34346		Decal, Instruction
	631021		Inlet Needle, Seat & Clip Assy.
	590441		Bracket Ass'y. (Use as required)
	650639		Open End Rivet (Use as required)



Ref #	Part Number	Qty	Description
19	31386		Spring, Governor
32	32323		Washer, Thrust
167	32924		Spring, Speed adj. screw
	650688		Screw, 10-32 x 1"
169	31619A		* Gasket, Valve spring cover
171	31410		Element, Breather
174	650128		Screw, 10-24 x 1/2"
182	6201		Screw, 1/4-28 x 7/8"
	33150		Bracket, Control
	650707		Screw, 10-32 x 5/8"
	650561		Screw, 1/4-20 x 5/8"
	26754A		* Gasket, Exhaust
	650774		Screw, 1/4-20 x 2-3/8"
	30063		Screw, Torx T-30, 1/4-20 x 1/2" (Use as req.)
	29716		Screw, 1/4-28 x 7/16" (Use as require d)
	30513		Screw & Lockwasher, 1/4-28 x 1/2"
287			Pop Rivet (Purchase locally) (3/16" d ia.)
	29774		Fuel Line(Braided 8-1/4")(21 cm)(Use as req.)
	34357		Fuel Line (Epichlorohydrin 6-3/4") (1 7 cm)
	30705		Fuel Line (Braided 16")(40 cm)(Use as req.)
	26460		Fuel Line Clamp (Use as required)
415	730162		Muffler Adapter Kit (Incl. 274 & 277A) (Inverted Ports)