



Ref #	Part Number (Otv	Description
	33027B		Cylinder (Incl. 2, 8, 9 & 20) (2-5/8" Bore)
	26727		Pin, Dowel
	28277		Washer, Flat
	30589		•
			Rod, Governor (Incl. 14)
	32651		Lever, Governor
17	31335		Clamp, Governor lever (Clamp is positioned towardsspark
			plug end on 1977-78 and latermodels. It is positioned
			opposite spark plugend on earlier models.)
40	CEOE 10		Correct 0.20 v E/40!!
	650548		Screw, 8-32 x 5/16"
	31386		Spring, Governor
	32600		Seal, Oil
	32881B		Crankshaft
32	32323		Washer, Thrust
40	34851		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
40	34852		Piston, Pin & Ring Set (.010" OS)
40	34853		Piston, Pin & Ring Set (.020" OS)
	32603B		Piston & Pin Ass'y.(Std.)(Incl. 43)(2 -5/8")
	32604B		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	32605B		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	20381		Ring, Piston pin retaining
	32875		Rod Assy., Connecting (Incl. 18)
	32609		Plate, Lock (Do not use with 32610A locking type screw)
46	32610		Connecting Rod Bolt (Early Production)
46	32610A		Bolt, Connecting rod
48	27241		Lifter, Exhaust valve
48A	27241		Lifter, Intake valve
	33154		Camshaft
	29914		Pump Assy., Oil
	29745		Extension, Blower housing
	30063		Screw, Torx T-30, 1/4-20 x 1/2"
	35261		* Gasket, Mounting flange
	32612A		
			Flange Ass'y. (Incl. 72, 75 & 80)
	30572		Plug, Oil drain (Incl. 73)
	9556		Oil Drain Plug (Use as required)
	28833		* Drain Plug Gasket (Do not use w/plast ic plug)
	27897		Seal, Oil
	30574		Shaft, Mechanical governor
81	30590A		Washer, Flat
82	30591		Gear Assy., Governor (Incl. 81)
83	30588A		Spool, Governor
84	29193		Ring, Retaining
86	650488		Screw, 1/4-20 x 1-1/4"
	610951		Key, Flywheel
	650815		Washer, Belleville
	650607		Nut, Flywheel
	650489		Screw, 1/4-20 x 5/8"
			Ground Wire
	35349 33045 A		
	33015A		* Gasket, Cylinder head
	33016A		Head, Cylinder (Incl. 131)
	32644A		Intake Valve (STD)(Incl.151) (Inverte d Ports)
	32645A		Intake Valve (1/32" OS)(Incl.151) (Inverted Ports)
126	29313C		Exhaust Valve (STD)(Incl. 151) (Inverted Ports)
126	29315C		Exhaust Valve (1/32" OS)(Incl. 151) (Inverted Ports)
	26073		Washer (Not used in late production)
			•

127 130 130 131 131 131 135 149 150 151 167 168 169 170 171 174 178 181 182 184 185 186 200 201 206 207 209 210 211 223 224 238 239 240B 246B 248	650691 6021A 650818 650694A 650697A 33636 31671 31672 31673 32924 650688 31619A 31337A 31410 650128 29752 6201 6201 26756 32650 33151 33155A 33150 610973 33153 30200 27793 28942 650664 32649A 650707 33051 33005 33006 33006 33008	Qty	Description Washer (Used on late production) Screw, 5/16-18 x 1-1/2" (Use as requi red) Screw, 5/16-18 x 1-1/2" (Use as requi red) Screw, 5/16-18 x 2" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Spark Plug (J-8C) Valve Spring Cap) (Used in early prod uction) Spring, Valve Cap, Lower valve spring Spring, Speed adj. screw Screw, 10-32 x 1" * Gasket, Valve spring cover Body Assy., Breather (Incl. 169 & 171) Element, Breather Screw, 10-24 x 1/2" Nut & Lockwasher, 1/4-28 Screw, 1/4-28 x 7/8" * Gasket, Carburetor Pipe, Intake Link, Governor spring Control Bracket (Incl. 206) Bracket, Control Terminal Assy. Link, Governor-to-throttle Screw, 10-24 x 9/16" Clip, Conduit Screw, 10-32 x 3/8" Screw, 1/4-20 x 1-19/32" * Gasket, Intake Screw, 1/32 x 5/8" * Gasket, Air cleaner Body, Air cleaner Flement, Air cleaner Tube, Air cleaner
250A	33007 33738D		Cover, Air cleaner Blower Housing NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508.
274 275 277 285A 286 287 287 287 290 290 290 292 300 301 301	650561 26754A 35771 30063 33667 33668 29716 30513 29752 29774 34357 30705 26460 32671 410144B 33032 34210		Screw, 1/4 20 x 5/8" * Gasket, Exhaust Muffler (Incl. 274) Screw, Torx T-30, 1/4-20 x 1/2" (Use as req.) Cup, Starter Screen, Starter cup Screw, 1/4-28 x 7/16" (Use as require d) Screw & Lockwasher, 1/4-28 x 1/2" Pop Rivet (Purchase locally) (3/16" d ia.) Nut & Lockwasher, 1/4-28 (Use as required) Fuel Line (Braided 8-1/4")(21 cm)(Use as req.) Fuel Line (Epichlorohydrin 6-3/4") (1 7 cm) Fuel Line (Braided 16")(40 cm)(Use as req.) Fuel Line Clamp (Use as required) Fuel Tank (Incl. 292 & 301) Fuel Cap (Std.) (Use as required) Fuel Cap (use as required) Fuel Cap (use as required)

Ref #	Part Number	Qty Description
311	27625	Plug, Oil filler (Incl. 312)
312	29673	* Gasket, Oil filler
325A	27275	Clip, Hi-tension wire (Use as require d)
370	34346	Decal, Instruction
370A	550223	Name & Instruction Decal
375	610862	Magneto NOTE: This magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts breakdown. Refer to Division 5, Section B, page30 or Fiche 6, Grid F-12 for breakdown)
377	30547A	Contact Assy., Breaker
378	30548B	Condenser
379	631021	Inlet Needle, Seat & Clip Assy.
380	631597	Carburetor (Incl. 184) Refer to Division 5, SectionA, page 104 or Fiche 6, Grid E-1 for breakdown)
390	590420A	Rewind Starter NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33238D 730225	* Gasket Set (Incl. items marked *) SAE 30 4-Cycle Engine Oil (Quart)



Ref #	Part Number	Qty	Description
19	31386		Spring, Governor
32	32323		Washer, Thrust
92	650815		Washer, Belleville
93	650607		Nut, Flywheel
167	32924		Spring, Speed adj. screw
168	650688		Screw, 10-32 x 1"
182	6201		Screw, 1/4-28 x 7/8"
201	33150		Bracket, Control
261	650561		Screw, 1/4 20 x 5/8"
262	650561		Screw, 1/4-20 x 5/8"
287	29716		Screw, 1/4-28 x 7/16" (Use as require d)
287	30513		Screw & Lockwasher, 1/4-28 x 1/2"
287			Pop Rivet (Purchase locally) (3/16" d ia.)
306	34282		"O" Ring (This "O" ring is required with metal fill tube only
			when replacement mounting flange with .777 dia. oil fill hole
			has been used.)
370A	550223		Name & Instruction Decal
	34346		Decal, Instruction
	631021		Inlet Needle, Seat & Clip Assy.
	590441		Bracket Ass'y. (Use as required)
	650639		Open End Rivet (Use as required)



Ref #	Part Number	Qty Description
19	31386	Spring, Governor
32	32323	Washer, Thrust
167	32924	Spring, Speed adj. screw
168	650688	Screw, 10-32 x 1"
169	31619A	* Gasket, Valve spring cover
171	31410	Element, Breather
174	650128	Screw, 10-24 x 1/2"
182	6201	Screw, 1/4-28 x 7/8"
201	33150	Bracket, Control
238	650707	Screw, 10-32 x 5/8"
262	650561	Screw, 1/4-20 x 5/8"
274	26754A	* Gasket, Exhaust
277A	650774	Screw, 1/4-20 x 2-3/8"
277	30063	Screw, Torx T-30, 1/4-20 x 1/2" (Use as req.)
287	29716	Screw, 1/4-28 x 7/16" (Use as require d)
287	30513	Screw & Lockwasher, 1/4-28 x 1/2"
287		Pop Rivet (Purchase locally) (3/16" d ia.)
290	29774	Fuel Line(Braided 8-1/4")(21 cm)(Use as req.)
290	34357	Fuel Line (Epichlorohydrin 6-3/4") (1 7 cm)
290	30705	Fuel Line (Braided 16")(40 cm)(Use as req.)
292	26460	Fuel Line Clamp (Use as required)
415	730162	Muffler Adapter Kit (Incl. 274 & 277A) (Inverted Ports)