



Ref # Part Number	Qtv	Description
1 33027B		Cylinder (Incl. 2, 8, 9 & 20) (2-5/8" Bore)
2 26727		Pin, Dowel
14 28277		Washer, Flat
15 30589		Rod, Governor (Incl. 14)
16 32651		Lever, Governor
17 31335		Clamp, Governor lever (Clamp is positioned towardsspark
		plug end on 1977-78 and latermodels. It is positioned
		opposite spark plugend on earlier models.)
40.050540		
18 650548		Screw, 8-32 x 5/16"
19 31386		Spring, Governor
20 32600		Seal, Oil
30 32881B		Crankshaft
32 32323		Washer, Thrust
40 34851		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
40 34852		Piston, Pin & Ring Set (.010" OS)
40 34853		Piston, Pin & Ring Set (.020" OS)
41 32603B		Piston & Pin Ass'y.(Std.)(Incl. 43)(2 -5/8")
41 32604B		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
41 32605B		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
42 34854		Ring Set (Std.) (2-5/8" Bore)
42 34855		Ring Set (.010" OS)
42 34856		Ring Set (.020" OS)
43 20381		Ring, Piston pin retaining
45 32875		Rod Assy., Connecting (Incl. 18)
46 32610		Connecting Rod Bolt (Early Production)
46 32610A		Bolt, Connecting rod
46A 32609		Plate, Lock (Do not use with 32610A locking type screw)
48 27241		Lifter, Exhaust valve
48A 27241		Lifter, Intake valve
50 33154		Camshaft
52 29914		Pump Assy., Oil
60 29745		Extension, Blower housing
66 30063		Screw, Torx T-30, 1/4-20 x 1/2"
69 35261		* Gasket, Mounting flange
70 32612A		Flange Ass'y. (Incl. 72, 75 & 80)
72 30572		Plug, Oil drain (Incl. 73)
72A 9556		Oil Drain Plug (Use as required)
73 28833		* Drain Plug Gasket (Do not use w/plast ic plug)
75 27897		Seal, Oil
80 30574		Shaft, Mechanical governor
81 30590A		Washer, Flat
82 30591		Gear Assy., Governor (Incl. 81)
83 30588A		Spool, Governor
84 29193		Ring, Retaining
86 650488		Screw, 1/4-20 x 1-1/4"
89 610951		Key, Flywheel
92 650815		Washer, Belleville
93 650607		Nut, Flywheel
103 650489		Screw, 1/4-20 x 5/8"
110 35349		Ground Wire
119 33015A		* Gasket, Cylinder head
120 33016A		Head, Cylinder (Incl. 131)
125 32644A		Intake Valve (STD)(Incl.151) (Inverte d Ports)
125 32645A		Intake Valve (1/32" OS)(Incl.151) (Inverted Ports)
126 29313C		Exhaust Valve (STD)(Incl. 151) (Inverted Ports)
126 29315C		Exhaust Valve (1/32" OS)(Incl. 151) (Inverted Ports)
127 26073		Washer (Not used in late production)

		Qty	Description
	650691		Washer (Used on late production)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650818		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	33636		Spark Plug (J-8C)
	31671		Valve Spring Cap) (Used in early prod uction)
	31672		Spring, Valve
151	31673		Cap, Lower valve spring
169	31619A		* Gasket, Valve spring cover
170	31337A		Body Assy., Breather (Incl. 169 & 171)
171	31410		Element, Breather
174	650128		Screw, 10-24 x 1/2"
178	29752		Nut & Lockwasher, 1/4-28
181	6201		Screw, 1/4-28 x 7/8"
182	6201		Screw, 1/4-28 x 7/8"
184	26756		* Gasket, Carburetor
185	32650		Pipe, Intake
	32653		Link, Governor spring
	32181A		Control Bracket (Incl. 203, 204 & 206)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	610973		Terminal Assy.
	33133		Link, Governor-to-throttle
	30200		Screw, 10-24 x 9/16"
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	650664		Screw, 1/4-20 x 1-19/32"
	32649A		* Gasket, Intake
	650707		Screw, 10-32 x 5/8"
	33051		* Gasket, Air cleaner
	33005		Body, Air cleaner
	33006		Element, Air cleaner
	33008		Tube, Air cleaner
	33007		Cover, Air cleaner
	33738D		Blower Housing NOTE: Replacement hardware may differ
200	33730D		when servicing starter assy. or blower housing. Refer to
			Service Bulletin 508.
			Service Bulletin 300.
261	650561		Screw, 1/4 20 x 5/8"
274	26754A		* Gasket, Exhaust
275	35771		Muffler (Incl. 274)
277	30063		Screw, Torx T-30, 1/4-20 x 1/2" (Use as req.)
285A	33667		Cup, Starter
286	33668		Screen, Starter cup
287	30513		Screw & Lockwasher, 1/4-28 x 1/2"
287			Pop Rivet (Purchase locally) (3/16" d ia.)
287	29716		Screw, 1/4-28 x 7/16" (Use as require d)
287A	29752		Nut & Lockwasher, 1/4-28 (Use as required)
	29774		Fuel Line(Braided 8-1/4")(21 cm)(Use as req.)
	34357		Fuel Line (Epichlorohydrin 6-3/4") (1 7 cm)
	30705		Fuel Line (Braided 16")(40 cm)(Use as req.)
	26460		Fuel Line Clamp (Use as required)
	32671		Fuel Tank (Incl. 292 & 301)
	410144B		Fuel Cap (Std.) (Use as required)
	33032		Fuel Cap (Use as required)
	34210		Fuel Cap (use as required)
	27625		Plug, Oil filler (Incl. 312)
311	Z1 UZU		1 149, Oil IIIIOI (IIIOI. 012)

Ref #	Part Number	Qty	Description
312	29673	Ť	* Gasket, Oil filler
313	33876		Gasket, Stator
325A	27275		Clip, Hi-tension wire (Use as require d)
370A	550223		Name & Instruction Decal
370	34346		Decal, Instruction
375	610942A		Magneto NOTE: This magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts breakdown. Refer to Division 5, Section B, page35 or Fiche 6, Grid F-13 for breakdown)
	30547A		Contact Assy., Breaker
	30548B 631021		Condenser
	631597		Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) Refer to Division 5, SectionA, page 104 or Fiche 6, Grid E-1 for breakdown)
			,
390	590420A		Rewind Starter NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33238D 730225		* Gasket Set (Incl. items marked *) SAE 30 4-Cycle Engine Oil (Quart)



Ref #	Part Number (Qty	Description
19	31386		Spring, Governor
32	32323		Washer, Thrust
92	650815		Washer, Belleville
93	650607		Nut, Flywheel
182	6201		Screw, 1/4-28 x 7/8"
261	650561		Screw, 1/4 20 x 5/8"
262	650561		Screw, 1/4-20 x 5/8"
287	30513		Screw & Lockwasher, 1/4-28 x 1/2"
287			Pop Rivet (Purchase locally) (3/16" d ia.)
287	29716		Screw, 1/4-28 x 7/16" (Use as require d)
306	34282		"O" Ring (This "O" ring is required with metal fill tube only
			when replacement mounting flange with .777 dia. oil fill hole
			has been used.)
370A	550223		Name & Instruction Decal
	34346		Decal, Instruction
	631021		Inlet Needle, Seat & Clip Assy.
	590441		Bracket Ass'y. (Use as required)
	650639		Open End Rivet (Use as required)
1110			



D-f //	Dort Nemals on	O4 .	Description
		Qty	Description
19	31386		Spring, Governor
32	32323		Washer, Thrust
169	31619A		* Gasket, Valve spring cover
171	31410		Element, Breather
174	650128		Screw, 10-24 x 1/2"
182	6201		Screw, 1/4-28 x 7/8"
238	650707		Screw, 10-32 x 5/8"
262	650561		Screw, 1/4-20 x 5/8"
274	26754A		* Gasket, Exhaust
277A	650774		Screw, 1/4-20 x 2-3/8"
277	30063		Screw, Torx T-30, 1/4-20 x 1/2" (Use as req.)
287	30513		Screw & Lockwasher, 1/4-28 x 1/2"
287			Pop Rivet (Purchase locally) (3/16" d ia.)
287	29716		Screw, 1/4-28 x 7/16" (Use as require d)
290	29774		Fuel Line(Braided 8-1/4")(21 cm)(Use as req.)
290	34357		Fuel Line (Epichlorohydrin 6-3/4") (1 7 cm)
290	30705		Fuel Line (Braided 16")(40 cm)(Use as req.)
292	26460		Fuel Line Clamp (Use as required)
415	730162		Muffler Adapter Kit (Incl. 274 & 277A) (Inverted Ports)