


Ref #	Part Number Qt	y Description
1	33729A	Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727	Pin, Dowel
	33734	Element, Breather
	34214A	,
		Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735	* Gasket, Breather
9	30200	Screw, 10-24 x 9/16"
12	33886	Tube, Breather
	28277	Washer, Flat
	30589	
		Rod, Governor (Incl. 14)
	32651	Lever, Governor
17	31335	Clamp, Governor (Clamp is positioned towardsspark plug end
		on 1977-78 and latermodels. It is positioned opposite spark
		plugend on earlier models.)
18	650548	Screw, 8-32 x 5/16"
19	31386	Spring, Governor
	32600	Seal, Oil
	33813	Crankshaft Ass'y.
32	32323	Washer, Thrust NOTE: This thrust washer maynot be
		required if a new crankshafthas been installed. Check the
		proper Mechanic's Handbook for acceptable end play. Use
		this .010" thrust washer if excess end play is measured.
40	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6")
40	34536	Piston, Pin & Ring Set (.010" OS)
40	34537	Piston, Pin & Ring Set (.020" OS)
	33562B	Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
42	33567	Ring Set (Std.) (2-13/16" Bore)
42	33568	Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
		•
	20381	Ring, Piston pin retaining
	32875	Rod Assy., Connecting (Incl. 18)
46A	32609	Plate, Lock (Do not use with No. 32610A locking type bolt.)
46	32610	Bolt, Connecting rod (Early Productio n)
46	32610A	Bolt, Connecting rod
	27241	Lifter, Valve
	33154	Camshaft
	29914	Pump Assy., Oil
69	35261	* Gasket, Mounting flange
70	32612A	Flange Ass'y. (Incl. 72, 75 & 80)
	30572	Plug, Oil drain (Incl. 73)
	28833	* Drain Plug Gasket(Not used w/ plastic plug)
	27897	Seal, Oil
80	30574	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 81)
	30588A	• • • •
		Spool, Governor
	29193	Ring, Retaining
86	650488	Screw, 1/4-20 x 1-1/4"
89	610951	Key, Flywheel
	650815	Washer, Belleville
	650607	Nut, Flywheel
	650489	Screw, 1/4-20 x 5/8"
110	35349	Wire, Ground
110		
	33554A	* Gasket, Cylinder head
119	33554A 33016A	* Gasket, Cylinder head Head, Cylinder (Incl. 131)
119 120	33554A 33016A 32644A	* Gasket, Cylinder head Head, Cylinder (Incl. 131) Intake Valve (Std.) (Incl. 151) (Inverted Ports)

Ref #	Part Number	Qty	Description
125	32645A		Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	29313C		Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
	29315C		Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	26073		Washer, Flat (Not used on late produc tion)
	650691		Washer, Flat (Use as required)
130	650818		Screw, 5/16-18 x 1-1/2" (Use as required)
130	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
131	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Plug, Spark (J-8C)
	33678		
			Cap, Upper valve spring (Exhaust)
	31671		Upper Cap (Int. & Ex.)(Early Producti on)
150	31672		Spring, Valve
151	31673		Cap, Lower valve spring
167	32924		Spring, Compression
	650688		Screw, 10-32 x 1"
	27234A		* Gasket, Valve spring cover
	32755		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
178	29752		Nut & Lockwasher Assy.
182	6201		Screw, 1/4-28 x 7/8"
	33739		Pipe, Intake
	33151		Link, Governor spring
	33152A		Speed Control (Incl. 206)
	33150		Bracket, Control
206	610973		Terminal Assy. (Use as required)
207	33133		Link, Throttle
209	30200		Screw, 10-24 x 9/16"
	32410		Knob, Speed control
	650142		Screw, 1/4-20 x 1-1/8"
	33751A		* Gasket, Intake
	28820		Screw, 10-32 x 1/2"
239	27272A		* Gasket, Air cleaner
240	31715		Body, Air cleaner
241	31691		Bracket, Air cleaner
	650152		Screw, 8-32 x 3/8"
	730164		Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required
	30727		Element, Air cleaner
260	33738D		Housing, Blower NOTE: Replacement hardware may differ
			when servicing starter assy. or blower housing. Refer to
			Service Bulletin 508.
	650561		Screw, 1/4-20 x 5/8"
274	26754A		* Gasket, Exhaust (Use as required)
277	30063		Screw, 1/4-20 x 1/2" (Use as required )
	33667		Cup, Starter
	33668		Screen, Starter cup
	29752		Nut & Lockwasher 1/4-28 (Use as required)
	29774		Fuel Line (Braided 8-1/4") (21 cm)
290	30705		Fuel Line (Braided 16") (40 cm)
301	410144B		Cap, Fuel (Standard) (Use as required )
	33032		Cap, Fuel (Use as required)
	34282		"O" Ring (This "O" ring is required with metal fill tube only
300			
			when replacement mounting flange with .777 dia. oil fill hole
			has been used.)
	27625		Plug, Oil filler (Incl. 312)
211			
311			•
312	29673		* Gasket, Filler plug
312 325			•

Ref #	Part Number	Qty De	escription
370C	35344	De	ecal, Speed control
370B	31752	De	ecal, Air cleaner
370A	550223	De	ecal, Name
370	34346	De	ecal, Instruction
375	610862	ar pu in	lagneto NOTE: The complete magneto is not available as n assembly. The magneto number is shown for reference urposes only. Order component parts individually, as shown n parts list. (Refer to Division 5, Section B, page 30 or Fiche Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716	Co Ini Ca	contact Assy., Breaker condenser nlet Needle, Seat & Clip Assy. carburetor (Incl. 184) (Refer to Division 5, Section A, page 22 or Fiche 6 Grid E-7 for breakdown)
390	590420	wł Se	tarter, Rewind NOTE: Replacement hardware may differ then servicing starter assy. or blower housing. Refer to ervice Bulletin 508. (Refer to Division 5, Section C, page 25 r Fiche 6, Grid G-3 for breakdown)
400 420	33740D 730225		Gasket Set (Incl. items marked *) AE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number	Qty	Description
92	650815		Washer, Belleville
93	650607		Nut, Flywheel
238	28820		Screw, 10-32 x 1/2"
261	650561		Screw, 1/4-20 x 5/8"
274	26754A		* Gasket, Exhaust (Use as required)
275D	391026		Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	30063		Screw, 1/4-20 x 1/2" (Use as required )
284A	650578		Screw, 8-18 x 3/8" (Use as required)
284	33700		Cover & Tube, Muffler (Use as require d)
285	33667		Cup, Starter
287			Pop Rivet(Purchase locally)(Use as re quired)
414A	33323		Screen, Muffler (Use as required)
	730162		Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165		Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which haveexhaust port on top (above intake). (Inverted Ports)
1113			Rivet, Open end (Can be purchased loc ally)