


Pof #	Part Number Qty	Description
	33729A	Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727	Pin, Dowel
	33734	Element, Breather
		·
	34214A	Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735	* Gasket, Breather
	30200	Screw, 10-24 x 9/16"
	33886	Tube, Breather
	28277	Washer, Flat
	30589	Rod, Governor (Incl. 14)
16	32651	Lever, Governor
17	31335	Clamp, Governor (Clamp is positioned towardsspark plug end
		on 1977-78 and latermodels. It is positioned opposite spark
		plugend on earlier models.)
40	050540	,
	650548	Screw, 8-32 x 5/16"
	31386	Spring, Governor
	32600	Seal, Oil
	33808A	Crankshaft Ass'y.
32	32323	Washer, Thrust NOTE: This thrust washer maynot be
		required if a new crankshafthas been installed. Check the
		proper Mechanic's Handbook for acceptable end play. Use
		this .010" thrust washer if excess end play is measured.
40	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6")
	34536	Piston, Pin & Ring Set (0.01.) (2-13/1-0-)
	34537	
		Piston, Pin & Ring Set (.020" OS)
	33562B	Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	33567	Ring Set (Std.) (2-13/16" Bore)
	33568	Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
	20381	Ring, Piston pin retaining
45	32875	Rod Assy., Connecting (Incl. 18)
46A	32609	Plate, Lock (Do not use with No. 32610A locking type bolt.)
46	32610	Bolt, Connecting rod (Early Productio n)
46	32610A	Bolt, Connecting rod
48	27241	Lifter, Valve
	33154	Camshaft
	29914	Pump Assy., Oil
	35261	* Gasket, Mounting flange
	32612A	Flange Ass'y. (Incl. 72, 75 & 80)
	30572	Plug, Oil drain (Incl. 73)
	9556	Plug, Pipe
	28833	* Drain Plug Gasket(Not used w/ plastic plug)
	27897	Seal, Oil
	30574	Shaft, Mechanical governor
	30590A	Washer, Flat
		•
	30591	Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
	29193	Ring, Retaining
	650488	Screw, 1/4-20 x 1-1/4"
	610951	Key, Flywheel
	650815	Washer, Belleville
	650607	Nut, Flywheel
	650489	Screw, 1/4-20 x 5/8"
110	35349	Wire, Ground
119	33554A	* Gasket, Cylinder head
	33016A	Head, Cylinder (Incl. 131)
		- ,

125 126 126 127 127 130 130 131 135 149A 149 150 151 167 168 169 170 174 178 182 185 186 200 201 206 207 209 210 211 223 224 238 239 240	32644A 32645A 29313C 29315C 26073 650691 650818 6021A 650694A 34251 33678 31671 31672 31673 32924 650688 27234A 32755 650128 29752	Description Intake Valve (Std.) (Incl. 151) (Inverted Ports) Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports) Exhaust Valve (Std.) (Incl. 151) (Inverted Ports) Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports) Washer, Flat (Not used on late produc tion) Washer, Flat (Use as required) Screw, 5/16-18 x 1-1/2" (Use as requi red) Screw, 5/16-18 x 1-1/2" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ17LM) Cap, Upper valve spring (Exhaust) Upper Cap (Int. & Ex.)(Early Producti on) Spring, Valve Cap, Lower valve spring Spring, Compression Screw, 10-32 x 1" * Gasket, Valve spring cover Cover, Valve spring box Screw, 10-24 x 1/2" Nut & Lockwasher Assy. Screw, 1/4-28 x 7/8" Pipe, Intake Link, Governor spring Control Assy., Speed (Incl. 206) Bracket, Control Terminal Assy. (Use as required) Link, Throttle Screw, 10-32 x 3/8" Screw, 10-32 x 1/2" * Gasket, Intake Screw, 10-32 x 1/2" * Gasket, Air cleaner Body, Air cleaner Bracket, Air cleaner
244 · 245 · 3	650152 730164 30727 33738D	Screw, 8-32 x 3/8" Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required) Element, Air cleaner Housing, Blower NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508.
274 : 274 : 275 : 277 : 277 : 285 : 286 : 287B : 290 : 291 : 292 : 300 : 3	30063 650774 33667 33668	Screw, 1/4-20 x 5/8" * Gasket, Exhaust (Use as required) * Gasket, Exhaust Muffler (Incl. 274) Screw, 1/4-20 x 1/2" (Use as required) Screw, 1/4-20 x 2-3/8" Cup, Starter Screen, Starter cup Nut & Lockwasher 1/4-28 (Use as requi red) Fuel Line (Braided 8-1/4") (21 cm) Fuel Line (Braided 16") (40 cm) Line, Fuel (Metal 3.360") Clamp, Fuel line Tank Assy., Fuel (Incl. 292 & 301) Cap, Fuel (Standard) (Use as required)

Ref #	Part Number	Qty	Description
	33032 34282		Cap, Fuel (Use as required) "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
312 325 325 370B 370A 370	27625 29673 27275 33685 31752 550223 34346 610862		Plug, Oil filler (Incl. 312) * Gasket, Filler plug Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Air cleaner Decal, Name Decal, Instruction Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 30 or Fiche 6 Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716		Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420		Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number	Qty	Description
	650815		Washer, Belleville
	650607		Nut, Flywheel
238	28820		Screw, 10-32 x 1/2"
261	650561		Screw, 1/4-20 x 5/8"
274	26754A		* Gasket, Exhaust (Use as required)
274	33670A		* Gasket, Exhaust
275D	391026		Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	30063		Screw, 1/4-20 x 1/2" (Use as required)
277	650774		Screw, 1/4-20 x 2-3/8"
	650578		Screw, 8-18 x 3/8" (Use as required)
	33700		Cover & Tube, Muffler (Use as require d)
	33667		Cup, Starter
287	0000		Pop Rivet(Purchase locally)(Use as re quired)
	33323		Screen, Muffler (Use as required)
	730162		Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165		Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which have exhaust port on top (above intake). (Inverted Ports)
1113			Rivet, Open end (Can be purchased loc ally)