


Ref #	Part Number Q	ty Description
	33729A	Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727	Pin, Dowel
		· · · · · · · · · · · · · · · · · · ·
	33734	Element, Breather
	34214A	Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735	* Gasket, Breather
9	30200	Screw, 10-24 x 9/16"
12	33886	Tube, Breather
	28277	Washer, Flat
	30589	Rod, Governor (Incl. 14)
	32651	Lever, Governor
	31335	
17	31333	Clamp, Governor (Clamp is positioned towardsspark plug end
		on 1977-78 and latermodels. It is positioned opposite spark
		plugend on earlier models.)
18	650548	Screw, 8-32 x 5/16"
	31386	Spring, Governor
	32600	Seal, Oil
	33946	Crankshaft Ass'y.
32	32323	Washer, Thrust NOTE: This thrust washer maynot be
		required if a new crankshafthas been installed. Check the
		proper Mechanic's Handbook for acceptable end play. Use
		this .010" thrust washer if excess end play is measured.
40	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6")
	34536	Piston, Pin & Ring Set (.010" OS)
	34537	Piston, Pin & Ring Set (.020" OS)
	33562B	Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
41	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
41	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
42	33567	Ring Set (Std.) (2-13/16" Bore)
42	33568	Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
	20381	Ring, Piston pin retaining
	32875	Rod Assy., Connecting (Incl. 18)
	32610	
		Bolt, Connecting rod (Early Productio n)
	32610A	Bolt, Connecting rod
	32609	Plate, Lock (Do not use with No. 32610A locking type bolt.)
	27241	Lifter, Valve
	33154	Camshaft
52	29914	Pump Assy., Oil
69	35261	* Gasket, Mounting flange
70	33789	Flange Ass'y. (Incl. 72A, 75 & 80)
	9556	Plug, Pipe
	30572	Plug, Oil drain (Incl. 73)
	28833	* Drain Plug Gasket(Not used w/ plastic plug)
	27897	Seal, Oil
	30574	
		Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
84	29193	Ring, Retaining
86	650488	Screw, 1/4-20 x 1-1/4"
	610951	Key, Flywheel
	650815	Washer, Belleville
	650607	Nut, Flywheel
	650489	Screw, 1/4-20 x 5/8"
	35349	Wire, Ground
	33554A	* Gasket, Cylinder head
120	33016A	Head, Cylinder (Incl. 131)

-	Part Number	Qty	
	32644A		Intake Valve (Std.) (Incl. 151) (Inverted Ports)
	32645A		Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	29313C		Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
	29315C		Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	26073		Washer, Flat (Not used on late production)
127	650691		Washer, Flat (Use as required)
130	650818		Screw, 5/16-18 x 1-1/2" (Use as requi red)
130	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
131	650694A		Screw, 5/16-18 x 2" (Use as required)
135	33636		Plug, Spark (J-8C)
149A	33678		Cap, Upper valve spring (Exhaust)
	31671		Upper Cap (Int. & Ex.)(Early Producti on)
	31672		Spring, Valve
	31673		Cap, Lower valve spring
	32924		Spring, Compression
	650688		Screw, 10-32 x 1"
	27234A		* Gasket, Valve spring cover
	32755		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher Assy.
	6201		Screw, 1/4-28 x 7/8"
	33739		Pipe, Intake
	33151		Link, Governor spring
	33152A		Speed Control (Incl. 206)
	33152A 33150		·
			Bracket, Control
	610973		Terminal Assy. (Use as required)
	33133		Link, Throttle
	30200		Screw, 10-24 x 9/16"
	32410		Knob, Speed control
	650142		Screw, 1/4-20 x 1-1/8"
	33751A		* Gasket, Intake
	28820		Screw, 10-32 x 1/2"
	27272A		* Gasket, Air cleaner
	31715		Body, Air cleaner
	31691		Bracket, Air cleaner
	650152		Screw, 8-32 x 3/8"
	730164		Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
	30727		Element, Air cleaner
260	33738D		Housing, Blower NOTE: Replacement hardware may differ
			when servicing starter assy. or blower housing. Refer to
			Service Bulletin 508.
261	650561		Screw, 1/4-20 x 5/8"
	26754A		* Gasket, Exhaust (Use as required)
	33670A		* Gasket, Exhaust
	35771		Muffler (Incl. 274)
	30063		
			Screw, 1/4-20 x 1/2" (Use as required )
	650774 33667		Screw, 1/4-20 x 2-3/8"
			Cup, Starter
	33668		Screen, Starter cup
	29752		Nut & Lockwasher 1/4-28 (Use as requi red)
	29774		Fuel Line (Braided 8-1/4") (21 cm)
	30705		Fuel Line (Braided 16") (40 cm)
	33754		Line, Fuel (Metal 3.360")
	26460		Clamp, Fuel line
	33788		Tank Assy., Fuel (Incl. 301)
	410144B		Cap, Fuel (Standard) (Use as required)
301	33032		Cap, Fuel (Use as required)

Ref #	Part Number	Qty	Description
305 306	32799 32799 30139 34282		Tube Assy., Oil filler (Metal) Tube Assy., Oil filler (Metal) "O" Ring "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
309 310 324 325 325 370B 370C 370	29985 650562 30140 33177 27275 33685 31752 35344 34346 610862		"O" Ring Screw, 10-32 x 1/2" Dipstick, Oil (Incl. 307) (Screw In) Terminal Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Air cleaner Decal, Speed control Decal, Instruction Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 30 or Fiche 6 Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716		Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420		Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Pof #	Part Number (	ty Description
	650815	Washer, Belleville
	650607	Nut, Flywheel
	610118	Cover, Spark plug
	28820	Screw, 10-32 x 1/2"
	650561	Screw, 1/4-20 x 5/8"
	26754A	* Gasket, Exhaust (Use as required)
	33670A	* Gasket, Exhaust
	391026	Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277 284A 284 285 287 414A 415	30063 650774 650578 33700 33667 33323 730162 730165	Screw, 1/4-20 x 1/2" (Use as required ) Screw, 1/4-20 x 2-3/8" Screw, 8-18 x 3/8" (Use as required) Cover & Tube, Muffler (Use as require d) Cup, Starter Pop Rivet(Purchase locally)(Use as re quired) Screen, Muffler (Use as required) Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports) Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which haveexhaust port on top (above intake). (Inverted Ports)
1113		Rivet, Open end (Can be purchased loc ally)
1113		raiver, Open end (Can be pulchased loc ally)