


1 2 6 7 8 9 12 14 15	Part Number 33729A 26727 33734 34214A 33735 30200 33886 28277 30589 32651 31335	Qty	Description Cylinder (Incl. 2 & 20) (2-13/16" Bor e) Pin, Dowel Element, Breather Breather Ass'y. (Incl. 6, 8, 9 & 12) * Gasket, Breather Screw, 10-24 x 9/16" Tube, Breather Washer, Flat Rod, Governor (Incl. 14) Lever, Governor Clamp, Governor (Clamp is positioned towardsspark plug end on 1977-78 and latermodels. It is positioned opposite spark plugend on earlier models.)
19 20 30	650548 31386 32600 34056A 32323		Screw, 8-32 x 5/16" Spring, Governor Seal, Oil Crankshaft Ass'y. Washer, Thrust NOTE: This thrust washer maynot be required if a new crankshafthas been installed. Check the proper Mechanic's Handbook for acceptable end play. Use this .010" thrust washer if excess end play is measured.
40 40 41 41 41 42 42 42 43 45 46 46A 48 50 52 62 63 69 70 72A 72 73 75 80 81 82 83	34535 34536 34537 33562B 33563B 33564B 33567 33568 33569 20381 32875 32610 32610A 32609 27241 33154 29914 650760 28545 35261 32612A 9556 30572 28833 27897 30574 30590A 30591 30588A 29193		Piston, Pin & Ring Set (Std.) (2-13/1 6") Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Piston & Pin Ass'y. (Std)(Incl. 43)(2- 13/16") Piston & Pin Ass'y. (.010" OS) (Incl. 43) Piston & Pin Ass'y. (.020" OS) (Incl. 43) Ring Set (Std.) (2-13/16" Bore) Ring Set (.010" OS) Ring Set (.020" OS) Ring, Piston pin retaining Rod Assy., Connecting (Incl. 18) Bolt, Connecting rod (Early Productio n) Bolt, Connecting rod Plate, Lock (Do not use with No. 32610A locking type bolt.) Lifter, Valve Camshaft Pump Assy., Oil Screw, 8-32 x 3/8" Grommet * Gasket, Mounting flange Flange Ass'y. (Incl. 72, 75 & 80) Plug, Pipe Plug, Oil drain (Incl. 73) * Drain Plug Gasket(Not used w/ plastic plug) Seal, Oil Shaft, Mechanical governor Washer, Flat Gear Assy., Governor (Incl. 81) Spool, Governor
86 89 92 93 103A	650488 610951 650815 650607 650489 30831		Ring, Retaining Screw, 1/4-20 x 1-1/4" Key, Flywheel Washer, Belleville Nut, Flywheel Screw, 1/4-20 x 5/8" Wire, Ground

Ref # Part Number Qty	Description
119 33554A	* Gasket, Cylinder head
120 33016A	
	Head, Cylinder (Incl. 131)
125 32644A	Intake Valve (Std.) (Incl. 151) (Inverted Ports)
125 32645A	Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
126 29313C	Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
126 29315C	Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
127 26073	Washer, Flat (Not used on late production)
127 650691	Washer, Flat (Use as required)
130 650818	Screw, 5/16-18 x 1-1/2" (Use as required)
130 6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
131 650694A	Screw, 5/16-18 x 2" (Use as required)
135 33636	Plug, Spark (J-8C)
149 31671	Upper Cap (Int. & Ex.)(Early Producti on)
149A 33678	Cap, Upper valve spring (Exhaust)
150 31672	Spring, Valve
151 31673	Cap, Lower valve spring
167 32924	Spring, Compression
168 650688	Screw, 10-32 x 1"
169 27234A	* Gasket, Valve spring cover
170 32755	Cover, Valve spring box
174 650128	Screw, 10-24 x 1/2"
178 29752	Nut & Lockwasher Assy.
182 6201	Screw, 1/4-28 x 7/8"
185 33739	Pipe, Intake
186 33151	Link, Governor spring
200 33155A	Control Assy., Speed (Incl. 206)
201 33150	Bracket, Control
206 610973	Terminal Assy. (Use as required)
207 33133	Link, Throttle
209 30200	Screw, 10-24 x 9/16"
210 27793	Clip, Conduit
211 28942	Screw, 10-32 x 3/8"
223 650142	Screw, 1/4-20 x 1-1/8"
224 33751A	* Gasket, Intake
238 28820	Screw, 10-32 x 1/2"
239 27272A	* Gasket, Air cleaner
240 31715	Body, Air cleaner
241 31691	Bracket, Air cleaner
243 650152	Screw, 8-32 x 3/8"
244 730164	Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
245 30727	, , , , , , , , , , , , , , , , , , , ,
	Element, Air cleaner
260 33738D	Housing, Blower NOTE: Replacement hardware may differ
	when servicing starter assy. or blower housing. Refer to
	Service Bulletin 508.
261 650561	Screw, 1/4-20 x 5/8"
274 26754A	
	* Gasket, Exhaust (Use as required)
274 33670A	* Gasket, Exhaust
275 35771	Muffler (Incl. 274)
277 30063	Screw, 1/4-20 x 1/2" (Use as required)
277 650774	Screw, 1/4-20 x 2-3/8"
285 33667	Cup, Starter
286 33668	Screen, Starter cup
287B 29752	Nut & Lockwasher 1/4-28 (Use as required)
290 29774	Fuel Line (Braided 8-1/4") (21 cm)
290 30705	Fuel Line (Braided 16") (40 cm)
290 30703	Line, Fuel (Metal 3.360")
292 26460	Clamp, Fuel line

Ref #	Part Number	Qty	Description
301 301	32671 410144B 33032 34282		Tank Assy., Fuel (Incl. 292 & 301) Cap, Fuel (Standard) (Use as required) Cap, Fuel (Use as required) "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
312 325 325 370B 370	27625 29673 27275 33685 31752 34346 610862		Plug, Oil filler (Incl. 312) * Gasket, Filler plug Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Air cleaner Decal, Instruction Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 30 or Fiche 6 Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716		Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420		Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



		tty Description
92	650815	Washer, Belleville
93	650607	Nut, Flywheel
101	610118	Cover, Spark plug
238	28820	Screw, 10-32 x 1/2"
261	650561	Screw, 1/4-20 x 5/8"
274	26754A	* Gasket, Exhaust (Use as required)
274	33670A	* Gasket, Exhaust
275D	391026	Muffler (Incl. 284, 284A & 414A) (This spark arrester
		mufflercan be used on any model with a 3/4-14 tapped
		exhaust port.)
077	00000	• •
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	650774	Screw, 1/4-20 x 2-3/8"
	650578	Screw, 8-18 x 3/8" (Use as required)
	33700	Cover & Tube, Muffler (Use as require d)
285	33667	Cup, Starter
287		Pop Rivet(Purchase locally)(Use as re quired)
414A	33323	Screen, Muffler (Use as required)
415	730162	Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler
		adapter can be used only on models which haveexhaust port
		on top (above intake). (Inverted Ports)
4440		
1113		Rivet, Open end (Can be purchased loc ally)