


Ref #	Part Number Q	y Description
1	33729A	Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727	Pin, Dowel
	33734	Element, Breather
	34214A	Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735	* Gasket, Breather
9	30200	Screw, 10-24 x 9/16"
12	33886	Tube, Breather
	28277	Washer, Flat
	30589	Rod, Governor (Incl. 14)
	32651	Lever, Governor
17	31335	Clamp, Governor (Clamp is positioned towardsspark plug end
		on 1977-78 and latermodels. It is positioned opposite spark
		plugend on earlier models.)
18	650548	Screw, 8-32 x 5/16"
19	31386	Spring, Governor
	32600	Seal, Oil
	34056A	Crankshaft Ass'y.
32	32323	Washer, Thrust NOTE: This thrust washer maynot be
		required if a new crankshafthas been installed. Check the
		proper Mechanic's Handbook for acceptable end play. Use
		this .010" thrust washer if excess end play is measured.
40	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6")
	34536	Piston, Pin & Ring Set (.010" OS)
	34537	Piston, Pin & Ring Set (.020" OS)
	33562B	Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
41	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
41	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	33567	Ring Set (Std.) (2-13/16" Bore)
	33568	
		Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
43	20381	Ring, Piston pin retaining
45	32875	Rod Assy., Connecting (Incl. 18)
46	32610	Bolt, Connecting rod (Early Productio n)
	32610A	Bolt, Connecting rod
	32609	Plate, Lock (Do not use with No. 32610A locking type bolt.)
	27241	Lifter, Valve
50	33154	Camshaft
52	29914	Pump Assy., Oil
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	35261	* Gasket, Mounting flange
70	32612A	Flange Ass'y. (Incl. 72, 75 & 80)
72A	9556	Plug, Pipe
	30572	Plug, Oil drain (Incl. 73)
		•
	28833	* Drain Plug Gasket(Not used w/ plastic plug)
	27897	Seal, Oil
80	30574	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
	29193	Ring, Retaining
86	650488	Screw, 1/4-20 x 1-1/4"
	610951	Key, Flywheel
		• •
92	650815	Washer, Belleville
	1-	
	650607	Nut, Flywheel
	650489	Screw, 1/4-20 x 5/8"

	Part Number	Qty	
119	33554A		* Gasket, Cylinder head
120	33016A		Head, Cylinder (Incl. 131)
	32644A		Intake Valve (Std.) (Incl. 151) (Inverted Ports)
	32645A		Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	29313C		Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
	29315C		Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	26073		Washer, Flat (Not used on late produc tion)
	650691		Washer, Flat (Use as required)
	650818		Screw, 5/16-18 x 1-1/2" (Use as requi red)
130	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
131	650694A		Screw, 5/16-18 x 2" (Use as required)
135	33636		Plug, Spark (J-8C)
	33678		Cap, Upper valve spring (Exhaust)
	31671		Upper Cap (Int. & Ex.)(Early Producti on)
	31672		Spring, Valve
	31673		Cap, Lower valve spring
	32924		Spring, Compression
	650688		Screw, 10-32 x 1"
	27234A		* Gasket, Valve spring cover
170	32755		Cover, Valve spring box
174	650128		Screw, 10-24 x 1/2"
178	29752		Nut & Lockwasher Assy.
	30593		Clip, Magneto wire
	6201		Screw, 1/4-28 x 7/8"
	33739		Pipe, Intake
	33151		•
			Link, Governor spring
	33155A		Control Assy., Speed (Incl. 206)
	33150		Bracket, Control
	610973		Terminal Assy. (Use as required)
207	33133		Link, Throttle
209	30200		Screw, 10-24 x 9/16"
210	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	650142		Screw, 1/4-20 x 1-1/8"
	33751A		* Gasket, Intake
	28820		Screw, 10-32 x 1/2"
	27272A		* Gasket, Air cleaner
	31715		Body, Air cleaner
	31691		Bracket, Air cleaner
	650152		Screw, 8-32 x 3/8"
244	730164		Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
245	30727		Element, Air cleaner
260	33738D		Housing, Blower NOTE: Replacement hardware may differ
			when servicing starter assy. or blower housing. Refer to
			Service Bulletin 508.
261	650561		Screw, 1/4-20 x 5/8"
274	26754A		* Gasket, Exhaust (Use as required)
	33670A		* Gasket, Exhaust
	35771		Muffler (Incl. 274)
	30063		Screw, $1/4-20 \times 1/2$ " (Use as required)
	650774		Screw, 1/4-20 x 2-3/8"
	33667		Cup, Starter
	33668		Screen, Starter cup
	29752		Nut & Lockwasher 1/4-28 (Use as requi red)
290	29774		Fuel Line (Braided 8-1/4") (21 cm)
290	30705		Fuel Line (Braided 16") (40 cm)
	33754		Line, Fuel (Metal 3.360)
			, , , , , , , , , , , , , , , , , , , ,

		Description
300 301 301	26460 32671 410144B 33032 34282	Clamp, Fuel line Tank Assy., Fuel (Incl. 292 & 301) Cap, Fuel (Standard) (Use as required) Cap, Fuel (Use as required) "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
312 313 325 325 370B 370B	27625 29673 33876 27275 33685 31752 34346 610942	Plug, Oil filler (Incl. 312) * Gasket, Filler plug Gasket, Stator Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Air cleaner Decal, Instruction Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 30 or Fiche 6 Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716	Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420	Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225	* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number Qty	Description
92	650815	Washer, Belleville
93	650607	Nut, Flywheel
101	610118	Cover, Spark plug
238	28820	Screw, 10-32 x 1/2"
261	650561	Screw, 1/4-20 x 5/8"
274	26754A	* Gasket, Exhaust (Use as required)
274	33670A	* Gasket, Exhaust
275D	391026	Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	30063	Screw, 1/4-20 x 1/2" (Use as required)
	650774	Screw, 1/4-20 x 2-3/8"
	650578	Screw, 8-18 x 3/8" (Use as required)
284	33700	Cover & Tube, Muffler (Use as require d)
285	33667	Cup, Starter
287		Pop Rivet(Purchase locally)(Use as re quired)
414A	33323	Screen, Muffler (Use as required)
415	730162	Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which haveexhaust port on top (above intake). (Inverted Ports)
1113		Rivet, Open end (Can be purchased loc ally)