


Ref #	Part Number		escription
1	33729A	Cy	ylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727		n, Dowel
	33734		ement, Breather
	34214A		reather Ass'y. (Incl. 6, 8, 9 & 12)
	33735		Gasket, Breather
	30200		crew, 10-24 x 9/16"
	33886		ube, Breather
14	28277	Wa	/asher, Flat
15	30589	Ro	od, Governor (Incl. 14)
16	32651	Le	ever, Governor
17	31335		amp, Governor (Clamp is positioned towardsspark plug end
			1977-78 and latermodels. It is positioned opposite spark
			ugend on earlier models.)
		pic	ugenu on eanler mouels.)
18	650548	Sc	crew, 8-32 x 5/16"
19	31386		oring, Governor
	32600		eal, Oil
	34056A		rankshaft Ass'y.
	32323		•
32	32323		asher, Thrust NOTE: This thrust washer maynot be
			quired if a new crankshafthas been installed. Check the
		•	oper Mechanic's Handbook for acceptable end play. Use
		thi	is .010" thrust washer if excess end play is measured.
40	34535	Pie	ston, Pin & Ring Set (Std.) (2-13/1 6")
	34536		ston, Pin & Ring Set (.010" OS)
	34537		ston, Pin & Ring Set (.020" OS)
	33562B		ston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
41	33563B	Pis	ston & Pin Ass'y. (.010" OS) (Incl. 43)
41	33564B	Pis	ston & Pin Ass'y. (.020" OS) (Incl. 43)
42	33567	Ri	ing Set (Std.) (2-13/16" Bore)
	33568		ing Set (.010" OS)
	33569		ing Set (.020" OS)
	20381		ing, Piston pin retaining
	32875		
			od Assy., Connecting (Incl. 18)
	32609		ate, Lock (Do not use with No. 32610A locking type bolt.)
	32610		olt, Connecting rod (Early Productio n)
	32610A	Bo	olt, Connecting rod
48	27241	Lift	fter, Valve
50	33154	Ca	amshaft
	29914	Pu	ump Assy., Oil
	650760		crew, 8-32 x 3/8"
	28545		rommet
	35261		Gasket, Mounting flange
	32612A		ange Ass'y. (Incl. 72, 75 & 80)
	9556		ug, Pipe
	30572		ug, Oil drain (Incl. 73)
73	28833	* [Drain Plug Gasket(Not used w/ plastic plug)
75	27897	Se	eal, Oil
	30574		naft, Mechanical governor
	30590A		asher, Flat
	30591		
			ear Assy., Governor (Incl. 81)
83	30588A	•	pool, Governor
	29193		ing, Retaining
84		Sc	crew, 1/4-20 x 1-1/4"
84 86	650488		
84 86	650488 610951		ey, Flywheel
84 86 89	610951	Ke	
84 86 89 92	610951 650815	Ke Wa	/asher, Belleville
84 86 89 92 93	610951 650815 650607	Ke Wa Nu	/asher, Belleville ut, Flywheel
84 86 89 92 93 103A	610951 650815	Ke Wa Nu So	/asher, Belleville

Ref #	Part Number	Qty	
119	33554A		* Gasket, Cylinder head
120	33016A		Head, Cylinder (Incl. 131)
	32644A		Intake Valve (Std.) (Incl. 151) (Inverted Ports)
	32645A		Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	29313C		Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
	29315C		Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	26073		Washer, Flat (Not used on late produc tion)
	650691		Washer, Flat (Use as required)
	650818		Screw, 5/16-18 x 1-1/2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
131	650694A		Screw, 5/16-18 x 2" (Use as required)
135	33636		Plug, Spark (J-8C)
149A	33678		Cap, Upper valve spring (Exhaust)
	31671		Upper Cap (Int. & Ex.)(Early Producti on)
	31672		Spring, Valve
	31673		Cap, Lower valve spring
	32924		Spring, Compression
	650688		
			Screw, 10-32 x 1"
	27234A		* Gasket, Valve spring cover
	32755		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher Assy.
179	30593		Clip, Magneto wire
182	30088A		Screw, 1/4-28 x 1"
185	33739		Pipe, Intake
186	34358		Link, Governor spring
	33155A		Control Assy., Speed (Incl. 206)
	33150		Bracket, Control
	610973		Terminal Assy. (Use as required)
	34336		Link, Throttle
	30200		Screw, 10-24 x 9/16"
	27793		
			Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	650142		Screw, 1/4-20 x 1-1/8"
	33751A		* Gasket, Intake
	28820		Screw, 10-32 x 1/2"
	27272A		* Gasket, Air cleaner
	31715		Body, Air cleaner
241	31691		Bracket, Air cleaner
243	650152		Screw, 8-32 x 3/8"
244	730164		Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
245	30727		Element, Air cleaner
	33738D		Housing, Blower NOTE: Replacement hardware may differ
			when servicing starter assy. or blower housing. Refer to
			Service Bulletin 508.
261	650561		Screw, 1/4-20 x 5/8"
274	26754A		* Gasket, Exhaust (Use as required)
	33670A		* Gasket, Exhaust
	35771		Muffler (Incl. 274)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	650774		Screw, 1/4-20 x 2-3/8"
	33667		Cup, Starter
	33668		Screen, Starter cup
	29752		Nut & Lockwasher 1/4-28 (Use as required)
	29774		Fuel Line (Braided 8-1/4") (21 cm)
	30705		Fuel Line (Braided 16") (40 cm)
292	26460		Clamp, Fuel line

		Qty Description
301 301	32671 410144B 33032 34282	Tank Assy., Fuel (Incl. 292 & 301) Cap, Fuel (Standard) (Use as required) Cap, Fuel (Use as required) "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
312 313 325 325 370	27625 29673 33876 27275 33685 34346 610942A	 Plug, Oil filler (Incl. 312) * Gasket, Filler plug Gasket, Stator Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Instruction Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 35 or Fiche 6 Grid F-13 for breakdown)
378 379	30547A 30548B 631021 631716	Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420	Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225	* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number Qty	Description
92	650815	Washer, Belleville
93	650607	Nut, Flywheel
101	610118	Cover, Spark plug
238	28820	Screw, 10-32 x 1/2"
261	650561	Screw, 1/4-20 x 5/8"
274	26754A	* Gasket, Exhaust (Use as required)
274	33670A	* Gasket, Exhaust
275D	391026	Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	30063	Screw, 1/4-20 x 1/2" (Use as required)
277	650774	Screw, 1/4-20 x 2-3/8"
284A	650578	Screw, 8-18 x 3/8" (Use as required)
284	33700	Cover & Tube, Muffler (Use as require d)
285	33667	Cup, Starter
287		Pop Rivet(Purchase locally)(Use as re quired)
414A	33323	Screen, Muffler (Use as required)
415	730162	Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which haveexhaust port on top (above intake). (Inverted Ports)
1113		Rivet, Open end (Can be purchased loc ally)