


Ref #	Part Number	Qty Description
	33729A	Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727	Pin, Dowel
	33734	Element, Breather
	34214A	Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735	* Gasket, Breather
	30200	Screw, 10-24 x 9/16"
12	33886	Tube, Breather
14	28277	Washer, Flat
	30589	Rod, Governor (Incl. 14)
	32651	Lever, Governor
	31335	Clamp, Governor (Clamp is positioned towardsspark plug end
17	31333	
		on 1977-78 and latermodels. It is positioned opposite spark
		plugend on earlier models.)
18	650548	Screw, 8-32 x 5/16"
	31386	Spring, Governor
		. •
	32600	Seal, Oil
	33938	Crankshaft Ass'y.
32	32323	Washer, Thrust NOTE: This thrust washer maynot be
		required if a new crankshafthas been installed. Check the
		proper Mechanic's Handbook for acceptable end play. Use
		this .010" thrust washer if excess end play is measured.
40	24525	
	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6")
	34536	Piston, Pin & Ring Set (.010" OS)
	34537_	Piston, Pin & Ring Set (.020" OS)
41	33562B	Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
41	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
41	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	33567	Ring Set (Std.) (2-13/16" Bore)
	33568	Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
		• · · · · · · · · · · · · · · · · · · ·
	20381	Ring, Piston pin retaining
	32875	Rod Assy., Connecting (Incl. 18)
	32610	Bolt, Connecting rod (Early Productio n)
	32610A	Bolt, Connecting rod
46A	32609	Plate, Lock (Do not use with No. 32610A locking type bolt.)
48	27241	Lifter, Valve
50	33154	Camshaft
	29914	Pump Assy., Oil
	35261	* Gasket, Mounting flange
	32696B	Flange Ass'y. (Incl. 72, 72A, 75, 80, 306)
	30572	Plug, Oil drain (Incl. 73)
	28833	* Drain Plug Gasket(Not used w/ plastic plug)
	27897	Seal, Oil
80	30574	Shaft, Mechanical governor
81	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
	29193	Ring, Retaining
	650488	Screw, 1/4-20 x 1-1/4"
	610951	Key, Flywheel
	650815	Washer, Belleville
	650607	Nut, Flywheel
101A	27276	Cover, Spark plug
	650489	Screw, 1/4-20 x 5/8"
	35232	Wire, Ground
	33554A	* Gasket, Cylinder head
120	33016A	Head, Cylinder (Incl. 131)

Ref # Part Number	Oty Description
125 32644A	Qty Description Intake Valve (Std.) (Incl. 151) (Inverted Ports)
125 32645A	Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
126 29313C	Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
126 29315C	Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
127 26073	Washer, Flat (Not used on late produc tion)
127 650691	Washer, Flat (Use as required)
130 650818	Screw, 5/16-18 x 1-1/2" (Use as requi red)
130 6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
131 650694A	Screw, 5/16-18 x 2" (Use as required)
135 33636	Plug, Spark (J-8C)
149 31671	Upper Cap (Int. & Ex.)(Early Producti on)
149A 33678	
	Cap, Upper valve spring (Exhaust)
150 31672	Spring, Valve
151 31673	Cap, Lower valve spring
167 32924	Spring, Compression
168 650688	Screw, 10-32 x 1"
169 27234A	* Gasket, Valve spring cover
170 32755	Cover, Valve spring box
174 650128	Screw, 10-24 x 1/2"
178 29752	Nut & Lockwasher Assy.
182 6201	Screw, 1/4-28 x 7/8"
185 33739	Pipe, Intake
186 33151	Link, Governor spring
200 33155A	Control Assy., Speed (Incl. 206)
201 33150	Bracket, Control
	·
206 610973	Terminal Assy. (Use as required)
207 33133	Link, Throttle
209 30200	Screw, 10-24 x 9/16"
210 27793	Clip, Conduit
211 28942	Screw, 10-32 x 3/8"
223 650142	Screw, 1/4-20 x 1-1/8"
224 33751A	* Gasket, Intake
238 28820	Screw, 10-32 x 1/2"
239 27272A	* Gasket, Air cleaner
240 31715	Body, Air cleaner
241 31691	Bracket, Air cleaner
243 650152	Screw, 8-32 x 3/8"
244 730164	Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
245 30727	Element, Air cleaner
260 33738D	Housing, Blower NOTE: Replacement hardware may differ
	when servicing starter assy. or blower housing. Refer to
	Service Bulletin 508.
261 650561	Screw, 1/4-20 x 5/8"
274 26754A	* Gasket, Exhaust (Use as required)
274 33670A	* Gasket, Exhaust
275 34121	Muffler
277 30063	Screw, 1/4-20 x 1/2" (Use as required)
277 650774	Screw, 1/4-20 x 2-3/8"
285 33667	Cup, Starter
286 33668	Screen, Starter cup
287B 29752	Nut & Lockwasher 1/4-28 (Use as required)
290 29774	Fuel Line (Braided 8-1/4") (21 cm)
290 30705	Fuel Line (Braided 16") (40 cm)
291 33754	Line, Fuel (Metal 3.360")
292 26460	Clamp, Fuel line
300 32671	Tank Assy., Fuel (Incl. 292 & 301)
301 410144B	Cap, Fuel (Standard) (Use as required)
OUT TIVITED	Jap, I doi (Janidala) (Joo do Toquilou)

Ref #	Part Number	Qty	Description
305 306	33032 33784 30139 34282		Cap, Fuel (Use as required) Tube Assy., Oil filler (Metal) "O" Ring "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
309 310 325 325 370B 370	29985 650562 33760 27275 33685 31752 31353 610862		"O" Ring Screw, 10-32 x 1/2" Dipstick, Oil (Incl. 307) (Screw In) Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Air cleaner Decal, Instruction Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 30 or Fiche 6 Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716		Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420		Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number	Qty D	Description
92	650815	V	Vasher, Belleville
93	650607	N	Nut, Flywheel
238	28820	S	Screw, 10-32 x 1/2"
261	650561	S	Screw, 1/4-20 x 5/8"
274	26754A	*	Gasket, Exhaust (Use as required)
274	33670A	*	Gasket, Exhaust
275D	391026	n	Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	30063	S	Screw, 1/4-20 x 1/2" (Use as required)
277	650774	S	Screw, 1/4-20 x 2-3/8"
284A	650578	S	Screw, 8-18 x 3/8" (Use as required)
284	33700		Cover & Tube, Muffler (Use as require d)
	33667		Cup, Starter
287			Pop Rivet(Purchase locally)(Use as re quired)
	33323		Screen, Muffler (Use as required)
	730162		Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	a	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which haveexhaust port on top (above intake). (Inverted Ports)
1113		R	Rivet, Open end (Can be purchased loc ally)