


Ref #	Part Number	Qty Desc	cription
1	33729A	Cylin	nder (Incl. 2 & 20) (2-13/16" Bor e)
2	26727	•	Dowel
6	33734		nent, Breather
	34214A		ather Ass'y. (Incl. 6, 8, 9 & 12)
	33735		sket, Breather
	30200		w, 10-24 x 9/16"
	33886		e, Breather
	28277		her, Flat
	30589		Governor (Incl. 14)
	32651		
	31335		er, Governor
17	31333		np, Governor (Clamp is positioned towardsspark plug end
			977-78 and latermodels. It is positioned opposite spark
		pluge	end on earlier models.)
18	650548	Screv	w, 8-32 x 5/16"
19	31386		ng, Governor
20	32600	Seal,	
	33938		nkshaft Ass'y.
	32323		her, Thrust NOTE: This thrust washer maynot be
<del>-</del>	5_5_5		ired if a new crankshafthas been installed. Check the
			er Mechanic's Handbook for acceptable end play. Use
			.010" thrust washer if excess end play is measured.
			• •
	34535		on, Pin & Ring Set (Std.) (2-13/1 6")
40	34536	Pisto	on, Pin & Ring Set (.010" OS)
40	34537	Pisto	on, Pin & Ring Set (.020" OS)
41	33562B	Pisto	on & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
41	33563B	Pisto	on & Pin Ass'y. (.010" OS) (Incl. 43)
41	33564B	Pisto	on & Pin Ass'y. (.020" OS) (Incl. 43)
42	33567		Set (Std.) (2-13/16" Bore)
42	33568	•	Set (.010" OS)
	33569		Set (.020" OS)
	20381		, Piston pin retaining
	32875		Assy., Connecting (Incl. 18)
	32610		Connecting rod (Early Productio n)
	32610A		Connecting rod
	32609		e, Lock (Do not use with No. 32610A locking type bolt.)
	27241		, Valve
	33154	Cam	
	29914		np Assy., Oil
	35261		sket, Mounting flange
	32696B		ge Ass'y. (Incl. 72, 72A, 75, 80, 306)
	30572		ge Ass y. (Incl. 72, 72A, 73, 66, 566) , Oil drain (Incl. 73)
	28833		ain Plug Gasket(Not used w/ plastic plug)
	27897		
	30574	Seal,	, Oli t, Mechanical governor
			•
	30590A		her, Flat
	30591		r Assy., Governor (Incl. 81)
	30588A		ol, Governor
	29193	-	, Retaining
	650488		w, 1/4-20 x 1-1/4"
	610951		Flywheel
	650815		her, Belleville
	650607		Flywheel
	27276		er, Spark plug
103A	650489	Screv	w, 1/4-20 x 5/8"
110	35232	Wire,	e, Ground
119	33554A	* Gas	sket, Cylinder head
	33016A		d, Cylinder (Incl. 131)
_			

Pof # Dort	Number	Description
Ref # Part		Description
125 3264		Intake Valve (Std.) (Incl. 151) (Inverted Ports)
125 3264		Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
126 2931		Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
126 2931		Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
127 2607	73	Washer, Flat (Not used on late production)
127 6506	691	Washer, Flat (Use as required)
130 6508		Screw, 5/16-18 x 1-1/2" (Use as required)
130 6021		Screw, 5/16-18 x 1-1/2" (Use as requi red)
131 6506		Screw, 5/16-18 x 2" (Use as required)
		·
135 3363		Plug, Spark (J-8C)
149 3167		Upper Cap (Int. & Ex.)(Early Producti on)
149A 3367		Cap, Upper valve spring (Exhaust)
150 3167		Spring, Valve
151 3167	73	Cap, Lower valve spring
167 3292	24	Spring, Compression
168 6506	688	Screw, 10-32 x 1"
169 2723		* Gasket, Valve spring cover
170 3275		Cover, Valve spring box
174 6501		
		Screw, 10-24 x 1/2"
178 2975		Nut & Lockwasher Assy.
179 3059		Clip, Magneto wire
182 6201		Screw, 1/4-28 x 7/8"
185 3373	39	Pipe, Intake
186 3315	51	Link, Governor spring
200 3315	55A	Control Assy., Speed (Incl. 206)
201 3315		Bracket, Control
206 6109		Terminal Assy. (Use as required)
207 3313		Link, Throttle
209 3020		
		Screw, 10-24 x 9/16"
210 2779		Clip, Conduit
211 2894		Screw, 10-32 x 3/8"
223 6501		Screw, 1/4-20 x 1-1/8"
224 3375	51A	* Gasket, Intake
238 2882	20	Screw, 10-32 x 1/2"
239 2727	72A	* Gasket, Air cleaner
240 3171	15	Body, Air cleaner
241 3169		Bracket, Air cleaner
243 6501		Screw, 8-32 x 3/8"
243 0301 244 7301		
		, , ,
245 3072		Element, Air cleaner
260 3373		Housing, Blower NOTE: Replacement hardware may differ
		when servicing starter assy. or blower housing. Refer to
		Service Bulletin 508.
261 6505	FC1	Corou. 1/4 20 v E/0"
261 6505		Screw, 1/4-20 x 5/8"
274 2675		* Gasket, Exhaust (Use as required)
274 3367		* Gasket, Exhaust
275 3412		Muffler
277 3006	63	Screw, 1/4-20 x 1/2" (Use as required )
277 6507	774	Screw, 1/4-20 x 2-3/8"
285 3366		Cup, Starter
286 3366		Screen, Starter cup
287B 2975		Nut & Lockwasher 1/4-28 (Use as requi red)
290 2977		Fuel Line (Braided 8-1/4") (21 cm)
290 3070		Fuel Line (Braided 16") (40 cm)
291 3375		Line, Fuel (Metal 3.360")
292 2646	60	Clamp, Fuel line
300 3267	71	Tank Assy., Fuel (Incl. 292 & 301)
		,

Ref #	Part Number	Qty	Description
301 305 306	410144B 33032 33784 30139 34282		Cap, Fuel (Standard) (Use as required ) Cap, Fuel (Use as required) Tube Assy., Oil filler (Metal) "O" Ring "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
309 310 313 325 325 370 370B	29985 650562 33760 33876 27275 33685 31353 31752 610942		"O" Ring Screw, 10-32 x 1/2" Dipstick, Oil (Incl. 307) (Screw In) Gasket, Stator Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Instruction Decal, Air cleaner Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 30 or Fiche 6 Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716		Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420		Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number	Qty D	Description
92	650815	V	Vasher, Belleville
93	650607	N	Nut, Flywheel
238	28820	S	Screw, 10-32 x 1/2"
261	650561	S	Screw, 1/4-20 x 5/8"
274	26754A	*	Gasket, Exhaust (Use as required)
274	33670A	*	Gasket, Exhaust
275D	391026	n	Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	30063	S	Screw, 1/4-20 x 1/2" (Use as required )
277	650774	S	Screw, 1/4-20 x 2-3/8"
284A	650578	S	Screw, 8-18 x 3/8" (Use as required)
284	33700		Cover & Tube, Muffler (Use as require d)
	33667		Cup, Starter
287			Pop Rivet(Purchase locally)(Use as re quired)
	33323		Screen, Muffler (Use as required)
	730162		Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	а	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which have exhaust port on top (above intake). (Inverted Ports)
1113		R	Rivet, Open end (Can be purchased loc ally)