


Ref #	Part Number	Otv	Description
	33729A	Qıy	Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727		Pin, Dowel
	33734		Element, Breather
			·
	34214A		Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735		* Gasket, Breather
	30200		Screw, 10-24 x 9/16"
12	33886		Tube, Breather
14	28277		Washer, Flat
15	30589		Rod, Governor (Incl. 14)
	32651		Lever, Governor
	31335		Clamp, Governor (Clamp is positioned towardsspark plug end
			on 1977-78 and latermodels. It is positioned opposite spark
			plugend on earlier models.)
			plageria of carlier models.)
18	650548		Screw, 8-32 x 5/16"
19	31386		Spring, Governor
20	32600		Seal, Oil
	33938		Crankshaft Ass'y.
	32323		Washer, Thrust NOTE: This thrust washer maynot be
02	02020		required if a new crankshafthas been installed. Check the
			proper Mechanic's Handbook for acceptable end play. Use
			this .010" thrust washer if excess end play is measured.
40	34535		Piston, Pin & Ring Set (Std.) (2-13/1 6")
40	34536		Piston, Pin & Ring Set (.010" OS)
40	34537		Piston, Pin & Ring Set (.020" OS)
	33562B		Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
	33563B		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	33564B		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	33567		
			Ring Set (Std.) (2-13/16" Bore)
	33568		Ring Set (.010" OS)
	33569		Ring Set (.020" OS)
	20381		Ring, Piston pin retaining
	32875		Rod Assy., Connecting (Incl. 18)
	32610		Bolt, Connecting rod (Early Productio n)
	32610A		Bolt, Connecting rod
46A	32609		Plate, Lock (Do not use with No. 32610A locking type bolt.)
48	27241		Lifter, Valve
50	33154		Camshaft
52	29914		Pump Assy., Oil
	35261		* Gasket, Mounting flange
	32696B		Flange Ass'y. (Incl. 72, 72A, 75, 80, 306)
	30572		Plug, Oil drain (Incl. 73)
	28833		* Drain Plug Gasket(Not used w/ plastic plug)
	27897		Seal, Oil
			·
	30574		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650488		Screw, 1/4-20 x 1-1/4"
89	610951		Key, Flywheel
	650815		Washer, Belleville
	650607		Nut, Flywheel
	27276		Cover, Spark plug
	650489		Screw, 1/4-20 x 5/8"
	35232		Wire, Ground
	33554A		* Gasket, Cylinder head
			· ·
120	33016A		Head, Cylinder (Incl. 131)

Ref # Part Number	Qty Description
125 32644A	Intake Valve (Std.) (Incl. 151) (Inverted Ports)
125 32645A	Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
126 29313C	Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
126 29315C	Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
127 26073	Washer, Flat (Not used on late production)
127 25075	Washer, Flat (Use as required)
130 650818	Screw, 5/16-18 x 1-1/2" (Use as required)
130 6021A	Screw, 5/16-18 x 1-1/2" (Use as required)
131 650694A	Screw, 5/16-18 x 2" (Use as required)
135 33636	Plug, Spark (J-8C)
149 31671	Upper Cap (Int. & Ex.)(Early Producti on)
149A 33678	Cap, Upper valve spring (Exhaust)
150 31672	Spring, Valve
151 31673	Cap, Lower valve spring
167 32924	Spring, Compression
168 650688	Screw, 10-32 x 1"
169 27234A	* Gasket, Valve spring cover
170 32755	Cover, Valve spring box
174 650128	Screw, 10-24 x 1/2"
178 29752	Nut & Lockwasher Assy.
179 30593	Clip, Magneto wire
182 30088A	Screw, 1/4-28 x 1"
185 33739	Pipe, Intake
186 33151	Link, Governor spring
200 33155A	Control Assy., Speed (Incl. 206)
201 33150	Bracket, Control
206 610973	Terminal Assy. (Use as required)
207 33133	Link, Throttle
209 30200	Screw, 10-24 x 9/16"
210 27793	Clip, Conduit
211 28942	Screw, 10-32 x 3/8"
223 650142	Screw, 1/4-20 x 1-1/8"
224 33751A	* Gasket, Intake
238 28820	Screw, 10-32 x 1/2"
239 27272A	* Gasket, Air cleaner
240 31715	Body, Air cleaner
241 31691	Bracket, Air cleaner
243 650152	Screw, 8-32 x 3/8"
244 730164	Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
245 30727	Element, Air cleaner
260 33738D	Housing, Blower NOTE: Replacement hardware may differ
	when servicing starter assy. or blower housing. Refer to
	Service Bulletin 508.
004 050504	
261 650561	Screw, 1/4-20 x 5/8"
274 26754A	* Gasket, Exhaust (Use as required)
274 33670A	* Gasket, Exhaust
275 34121	Muffler
277 30063	Screw, 1/4-20 x 1/2" (Use as required)
277 650774	Screw, 1/4-20 x 2-3/8"
285 33667	Cup, Starter
286 33668	Screen, Starter cup
287B 29752	Nut & Lockwasher 1/4-28 (Use as requi red)
290 29774	Fuel Line (Braided 8-1/4") (21 cm)
290 30705	Fuel Line (Braided 16") (40 cm)
291 33754	Line, Fuel (Metal 3.360")
292 26460	Clamp, Fuel line
300 32671	Tank Assy., Fuel (Incl. 292 & 301)

Ref #	Part Number	Qty	Description
301 305 306	410144B 33032 33784 30139 34282	•	Cap, Fuel (Standard) (Use as required) Cap, Fuel (Use as required) Tube Assy., Oil filler (Metal) "O" Ring "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
309 310 313 325 325 370 370B	29985 650562 33760 33876 27275 33685 31353 31752 610942A		"O" Ring Screw, 10-32 x 1/2" Dipstick, Oil (Incl. 307) (Screw In) Gasket, Stator Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Instruction Decal, Air cleaner Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 35 or Fiche 6 Grid F-13 for breakdown)
378 379	30547A 30548B 631021 631716		Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420		Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number	Qty	Description
92	650815		Washer, Belleville
93	650607		Nut, Flywheel
238	28820		Screw, 10-32 x 1/2"
261	650561		Screw, 1/4-20 x 5/8"
274	26754A		* Gasket, Exhaust (Use as required)
274	33670A		* Gasket, Exhaust
275D	391026		Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	30063		Screw, 1/4-20 x 1/2" (Use as required)
277	650774		Screw, 1/4-20 x 2-3/8"
284A	650578		Screw, 8-18 x 3/8" (Use as required)
284	33700		Cover & Tube, Muffler (Use as require d)
285	33667		Cup, Starter
287			Pop Rivet(Purchase locally)(Use as re quired)
414A	33323		Screen, Muffler (Use as required)
415	730162		Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165		Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which have exhaust port on top (above intake). (Inverted Ports)
1113			Rivet, Open end (Can be purchased loc ally)