


Ref #	Part Number	Otv	Description
	33729A		Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727		Pin, Dowel
	33734		Element, Breather
			·
	34214A		Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735		* Gasket, Breather
	30200		Screw, 10-24 x 9/16"
12	33886		Tube, Breather
14	28277		Washer, Flat
15	30589		Rod, Governor (Incl. 14)
	32651		Lever, Governor
	31335		Clamp, Governor (Clamp is positioned towardsspark plug end
• • • • • • • • • • • • • • • • • • • •	0.000		on 1977-78 and latermodels. It is positioned opposite spark
			plugend on earlier models.)
			plugeria ori earlier models.)
18	650548		Screw, 8-32 x 5/16"
	31386		Spring, Governor
	32600		Seal, Oil
	34056A		Crankshaft Ass'y.
			· · · · · · · · · · · · · · · · · · ·
32	32323		Washer, Thrust NOTE: This thrust washer maynot be
			required if a new crankshafthas been installed. Check the
			proper Mechanic's Handbook for acceptable end play. Use
			this .010" thrust washer if excess end play is measured.
40	34535		Piston, Pin & Ring Set (Std.) (2-13/1 6")
	34536		Piston, Pin & Ring Set (.010" OS)
	34537		Piston, Pin & Ring Set (.020" OS)
	33562B		Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
	33563B		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	33564B		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	33567		Ring Set (Std.) (2-13/16" Bore)
	33568		Ring Set (.010" OS)
	33569		Ring Set (.020" OS)
43	20381		Ring, Piston pin retaining
45	32875		Rod Assy., Connecting (Incl. 18)
46A	32609		Plate, Lock (Do not use with No. 32610A locking type bolt.)
46	32610		Bolt, Connecting rod (Early Productio n)
	32610A		Bolt, Connecting rod
	27241		Lifter, Valve
	33154		Camshaft
	29914		Pump Assy., Oil
	35261		* Gasket, Mounting flange
	32612A		Flange Ass'y. (Incl. 72, 75 & 80)
	9556		Plug, Pipe
	30572		Plug, Oil drain (Incl. 73)
	28833		* Drain Plug Gasket(Not used w/ plastic plug)
75	27897		Seal, Oil
80	30574		Shaft, Mechanical governor
81	30590A		Washer, Flat
82	30591		Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650488		Screw, 1/4-20 x 1-1/4"
	610951		Key, Flywheel
	650815		Washer, Belleville
	650607		Nut, Flywheel
	650489		Screw, 1/4-20 x 5/8"
	35349		Wire, Ground
119	33554A		* Gasket, Cylinder head
120	33016A		Head, Cylinder (Incl. 131)

	Part Number	Qty	Description
	32644A		Intake Valve (Std.) (Incl. 151) (Inverted Ports)
	32645A		Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	29313C		Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
	29315C		Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
127	26073		Washer, Flat (Not used on late production)
127	650691		Washer, Flat (Use as required)
130	650818		Screw, 5/16-18 x 1-1/2" (Use as requi red)
130	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
131	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Plug, Spark (J-8C)
	33678		Cap, Upper valve spring (Exhaust)
	31671		Upper Cap (Int. & Ex.)(Early Producti on)
	31672		Spring, Valve
	31673		Cap, Lower valve spring
	27234A		* Gasket, Valve spring cover
	32755		Cover, Valve spring box
	650128		Screw, 10-24 x 1/2"
	29752		Nut & Lockwasher Assy.
	30593		Clip, Magneto wire
	6201		Screw, 1/4-28 x 7/8"
	33739		Pipe, Intake
	32653		Link, Governor spring
	32264A		
			Speed Control (Incl. 203, 204 thru 20 6)
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	610973		Terminal Assy. (Use as required)
	33133		Link, Throttle
	30200		Screw, 10-24 x 9/16"
	32410		Knob, Speed control
	650142		Screw, 1/4-20 x 1-1/8"
	33751A		* Gasket, Intake
	28820		Screw, 10-32 x 1/2"
	27272A		* Gasket, Air cleaner
	31715		Body, Air cleaner
	31691		Bracket, Air cleaner
	650152		Screw, 8-32 x 3/8"
	730164		Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
	30727		Element, Air cleaner
260	33738D		Housing, Blower NOTE: Replacement hardware may differ
			when servicing starter assy. or blower housing. Refer to
			Service Bulletin 508.
261	650561		Screw, 1/4-20 x 5/8"
	26754A		* Gasket, Exhaust (Use as required)
	33670A		* Gasket, Exhaust
	35771		Muffler (Incl. 274)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	650774		Screw, 1/4-20 x 2-3/8"
	33667		Cup, Starter
	33668		Screen, Starter cup
	29752		Nut & Lockwasher 1/4-28 (Use as requi red)
	29774		Fuel Line (Braided 8-1/4") (21 cm)
	30705		Fuel Line (Braided 16") (40 cm)
	33754		Line, Fuel (Metal 3.360")
	26460		Clamp, Fuel line
	32671		Tank Assy., Fuel (Incl. 292 & 301)
	410144B		Cap, Fuel (Standard) (Use as required)
301	33032		Cap, Fuel (Use as required)

Ref #	Part Number	Qty Description
306	34282	"O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
312 313 324 325 325 370A 370 370C 370B	27625 29673 33876 33177 27275 33685 550223 34346 35344 31752 610942	Plug, Oil filler (Incl. 312) * Gasket, Filler plug Gasket, Stator Terminal Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Name Decal, Instruction Decal, Speed control Decal, Air cleaner Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 30 or Fiche 6 Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716	Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420	Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225	* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number	Qty [Description
92	650815	\	Washer, Belleville
93	650607	1	Nut, Flywheel
238	28820	9	Screw, 10-32 x 1/2"
261	650561	9	Screw, 1/4-20 x 5/8"
274	26754A	*	* Gasket, Exhaust (Use as required)
274	33670A	*	* Gasket, Exhaust
275D	391026	ľ	Muffler (Incl. 284, 284A & 414A) (This spark arrester
		r	mufflercan be used on any model with a 3/4-14 tapped
		€	exhaust port.)
277	30063	9	Screw, 1/4-20 x 1/2" (Use as required)
277	650774	9	Screw, 1/4-20 x 2-3/8"
284A	650578	9	Screw, 8-18 x 3/8" (Use as required)
284	33700	(Cover & Tube, Muffler (Use as require d)
285	33667	(Cup, Starter
287		F	Pop Rivet(Purchase locally)(Use as re quired)
414A	33323	9	Screen, Muffler (Use as required)
415	730162	ľ	Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	ľ	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler
		á	adapter can be used only on models which haveexhaust port
		(on top (above intake). (Inverted Ports)
1113		F	Rivet, Open end (Can be purchased loc ally)