


Dof #	Dort Number	٦4.	Description
	Part Number C 33729A	yıy	Description Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727		Pin, Dowel
			·
	33734		Element, Breather
	34214A		Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735		* Gasket, Breather
	30200		Screw, 10-24 x 9/16"
	33886		Tube, Breather
	28277		Washer, Flat
15	30589		Rod, Governor (Incl. 14)
16	32651		Lever, Governor
17	31335		Clamp, Governor (Clamp is positioned towardsspark plug end
			on 1977-78 and latermodels. It is positioned opposite spark
			plugend on earlier models.)
40	050540		,
	650548		Screw, 8-32 x 5/16"
	31386		Spring, Governor
	32600		Seal, Oil
	33838		Crankshaft Ass'y.
32	32323		Washer, Thrust NOTE: This thrust washer maynot be
			required if a new crankshafthas been installed. Check the
			proper Mechanic's Handbook for acceptable end play. Use
			this .010" thrust washer if excess end play is measured.
40	34535		Piston, Pin & Ring Set (Std.) (2-13/1 6")
	34536		Piston, Pin & Ring Set (3td.) (213/10)
	34537		
			Piston, Pin & Ring Set (.020" OS)
	33562B		Piston & Pin Ass'y. (Std) (Incl. 43) (2-13/16")
	33563B		Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	33564B		Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	33567		Ring Set (Std.) (2-13/16" Bore)
	33568		Ring Set (.010" OS)
	33569		Ring Set (.020" OS)
	20381		Ring, Piston pin retaining
	32875		Rod Assy., Connecting (Incl. 18)
	32609		Plate, Lock (Do not use with No. 32610A locking type bolt.)
46	32610		Bolt, Connecting rod (Early Productio n)
46	32610A		Bolt, Connecting rod
48	27241		Lifter, Valve
50	33154		Camshaft
52	29914		Pump Assy., Oil
69	35261		* Gasket, Mounting flange
	32612A		Flange Ass'y. (Incl. 72, 75 & 80)
	30572		Plug, Oil drain (Incl. 73)
	9556		Plug, Pipe
	28833		* Drain Plug Gasket(Not used w/ plastic plug)
	27897		Seal, Oil
	30574		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 81)
	30588A		· · · · · · · · · · · · · · · · · · ·
			Spool, Governor Ping, Petaining
	29193 650488		Ring, Retaining
	650488		Screw, 1/4-20 x 1-1/4"
	610951		Key, Flywheel
	650815		Washer, Belleville
	650607		Nut, Flywheel
	27276		Cover, Spark plug
	650489		Screw, 1/4-20 x 5/8"
110	34231		Wire, Ground
	33554A		* Gasket, Cylinder head
			· · · ·

Ref # F	Part Number Q	by Description
	33016A	Head, Cylinder (Incl. 131)
	32644A	Intake Valve (Std.) (Incl. 151) (Inverted Ports)
	32645A	Intake Valve (3dd.) (Incl. 131) (Inverted Forts)
	29313C	
		Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
	29315C	Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
127 2		Washer, Flat (Not used on late production)
	650691	Washer, Flat (Use as required)
130 6	650818	Screw, 5/16-18 x 1-1/2" (Use as requi red)
130 (6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
131 6	650694A	Screw, 5/16-18 x 2" (Use as required)
135 3	33636	Plug, Spark (J-8C)
149 3		Upper Cap (Int. & Ex.)(Early Producti on)
149A 3		Cap, Upper valve spring (Exhaust)
150 3		Spring, Valve
151 3		Cap, Lower valve spring
	27234A	• •
		* Gasket, Valve spring cover
170 3		Cover, Valve spring box
	650128	Screw, 10-24 x 1/2"
178 2		Nut & Lockwasher Assy.
179 3		Clip, Magneto wire
	30088A	Screw, 1/4-28 x 1"
185 3	33739	Pipe, Intake
186 3	32653	Link, Governor spring
200 3	32181A	Speed Control (Incl. 203, 204 & 206)
203 3	31342	Spring, Compression
204 6	650549	Screw, 5-40 x 7/16"
206 6	610973	Terminal Assy. (Use as required)
207 3		Link, Throttle
207 3		Link, Throttle
209 3		Screw, 10-24 x 9/16"
210 2		Clip, Conduit
210 2		Screw, 10-32 x 3/8"
	550142	Screw, 1/4-20 x 1-1/8"
	33751A	* Gasket, Intake
238 2		Screw, 10-32 x 1/2"
		·
	27272A	* Gasket, Air cleaner
240 3		Body, Air cleaner
241 3		Bracket, Air cleaner
	650152	Screw, 8-32 x 3/8"
	730164	Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
246 3	31700	Element, Air cleaner
260 3	33738D	Housing, Blower NOTE: Replacement hardware may differ
		when servicing starter assy. or blower housing. Refer to
		Service Bulletin 508.
004 (SE0E61	Corour 1/4 20 x E/0"
	650561 2075 4 A	Screw, 1/4-20 x 5/8"
	26754A	* Gasket, Exhaust (Use as required)
	33670A	* Gasket, Exhaust
275 3		Muffler (Incl. 274)
	650774	Screw, 1/4-20 x 2-3/8"
277 3	30063	Screw, 1/4-20 x 1/2" (Use as required)
285 3	33667	Cup, Starter
286 3		Screen, Starter cup
287B 2		Nut & Lockwasher 1/4-28 (Use as requi red)
290 2		Fuel Line (Braided 8-1/4") (21 cm)
290 3		Fuel Line (Braided 16") (40 cm)
291 3		Line, Fuel (Metal 3.360")
292 2		Clamp, Fuel line
Z3Z Z		Ciamp, i doi iii lo

Ref #	Part Number	Qty	Description
301 301	32671 410144B 33032 34282		Tank Assy., Fuel (Incl. 292 & 301) Cap, Fuel (Standard) (Use as required) Cap, Fuel (Use as required) "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
312 313 325 325 370 370C	27625 29673 33876 27275 33685 34346 35344 610942A		Plug, Oil filler (Incl. 312) * Gasket, Filler plug Gasket, Stator Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Instruction Decal, Speed control Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 35 or Fiche 6 Grid F-13 for breakdown)
378 379	30547A 30548B 631021 631716		Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420		Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Ref #	Part Number Q	ty Description
92	650815	Washer, Belleville
93	650607	Nut, Flywheel
238	28820	Screw, 10-32 x 1/2"
261	650561	Screw, 1/4-20 x 5/8"
	26754A	* Gasket, Exhaust (Use as required)
274	33670A	* Gasket, Exhaust
275D	391026	Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	650774	Screw, 1/4-20 x 2-3/8"
277	30063	Screw, 1/4-20 x 1/2" (Use as required)
284A	650578	Screw, 8-18 x 3/8" (Use as required)
284	33700	Cover & Tube, Muffler (Use as require d)
285	33667	Cup, Starter
287		Pop Rivet(Purchase locally)(Use as re quired)
	33323	Screen, Muffler (Use as required)
	730162	Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which have exhaust port on top (above intake). (Inverted Ports)
1113		Rivet, Open end (Can be purchased loc ally)