


Ref #	Part Number Qt	y Description
	33729A	Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727	Pin, Dowel
	33734	Element, Breather
	34214A	Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735	
		* Gasket, Breather
	30200	Screw, 10-24 x 9/16"
	33886	Tube, Breather
	28277	Washer, Flat
	30589	Rod, Governor (Incl. 14)
16	32651	Lever, Governor
17	31335	Clamp, Governor (Clamp is positioned towardsspark plug end
		on 1977-78 and latermodels. It is positioned opposite spark
		plugend on earlier models.)
40	050540	,
	650548	Screw, 8-32 x 5/16"
	31386	Spring, Governor
	32600	Seal, Oil
	33838	Crankshaft Ass'y.
32	32323	Washer, Thrust NOTE: This thrust washer maynot be
		required if a new crankshafthas been installed. Check the
		proper Mechanic's Handbook for acceptable end play. Use
		this .010" thrust washer if excess end play is measured.
40	34535	Dioton Din & Ding Sot (Std.) (2.13/1.6")
		Piston, Pin & Ring Set (Std.) (2-13/1 6")
	34536	Piston, Pin & Ring Set (.010" OS)
	34537	Piston, Pin & Ring Set (.020" OS)
	33562B	Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	33567	Ring Set (Std.) (2-13/16" Bore)
	33568	Ring Set (.010" OS)
42	33569	Ring Set (.020" OS)
43	20381	Ring, Piston pin retaining
45	32875	Rod Assy., Connecting (Incl. 18)
46A	32609	Plate, Lock (Do not use with No. 32610A locking type bolt.)
	32610	Bolt, Connecting rod (Early Productio n)
	32610A	Bolt, Connecting rod
	27241	Lifter, Valve
	33154	Camshaft
	29914	Pump Assy., Oil
	35261	* Gasket, Mounting flange
	32612A	Flange Ass'y. (Incl. 72, 75 & 80)
	30572	Plug, Oil drain (Incl. 73)
	9556	• , ,
	28833	Plug, Pipe * Drain Plug Gasket(Not used w/ plastic plug)
		• • • • • • • • • • • • • • • • • • • •
	27897	Seal, Oil
	30574	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 81)
	30588A	Spool, Governor
	29193	Ring, Retaining
	650488	Screw, 1/4-20 x 1-1/4"
89	610951	Key, Flywheel
92	650815	Washer, Belleville
	650607	Nut, Flywheel
	650489	Screw, 1/4-20 x 5/8"
	35349	Wire, Ground
	33554A	* Gasket, Cylinder head
	33016A	Head, Cylinder (Incl. 131)
120	00010/1	rioda, Cymraor (mor. 101)

D-4 #	Dort M. work on	to Description
		ty Description
	32644A	Intake Valve (Std.) (Incl. 151) (Inverted Ports)
	32645A	Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	29313C	Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
	29315C	Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
	26073	Washer, Flat (Not used on late produc tion)
	650691	Washer, Flat (Use as required)
	650818	Screw, 5/16-18 x 1-1/2" (Use as requi red)
130	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
131	650694A	Screw, 5/16-18 x 2" (Use as required)
135	33636	Plug, Spark (J-8C)
149	31671	Upper Cap (Int. & Ex.)(Early Producti on)
149A	33678	Cap, Upper valve spring (Exhaust)
150	31672	Spring, Valve
	31673	Cap, Lower valve spring
	27234A	* Gasket, Valve spring cover
	32755	Cover, Valve spring box
	650128	Screw, 10-24 x 1/2"
	29752	Nut & Lockwasher Assy.
	30593	Clip, Magneto wire
	6201	•
		Screw, 1/4-28 x 7/8"
	33739	Pipe, Intake
	32653	Link, Governor spring
	32264A	Speed Control (Incl. 203, 204 thru 20 6)
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	610973	Terminal Assy. (Use as required)
	33133	Link, Throttle
	30200	Screw, 10-24 x 9/16"
223	650142	Screw, 1/4-20 x 1-1/8"
224	33751A	* Gasket, Intake
238	28820	Screw, 10-32 x 1/2"
239	27272A	* Gasket, Air cleaner
240	31715	Body, Air cleaner
241	31691	Bracket, Air cleaner
243	650152	Screw, 8-32 x 3/8"
	730164	Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
	30727	Element, Air cleaner
	33738D	Housing, Blower NOTE: Replacement hardware may differ
		when servicing starter assy. or blower housing. Refer to
		Service Bulletin 508.
	0=0=04	
	650561	Screw, 1/4-20 x 5/8"
	26754A	* Gasket, Exhaust (Use as required)
	33670A	* Gasket, Exhaust
	35771	Muffler (Incl. 274)
277	30063	Screw, 1/4-20 x 1/2" (Use as required)
277	650774	Screw, 1/4-20 x 2-3/8"
285	33667	Cup, Starter
286	33668	Screen, Starter cup
	29752	Nut & Lockwasher 1/4-28 (Use as required)
	29774	Fuel Line (Braided 8-1/4") (21 cm)
	30705	Fuel Line (Braided 16") (40 cm)
	33754	Line, Fuel (Metal 3.360")
	26460	Clamp, Fuel line
	32671	Tank Assy., Fuel (Incl. 292 & 301)
	410144B	Cap, Fuel (Standard) (Use as required)
	33032	Cap, Fuel (Use as required)
501	00002	Cap, i doi (Ooo do loquilou)

Ref #	Part Number	Qty	Description
306	34282		"O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
312 313 325 325 370C 370B 370A 370	27625 29673 33876 27275 33685 35344 31752 550223 34346 610942		Plug, Oil filler (Incl. 312) * Gasket, Filler plug Gasket, Stator Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Speed control Decal, Air cleaner Decal, Name Decal, Instruction Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 30 or Fiche 6 Grid F-12 for breakdown)
378 379	30547A 30548B 631021 631716		Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420		Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



		tty Description
92	650815	Washer, Belleville
93	650607	Nut, Flywheel
101	610118	Cover, Spark plug
238	28820	Screw, 10-32 x 1/2"
261	650561	Screw, 1/4-20 x 5/8"
274	26754A	* Gasket, Exhaust (Use as required)
274	33670A	* Gasket, Exhaust
275D	391026	Muffler (Incl. 284, 284A & 414A) (This spark arrester
		mufflercan be used on any model with a 3/4-14 tapped
		exhaust port.)
077	00000	• •
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	650774	Screw, 1/4-20 x 2-3/8"
	650578	Screw, 8-18 x 3/8" (Use as required)
	33700	Cover & Tube, Muffler (Use as require d)
285	33667	Cup, Starter
287		Pop Rivet(Purchase locally)(Use as re quired)
414A	33323	Screen, Muffler (Use as required)
415	730162	Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler
		adapter can be used only on models which haveexhaust port
		on top (above intake). (Inverted Ports)
4440		
1113		Rivet, Open end (Can be purchased loc ally)