


Dof #	Part Number Q	ty Description
	33729A	ty Description Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
	26727	Pin, Dowel
		·
	33734	Element, Breather
	34214A	Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735	* Gasket, Breather
	30200	Screw, 10-24 x 9/16"
	33886	Tube, Breather
	28277	Washer, Flat
15	30589	Rod, Governor (Incl. 14)
16	32651	Lever, Governor
17	31335	Clamp, Governor (Clamp is positioned towardsspark plug end
		on 1977-78 and latermodels. It is positioned opposite spark
		plugend on earlier models.)
10	CEOE 10	,
	650548	Screw, 8-32 x 5/16"
	31386	Spring, Governor
	32600	Seal, Oil
	33938	Crankshaft Ass'y.
32	32323	Washer, Thrust NOTE: This thrust washer maynot be
		required if a new crankshafthas been installed. Check the
		proper Mechanic's Handbook for acceptable end play. Use
		this .010" thrust washer if excess end play is measured.
40	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6")
40	34536	Piston, Pin & Ring Set (.010" OS)
	34537	Piston, Pin & Ring Set (.020" OS)
	33562B	Piston & Pin Ass'y.(Std)(Incl. 43)(2- 13/16")
	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
	33567	Ring Set (Std.) (2-13/16" Bore)
	33568	Ring Set (3td.) (2-13/16 Bole)
	33569	Ring Set (.010 OS)
	20381	Ring, Piston pin retaining
	32875	Rod Assy., Connecting (Incl. 18)
		, ,
	32610	Bolt, Connecting rod (Early Productio n)
	32610A	Bolt, Connecting rod
	32609	Plate, Lock (Do not use with No. 32610A locking type bolt.)
	27241	Lifter, Valve
	33154	Camshaft
	29914	Pump Assy., Oil
	35261	* Gasket, Mounting flange
	32696B	Flange Ass'y. (Incl. 72, 72A, 75, 80, 306)
	30572	Plug, Oil drain (Incl. 73)
	28833	* Drain Plug Gasket(Not used w/ plastic plug)
	27897	Seal, Oil
	30574	Shaft, Mechanical governor
	30590A	Washer, Flat
	30591	Gear Assy., Governor (Incl. 81)
83	30588A	Spool, Governor
84	29193	Ring, Retaining
86	650488	Screw, 1/4-20 x 1-1/4"
89	610951	Key, Flywheel
	650815	Washer, Belleville
	650607	Nut, Flywheel
	27276	Cover, Spark plug
	650489	Screw, 1/4-20 x 5/8"
	35232	Wire, Ground
	33554A	* Gasket, Cylinder head
	33016A	Head, Cylinder (Incl. 131)
120	000 IUA	ricad, Cymrucr (mo. 131)

	Ot But 18
Ref # Part Number	Qty Description
125 32644A	Intake Valve (Std.) (Incl. 151) (Inverted Ports)
125 32645A	Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)
126 29313C	Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
126 29315C	Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
127 26073	Washer, Flat (Not used on late production)
127 650691	Washer, Flat (Use as required)
130 650818	Screw, 5/16-18 x 1-1/2" (Use as requi red)
130 6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
131 650694A	Screw, 5/16-18 x 2" (Use as required)
135 33636	Plug, Spark (J-8C)
149A 33678	Cap, Upper valve spring (Exhaust)
149 31671	Upper Cap (Int. & Ex.)(Early Producti on)
150 31672	Spring, Valve
151 31673	Cap, Lower valve spring
167 32924	Spring, Compression
168 650688	Screw, 10-32 x 1"
169 27234A	* Gasket, Valve spring cover
170 32755	Cover, Valve spring box
174 650128	Screw, 10-24 x 1/2"
178 29752	Nut & Lockwasher Assy.
179 30593	Clip, Magneto wire
182 30088A	Screw, 1/4-28 x 1"
184 26756	* Gasket, Carburetor
185 33739	Pipe, Intake
186 33151	Link, Governor spring
200 33155A	Control Assy., Speed (Incl. 206)
201 33150	Bracket, Control
206 610973	Terminal Assy. (Use as required)
207 33133	Link, Throttle
209 30200	Screw, 10-24 x 9/16"
210 27793	Clip, Conduit
211 28942	Screw, 10-32 x 3/8"
223 650142 224 33751A	Screw, 1/4-20 x 1-1/8"
	* Gasket, Intake
238 28820	Screw, 10-32 x 1/2" * Cooket Air glopper
239 27272A	* Gasket, Air cleaner
240 31715 241 34601	Body, Air cleaner
241 31691 243 650153	Bracket, Air cleaner
243 650152 244 730164	Screw, 8-32 x 3/8" Clospor Vit (look 238 thru 345 % 370 P) (Ulook as required)
244 730164 245 30727	Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
243 30727 260 33738D	Element, Air cleaner Housing, Blower NOTE: Replacement hardware may differ
200 33730D	
	when servicing starter assy. or blower housing. Refer to Service Bulletin 508.
	Service Dulleuri 300.
261 650561	Screw, 1/4-20 x 5/8"
274 26754A	* Gasket, Exhaust (Use as required)
274 33670A	* Gasket, Exhaust
275 34121	Muffler
277 650774	Screw, 1/4-20 x 2-3/8"
277 30063	Screw, 1/4-20 x 1/2" (Use as required)
285 33667	Cup, Starter
286 33668	Screen, Starter cup
287B 29752	Nut & Lockwasher 1/4-28 (Use as requi red)
290 29774	Fuel Line (Braided 8-1/4") (21 cm)
290 30705	Fuel Line (Braided 16") (40 cm)
291 33754	Line, Fuel (Metal 3.360")
292 26460	Clamp, Fuel line

Ref #	Part Number	Qty D	Description
301 301 305 306	32671 410144B 33032 33784 30139 34282	C T "C "C w	Fank Assy., Fuel (Incl. 292 & 301) Cap, Fuel (Standard) (Use as required) Cap, Fuel (Use as required) Fube Assy., Oil filler (Metal) O" Ring O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole as been used.)
309 310 313 325 325 370 370B	29985 650562 33760 33876 27275 33685 31353 31752 610944A	S D C C D D N av re	O" Ring Screw, 10-32 x 1/2" Dipstick, Oil (Incl. 307) (Screw In) Gasket, Stator Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Instruction Decal, Air cleaner Magneto (w/ring gear) NOTE: The complete magneto is not vailable as an assembly. The magneto number is shown for Deference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 5 or Fiche 6, Grid F-13 for breakdown)
378 379	30547A 30548B 631021 631716	C In C	Contact Assy., Breaker Condenser hlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 22 or Fiche 6 Grid E-7 for breakdown)
390	590420	w S	Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225		Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



Rof #	Part Number	Qty	Description
	650815	Qιy	Washer, Belleville
	650607		Nut, Flywheel
	28820		Screw, 10-32 x 1/2"
	650561		Screw, 1/4-20 x 5/8"
	26754A		* Gasket, Exhaust (Use as required)
	33670A		* Gasket, Exhaust
	391026		Muffler (Incl. 284, 284A & 414A) (This spark arrester mufflercan be used on any model with a 3/4-14 tapped exhaust port.)
277	650774		Screw, 1/4-20 x 2-3/8"
277	30063		Screw, 1/4-20 x 1/2" (Use as required)
284A	650578		Screw, 8-18 x 3/8" (Use as required)
284	33700		Cover & Tube, Muffler (Use as require d)
285	33667		Cup, Starter
287			Pop Rivet(Purchase locally)(Use as re quired)
414A	33323		Screen, Muffler (Use as required)
415	730162		Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165		Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler adapter can be used only on models which have exhaust port on top (above intake). (Inverted Ports)
1113			Rivet, Open end (Can be purchased loc ally)