


		Qty Description
1	33729A	Cylinder (Incl. 2 & 20) (2-13/16" Bor e)
2	26727	Pin, Dowel
	33734	Element, Breather
	34214A	Breather Ass'y. (Incl. 6, 8, 9 & 12)
	33735	* Gasket, Breather
	30200	Screw, 10-24 x 9/16"
	33886	Tube, Breather
14	28277	Washer, Flat
15	30589	Rod, Governor (Incl. 14)
16	32651	Lever, Governor
	31335	Clamp, Governor (Clamp is positioned towardsspark plug end
		on 1977-78 and latermodels. It is positioned opposite spark
		plugend on earlier models.)
		plugeria on caller models.
18	650548	Screw, 8-32 x 5/16"
20	32600	Seal, Oil
	34187	Crankshaft Ass'y.
	32323	Washer, Thrust NOTE: This thrust washer maynot be
	02020	required if a new crankshafthas been installed. Check the
		proper Mechanic's Handbook for acceptable end play. Use
		this .010" thrust washer if excess end play is measured.
40	34535	Piston, Pin & Ring Set (Std.) (2-13/1 6")
	34536	Piston, Pin & Ring Set (.010" OS)
	34537	Piston, Pin & Ring Set (.020" OS)
	33562B	Piston & Pin Ass'y.(Std)(Incl. 43)(2-13/16")
	33563B	Piston & Pin Ass'y. (.010" OS) (Incl. 43)
41	33564B	Piston & Pin Ass'y. (.020" OS) (Incl. 43)
42	33567	Ring Set (Std.) (2-13/16" Bore)
42	33568	Ring Set (.010" OS)
	33569	Ring Set (.020" OS)
	20381	Ring, Piston pin retaining
	32875	Rod Assy., Connecting (Incl. 18)
	32610	Bolt, Connecting rod (Early Productio n)
	32610A	Bolt, Connecting rod
	32609	Plate, Lock (Do not use with No. 32610A locking type bolt.)
	27241	Lifter, Valve
50	33154	Camshaft
52	29914	Pump Assy., Oil
	35261	* Gasket, Mounting flange
	34311B	Flange Ass'y. (Incl. 72, 75 & 80)
	30572	Plug, Oil drain (Incl. 73)
	28833	* Drain Plug Gasket(Not used w/ plastic plug)
	27897	Seal, Oil
	30574	Shaft, Mechanical governor
	30590A	Washer, Flat
82	30591	Gear Assy., Governor (Incl. 81)
83	30588A	Spool, Governor
84	29193	Ring, Retaining
	650488	Screw, 1/4-20 x 1-1/4"
	610951	Key, Flywheel
	650815	Washer, Belleville
	650607	Nut, Flywheel
	650489	Screw, 1/4-20 x 5/8"
110	34231	Wire, Ground
	33554A	* Gasket, Cylinder head
119		
	33016A	Head, Cvlinder (Incl. 131)
120	33016A 32644A	Head, Cylinder (Incl. 131) Intake Valve (Std.) (Incl. 151) (Inverted Ports)
120 125	33016A 32644A 32645A	Head, Cylinder (Incl. 131) Intake Valve (Std.) (Incl. 151) (Inverted Ports) Intake Valve (1/32" OS) (Incl. 151) (Inverted Ports)

Ref # Part Number	Qty	Description
126 29313C		Exhaust Valve (Std.) (Incl. 151) (Inverted Ports)
126 29315C		Exhaust Valve (1/32" OS) (Incl. 151) (Inverted Ports)
127 26073		Washer, Flat (Not used on late produc tion)
127 650691		Washer, Flat (Use as required)
130 650818		Screw, 5/16-18 x 1-1/2" (Use as requi red)
130 6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
131 650694A		Screw, 5/16-18 x 2" (Use as required)
135 33636		Plug, Spark (J-8C)
149 31671		Upper Cap (Int. & Ex.)(Early Producti on)
149A 33678		Cap, Upper valve spring (Exhaust)
150 31672		Spring, Valve
151 31673		Cap, Lower valve spring
167 32924		Spring, Compression
168 650688		Screw, 10-32 x 1"
169 27234A		* Gasket, Valve spring cover
170 32755		Cover, Valve spring box
174 650128		Screw, 10-24 x 1/2"
178 29752		Nut & Lockwasher Assy.
179 30593		Clip, Magneto wire
182 30088A		Screw, 1/4-28 x 1"
185 33739		Pipe, Intake
186 34358		Link, Governor spring
200 33155A		Control Assy., Speed (Incl. 206)
201 33150		Bracket, Control
206 610973		Terminal Assy. (Use as required)
207 34336		Link, Throttle
209 30200		Screw, 10-24 x 9/16"
210 27793		Clip, Conduit
210 27733		Screw, 10-32 x 3/8"
223 650142		Screw, 1/4-20 x 1-1/8"
223 030142 224 33751A		* Gasket, Intake
238 28820		•
230 20020 239 27272A		Screw, 10-32 x 1/2" * Casket Air deaper
239 27272A 240 31715		* Gasket, Air cleaner
240 31713		Body, Air cleaner Bracket Air cleaner
241 31091 243 650152		Bracket, Air cleaner Screw, 8-32 x 3/8"
244 730164		Cleaner Kit (Incl. 238 thru 245 & 370 B) (Use as required)
245 30727		Element, Air cleaner
260 33738D		Housing, Blower NOTE: Replacement hardware may differ
		when servicing starter assy. or blower housing. Refer to Service Bulletin 508.
		Service Bulleun 500.
261 650561		Screw, 1/4-20 x 5/8"
274 26754A		* Gasket, Exhaust (Use as required)
274 33670A		* Gasket, Exhaust
275 35771		Muffler (Incl. 274)
277 30063		Screw, 1/4-20 x 1/2" (Use as required)
277 650774		Screw, 1/4-20 x 2-3/8"
285 33667		Cup, Starter
286 33668		Screen, Starter cup
287B 29752		Nut & Lockwasher 1/4-28 (Use as required)
290 29774		Fuel Line (Braided 8-1/4") (21 cm)
290 30705		Fuel Line (Braided 16") (40 cm)
291 33754		Line, Fuel (Metal 3.360")
292 26460		Clamp, Fuel line
300 32671		Tank Assy., Fuel (Incl. 292 & 301)
301 410144B		Cap, Fuel (Standard) (Use as required)
301 33032		Cap, Fuel (Use as required)

Ref #	Part Number C	ty Description
306	34318 34265 34282	Tube Assy., Oil filler (Plastic) Gasket, Oil fill tube "O" Ring (This "O" ring is required with metal fill tube only when replacement mounting flange with .777 dia. oil fill hole has been used.)
309 310 313 325 325 370	33590 650562 34319 33876 27275 33685 34346 610942A	 "O" Ring Screw, 10-32 x 1/2" Dipstick, Oil (Incl. 307) (Twist Lock) Gasket, Stator Clip, Wire retaining Clip, Wire retaining (Early Productio n) Decal, Instruction Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 35 or Ficher 6 Grid F-13 for breakdown)
378 379	30547A 30548B 631021 631716	Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 122 or Fiche 6 Grid E-7 for breakdown)
390	590420	Starter, Rewind NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. (Refer to Division 5, Section C, page 25 or Fiche 6, Grid G-3 for breakdown)
	33740D 730225	* Gasket Set (Incl. items marked *) SAE 30, 4-Cycle Engine Oil (Quart)



. .

·····

Ref #	Part Number Qty	Description
92	650815	Washer, Belleville
93	650607	Nut, Flywheel
238	28820	Screw, 10-32 x 1/2"
261	650561	Screw, 1/4-20 x 5/8"
274	26754A	* Gasket, Exhaust (Use as required)
274	33670A	* Gasket, Exhaust
275D	391026	Muffler (Incl. 284, 284A & 414A) (This spark arrester
		mufflercan be used on any model with a 3/4-14 tapped
		exhaust port.)
277	30063	Screw, 1/4-20 x 1/2" (Use as required)
277	650774	Screw, 1/4-20 x 2-3/8"
284A	650578	Screw, 8-18 x 3/8" (Use as required)
284	33700	Cover & Tube, Muffler (Use as require d)
285	33667	Cup, Starter
287		Pop Rivet(Purchase locally)(Use as re quired)
414A	33323	Screen, Muffler (Use as required)
415	730162	Muffler Adapter Kit (Incl. 121 & 128) (Conventional Ports)
415	730165	Muffler Adapter Kit (Incl. 274 & 277) NOTE: This muffler
		adapter can be used only on models which haveexhaust port
		on top (above intake). (Inverted Ports)
1113		Rivet, Open end (Can be purchased loc ally)