

		Description Description
	33707A	Cylinder (Incl. 2, 4 & 33) (3-1/2" Bo re)
	31927	Pipe Plug, 3/8-18 sq. head (Use as re quired)
	28483	Pipe Plug (3/8-18 hex countersunk) (A s req.)
2		Pipe Plug (3/4-14 sq.hd.)(As req.)(Bu y local)
2 9	9556	Pipe Plug (1/8-27 sq. hd.) (Use as re quired)
2 2	28534	Pipe Plug(1/8-27 hex c/sunk headless) (As req)
	27652	Pin, Dowel
	33390B	Crankshaft (Incl. 6 thru 9) NOTE: When using this
9 (	000002	crankshaft to repair older units equippedwith straight cut cam
		and governor gears, it will be necessary to order 34751 helical
		governor gear assembly and 34752 helical camshaft in order
		to the complete the repair.
6 2	29783	Pin, Crankshaft gear
	34692	Gear Crankshaft (Helical)
	31932	Bearing, Tapered roller
	31928	Cup, Bearing
	34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512	Piston, Pin & Ring Set (.010" OS)
	34513_	Piston, Pin & Ring Set (.020" OS)
	32238B	Piston & Pin Ass'y. (Std.)(3-1/2")(In cl.12)
	32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 12)
11A 3	32240B	Piston & Pin Ass'y. (.020 " OS) (Incl . 12)
12 3	31919	Ring, Piston pin retaining
13 3	32241	Ring Set (Std.) (3-1/2" Bore)
	32242	Ring Set (.010" OS)
	32243	Ring Set (.020" OS)
	33093A	Connecting Rod Assy.(Std.)(Incl.15, 1 6 & 17)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 5,16,17)
	34384	Connecting Rod Assy.(.020" US)(Ind.1 5,16.17)
	32077	
		Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy.
	34752	Camshaft (MCR) (Helical)
	33472	Lifter, Valve
	33471	Rod, Push
	33505	Intake Valve (Std.)
21 3	33645	Intake Valve (1/32" OS)
22 3	33506	Exhaust Valve (Std.)
22 3	33646	Exhaust Valve (1/32" OS)
23 3	33507	Spring, Valve
	33508	Retainer & Cap Set, Keeper valve
	33509	* "O" Ring (Intake only) (Also Incl. in 251)
25A 3		* "O" Ring (Exhaust only) (Also Incl. i n 251)
	33510	Cap, Valve
	34751	Governor Gear Ass'y. (Helical)
	650745	Washer, Flat
		·
	35479	Washer, Flat (Use with 35322 spool)
	30590A	Washer, Flat
	31948	Spool, Governor
	31956B	* Gasket, Cylinder cover
	32580A	Cylinder Cover Assy.(Incl.2,33,36,37 & 38)
	31950	* Seal, Oil
34 6	650451	Screw, 1/4-20 x 1"
35 6	650588	Screw, 1/4-20 x 2"
	32425	Rod Assy., Governor
	32426	Spacer, Governor rod
	29193	Ring, Retaining
55 2		J,


Ref #	Part Number Qty	Description
	650736	Screw, 10-16 x 3/8"
	33495	Cover, Cylinder head
	34225A	* Gasket, Cylinder head
	34753	Head, Cylinder
	33657	Spark Plug (L-82C)
	650691	Washer, Flat
	650690	Washer, Belleville
	650746	Screw, 5/16-18 x 1-3/8"
	650692	Screw, 5/16-18 x 1-3/4"
	730218	Valve Guide Kit (Incl. 49)
	792035	Ring, Retaining
	33515A	* Gasket, Intake pipe
	33475	Pipe, Intake
	650378	Screw, Torx T-30, 5/16-18 x 1-1/8"
	792028	Screw, 5/16-18 x 7/8"
	33476A	* Gasket, Carburetor
	33477A	Baffle, Air cleaner
	792075	,
	33478	Nut, Lock 5/16-24 (Used in early prod uction)
		Link, Governor lever-to-throttle leve r
	31963 31964	Lever, Governor
		Clamp, Governor lever
	650518	Lockwasher, No. 10 E.T.
	30312	Screw, 10-32 x 1/2" Screw, Ton, T 25, 10, 24 x 7/9"
	650544	Screw, Torx T-25, 10-24 x 7/8"
	7975	Nut, 10-24
	31965 31984A	Plate, Governor spring
		Lever Assy., Control
	28558 31966	Washer, Wave
		Bushing, Governor lever
	650597 31967	Screw, 10-24 x 5/8"
	650591	Spring, Governor Screw, 10-24 x 2"
	33099	Spring
	32599	"O" Ring (Incl. in 251)
	650666	Washer, Lock
	32579	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	650592	Key, Flywheel
	730201	Trigger Pin Kit (Use as required)
	610967	Flywheel (w/ring gear)
	650594	Nut, Flywheel
	610906	Solid State Magneto (Incl. 158 thru 1 61)
	650661	,
	33479	Screw, 1/4-20 x 3/4" Extension Player housing
	30063	Extension, Blower housing
	650751	Screw, 1/4-20 x 1/2" Screw, 1/4-20 x 7/16"
		Screw, 1/4-20 x 7/16"  Playor Hag (Incl. 218 \text{\text{\text{Par} along a tartor}})
	33775A 8274	Blower Hsg.(Incl.218A,219)(For elec.s tarter)
		Washer, Lock
	650624 650505	Screw, 5/16-24 x 9/16" Screw, 5/16-24 x 3/8"
	650595 650753	Screw, 5/16-24 x 3/8" Screw, 1/4 20 x 7/16"
	650752 35475	Screw, 1/4-20 x 7/16"
	35475	Tube, Push rod
	33481	* "O" Ring (Also Incl. in 251)
	34754	Housing, Rocker arm
	33013	Cover, Starter bubble
	650701	Screw, 8-18 x 7/16"
	33484	* "O" Ring (Also Incl. in 251)
95	650168	Washer, Flat


Ref #	Part Number Qty	/ Description
96	32610A	Screw, 1/4-20 x 29/32"
97	33485	Arm, Rocker
	33486	Ring, Retaining
	650755	Screw, 1/4-20 x 3/4"
	650864	Nut, Hex, 1/4-20
	650756	Stud, Rocker arm
	33487	* "O" Ring (Also Incl. in 251)
	33488	· · · · · · · · · · · · · · · · · · ·
		Cover, Rocker arm
	31958A	* Gasket, Breather (Also Incl. in 251)
	33489	Body Assy., Breather
	33490	Tube, Breather
	30102	* Screw, 10-32 x 5/8" (Also Incl. in 25 1)
	650738	Screw, 1/4-20 x 5/8"
	35471	* Gasket, Air cleaner
	35472	Bracket, Air cleaner
	650399	Screw, 10-32 x 5/8"
	32008	Element, Air cleaner
	32810	Cover, Air cleaner
	650513	Nut, Wing
	31992	Spacer, Screen
	33776	Screen, Pulley
	650680	Screw, 1/4-20 x 1-1/2"
	27070	Washer, Lock
	650590	Nut, Conduit
	32043B	Muffler
146	32577	Cover, Cylinder NOTE: Determine the gap between the cover
		and the machined surface on the cylinder, which can be
		from .001" up to .007", in which case no shim gaskets will be
		required. Use of gaskets must be limited to a combined total
		of .010" thick. Steel spacersmust be used as required to eli
1/17	792028	Screw, 5/16-18 x 7/8"
	650399	Screw, 10-32 x 5/8"
	610965	Stator Plate Assy.
100	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap
		between the cover and the machined surface on the
		cylinder, which can be from .001" up to .007", in which case
		no shim gaskets will be required. Use of gaskets must be
		limited to a combined total of .010" thick. Steel
		spacersmust be used a
156	31972	* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap
		between the cover and the machined surface on the
		cylinder, which can be from .001" up to .007", in which case
		no shim gaskets will be required. Use of gaskets must be
		limited to a combined total of .010" thick. Steel
		spacersmust be used a
		·
157	32031	* Spacer, Steel (.010 thick) NOTE: Determine the gap
		between the cover and the machined surface on the
		cylinder, which can be from .001" up to .007", in which case
		no shim gaskets will be required. Use of gaskets must be
		limited to a combined total of .010" thick. Steel
		spacersmust be used as re
150	610118	Cover Spark plug
	610750	Cover, Spark plug
		Grommet, Lead wire
	610408	Nut, 8-32
	610908	Terminal, Female
164	33356	Terminal


	D (N )	
	Part Number Qty	
165	650760	Screw, 8-32 x 3/8"
166	28545	Grommet, Plastic
167	650890	Washer, Lock
167A	26073	Washer, Flat
168	32039	Switch, Stop
169A	27793	Clip, Conduit
170	28942	Screw, 10-32 x 3/8"
171	29634	Fitting, Fuel line
189	33069	Dipstick (Incl. 190)
190	29673	* Gasket, Oil filler
193	29443	Clip, Wire
244B	31752	Decal, Air cleaner
244A	34768	Decal, Name
244	34346	Decal, Instruction
246	631687	Valve, Seat & Spring Assy.
247	632197	Carburetor (Incl. 54 & 246) (Refer to Division 5, Section A,
		page 160 for breakdown) (Refer to Division 5, Section D for
		breakdown)
250	33516G	* Gasket Set (Incl. items marked *)
251	35075	"O" Ring Kit (Incl. Nos. items marked +)


## ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY CEM.


## VIEW 2 of 3


















Ref #	Part Number	Qty Description
39	650736	Screw, 10-16 x 3/8"
82	30063	Screw, 1/4-20 x 1/2"
126A	35731	Muffler (Incl. 126B)
141		Gear, Counterbalance weight (Straight teeth) (For
		replacement see Ref. 132. Order correct kit for your
		enginemodel number.)
153	792028	Screw, 5/16-18 x 7/8"(Use w/32817 str .motor)
153	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
209	730178	Ech.Adapter Kit (Incl.210 & 211)(As r equired)
210	34102B	Gasket, Exhaust (Use as required)
211	30196	Screw, 5/16-18 x 3/4" (Use as require d)
238	730212	Adapter Plate Kit (Optional) NOTE: If you are having
		mounting problems in using a HH100 thru0H180 inplace of a
		large frame competitivebrand, we would like to call your
		attention to 730212 adapter plate kit. The kit converts the
		bottom mounting system found on HH100 thru 0H180 to a
		top mounting sys

## ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.



Ref #	Part Number C	ty Description
114	650399	Screw, 10-32 x 5/8"
115	32008	Element, Air cleaner
117	650513	Nut, Wing
119	31992	Spacer, Screen
122	650680	Screw, 1/4-20 x 1-1/2"
123	27070	Washer, Lock
143	29774	Fuel Line (Braided 8.25")(21 cm)(As r equired)
143	30705	Fuel Line (Braided 16")(41 cm)(As req uired)
143	30962	Fuel Line (Braided 32")(81 cm)(As req uired)
178	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)
178	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
	26460 730134	Clamp, Fuel line (Use as required) Rewind Starter Kit (Incl.120A, 121, 122, 187, 188 & 248) (Use as required)