


| Ref # | Part Number | Qty | Description |
|-------|-----------------|------|--|
| | 34913A | -c.y | Cylinder (Incl. 8, 11, 94 & 94A) (2-5 /8") |
| | 28277 | | Washer, Flat |
| | 30669 | | Rod, Governor |
| | 31357 | | Lever, Governor |
| | 31335 | | Clamp, Governor lever |
| | 650548 | | Screw, 8-32 x 5/16" |
| | 31361 | | Spring, Governor |
| | 32630 | | Seal, Oil |
| | 29536 | | Baffle, Blower housing (Use as requir ed) |
| | 35256A | | |
| | 650561 | | Blo.Hsg.Baffle (W/E.S.knock-out)(As r eq.) |
| | | | Screw, 1/4-20 x 5/8" |
| | 27652 | | Pin, Dowel |
| | 35263 | | Crankshaft (Incl. 13 & 14) |
| | 29783 | | Pin, Crankshaft gear |
| | 27884 22242B | | Gear, Crankshaft |
| | 33312B | | Piston & Pin Ass'y. (Incl.17)(2-5/8") (Std.) |
| | 33313B | | Piston & Pin Ass'y. (Incl. 17) (.010" OS) |
| | 33314B | | Piston & Pin Ass'y. (Incl. 17) (.020" OS) |
| | 34531 | | Piston, Pin & Ring Set (2-5/8") (Std.) |
| | 34532 | | Piston, Pin & Ring Set (.010" OS) |
| | 34533 | | Piston, Pin & Ring Set (.020" OS) |
| | 34854 | | Ring Set (2-5/8") (Std.) |
| | 34855 | | Ring Set (.010" OS) |
| | 34856 | | Ring Set (.020" OS) |
| | 27888 | | Ring, Piston pin retaining |
| | 31295C | | Rod Assy., Connecting (Incl. 19) |
| | 650662C | | Bolt, Connecting rod (Incl. 2 pieces) |
| | 34034 | | Lifter, Valve |
| | 33157 | | Camshaft |
| | 30622A | | Extension, Blower housing |
| | 650128 | | Screw, 10-24 x 1/2" |
| | 30688 | | Screw, 1/4-20 x 1/2" |
| | 31356 | | Pump Assy., Oil |
| | 30684 | | * Gasket, Cylinder cover |
| | 31471C | | Flange Ass'y. (Incl. 29,30,31,33,182 & 183) |
| | 27642 | | Plug, Pipe (sq.hd, 1/4-28) |
| | 27897 | | Seal, Oil |
| | 30668 | | Shaft, Mech. Governor |
| | 31707A | | Governor Spacer Assy. (Incl. 33) |
| | 30590A | | Washer, Flat (2 required) |
| | 30591 | | Gear Assy., Governor |
| | 29193 | | Ring, Retaining |
| | 30588A | | Spool, Governor |
| | 31355 | | Screen, Oil filter (Use as required) |
| | 29117 | | Screw, 8-32 x 5/16" (Use as required) |
| | 650488 | | Screw, 1/4-20 x 1-1/4" |
| | 32783 | | Intake Valve (Std.) (Incl. 44) |
| | 32784 | | Intake Valve (1/32" OS) (Incl. 44) |
| | 27878A | | Exhaust Valve (Std.) (Incl. 44) |
| | 27880A | | Exhaust Valve (1/32" OS) (Incl. 44) |
| | 27882 | | Cap, Upper valve spring |
| | 27881 | | Spring, Valve |
| | 32581 | | Cap, Lower valve spring |
| | 650814 | | Screw, 10-24 x 1" |
| | 32589 | | Key, Flywheel |
| 48 | 650815 | | Washer, Belleville |
| | 8116 | | Nut, Washer, 1/2-20 |
| 50 | 28938B | | * Gasket, Head |
| | | | |

| Ref # | Part Number Qty | Description |
|-------|-----------------|---|
| | 30938A | Head, Cylinder (Incl. 54) |
| | 33636 | Resistor Spark Plug (RJ-8) |
| | 34251 | Resistor Spark Plug (RJ-17LM) |
| | 30939A | Cover Assy., Cylinder head |
| | 650691 | Washer, Flat (Use as required) |
| | | |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as required) |
| | 26073 | Washer, Flat (Use as required) |
| | 650690 | Washer, Belleville (Use as required) |
| | 27896 | * Gasket, Breather cover |
| | 28423 | Body, Breather |
| | 28424 | Element, Breather |
| | 28425 | Cover, Valve spring box |
| | 27627 | Tube, Breather |
| | 650128 | Screw, 10-24 x 1/2" |
| | 26756 | * Gasket, Carburetor |
| 63 | 32632 | Pipe, Intake |
| 65 | 27272 | * Gasket, Air cleaner |
| 66 | 31691 | Bracket, Air cleaner |
| 67 | 28820 | Screw, 10-32 x 1/2" |
| 68 | 30727 | Element, Air cleaner |
| 69 | 31715 | Body, Air cleaner |
| | 650152 | Screw, 8-32 x 3/8" |
| | 27915 | * Gasket, Intake to cylinder |
| | 650378 | Screw, 5/16-18 x 1-1/8" |
| | 31823 | Link, Throttle |
| | 32582 | Link, Governor spring |
| | 32181A | Control Assy., Speed (Incl. 76, 77 & 78) |
| | 31342 | Spring, Compression |
| | 650549 | Screw, 5-40 x 7/16" |
| | 610973 | Terminal Ass'y. (Use as required) |
| | 30200 | Screw, 10-24 x 9/16" |
| | 32629B | Blower Housing (Incl. 121 & 122)(Elec . Str.) |
| | 29747B | Screw, 5/16-24 x 21/32" |
| | 27930 | * Gasket, Exhaust |
| | 28269 | Muffler |
| | | |
| | 31588 | Plate, Muffler locking |
| | 30196 | Screw, 5/16-18 x 3/4" (Use as require d) |
| | 650696 | Screw, 5/16-18 x 2-3/4" (Use as required) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| | 32125 | Cup, Starter |
| | 35009 | Screen, Starter |
| | 29716 | Screw, 1/4-28 x 7/16" |
| | 32584 | Fuel Tank (Incl. 90) |
| | 33032 | Fuel Cap (Use as required) |
| | 34210 | Fuel Cap (Use as required) |
| | 29774 | Fuel Line (8-1/4") (Use as required) |
| | 30962 | Fuel Line (32") (Use as required) |
| | 27793 | Clip, Conduit |
| | 28942 | Screw, 10-32 x 3/8" |
| | 34165 | Dipstick (Incl. 95A) |
| | 29673 | * Gasket, Oil fill |
| | 6201 | Screw, 1/4-28 x 7/8" (Use as required) |
| 96 | 650372 | Screw, 1/4-20 x 13/16" (Use as requir ed) |
| 97 | 35182 | Wire, Ground |
| | 33549 | Clamp, Tank hold down |
| | 33323 | Screen, Muffler (Use as required) |
| | 27276 | Cover, Spark plug (Use as required) |
| _ | | |

| Ref # | Part Number C | Oty Description |
|-------|---------------|--|
| 123 | 610118 | Cover, Spark plug (Use as required) |
| 133B | 730127 | A/C Assy. (Incl.65,66,67,68A,69,70,13 4) |
| 134 | 29443 | Clip, Fuel line |
| 135 | 611084 | Flywheel |
| 136 | 34443A | Solid State Assy. |
| 137 | 650872 | Stud, Solid State mounting |
| 154 | 34346 | Decal, Instruction |
| 154A | 550223 | Decal, Name |
| 157 | 631021 | Inlet Needle, Seat & Clip Assy. |
| 158 | 632233 | Carburetor (Incl. 62) (Refer to Division 5, Section A, page 182 for breakdown) |
| 160 | 590420 | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 164 | 33234A | * Gasket Set (Incl. items marked *) |



| | | y Description |
|------|---------|--|
| | 26073 | Washer, Flat (Use as required) |
| 54A | 650690 | Washer, Belleville (Use as required) |
| 81 | 29747B | Screw, 5/16-24 x 21/32" |
| 82 | 27930 | * Gasket, Exhaust |
| 83C | 391026 | Muffler (Incl. 115, 116 & 117) (This spark arrestor mufflercan |
| | | be used on any model) |
| 85 | 30196 | Screw, 5/16-18 x 3/4" (Use as require d) |
| 85 | 650696 | Screw, 5/16-18 x 2-3/4" (Use as requi red) |
| 85 | 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| 91 | 29774 | Fuel Line (8-1/4") (Use as required) |
| 91 | 30962 | Fuel Line (32") (Use as required) |
| 100 | 26460 | Clamp, Fuel line (Use as required) |
| 115 | 33323 | Screen, Muffler (Use as required) |
| 116 | 33700 | Cover & tube, Muffler (Use as require d) |
| 117 | 650578 | Screw, 8-18 x 3/8" (Use as required) |
| 133A | 31288 | Muffler Adapter Kit (Incl.82 & 85)(As req.) |
| 133 | 730130 | Muffler Adap. Kit (Incl.82 & 85)(As r eq.) |
| 162 | 33329D | Starter Motor Kit (110-120 volt) (Refer to service number |
| | | stamped on end cap of motor, or on decal, for identification. |
| | | For breakdown see Division 5, Section D, Page 16.) |
| 163 | 611042 | Flywheel (Ring gear flywheel requiredon engines using |
| | | 110-120 volt starter motor kits listed above) (Use on Std. |
| | | point ignitions) |
| 163 | 611085 | Flywheel (Ring gear flywheel requiredon engines using |
| | | 110-120 volt starter motor kits listed above) (Use on solid |
| | | state ignitions) |
| | | , |