


| | Part Number Qty | |
|----|-----------------|--|
| | 34913A | Cylinder (Incl. 8, 11, 94 & 94A) (2-5 /8") |
| 2 | 28277 | Washer, Flat |
| 3 | 30669 | Rod, Governor |
| 4 | 31357 | Lever, Governor |
| 5 | 31335 | Clamp, Governor lever |
| 6 | 650548 | Screw, 8-32 x 5/16" |
| 7 | 31361 | Spring, Governor |
| 8 | 32630 | Seal, Oil |
| 9 | 29536 | Baffle, Blower housing (Use as requir ed) |
| 9 | 35256A | Blo.Hsg.Baffle (W/E.S.knock-out)(As r eq.) |
| | 650561 | Screw, 1/4-20 x 5/8" |
| | 27652 | Pin, Dowel |
| | 34877 | Crankshaft (Incl. 13 & 14) |
| | 29783 | Pin, Crankshaft gear |
| | 27884 | Gear, Crankshaft |
| | 33312B | Piston & Pin Ass'y. (Incl.17)(2-5/8") (Std.) |
| | 33313B | Piston & Pin Ass'y. (Incl. 17) (.010" OS) |
| | 33314B | Piston & Pin Ass'y. (Incl. 17) (.020" OS) |
| | 34531 | Piston, Pin & Ring Set (2-5/8") (Std.) |
| | 34532 | Piston, Pin & Ring Set (.010" OS) |
| | 34533 | Piston, Pin & Ring Set (.020" OS) |
| | 34854 | Ring Set (2-5/8") (Std.) |
| | 34855 | Ring Set (2.010" OS) |
| | 34856 | Ring Set (.020" OS) |
| | 27888 | Ring, Piston pin retaining |
| | 31380C | Rod Assy., Connecting (Incl. 19) |
| | 650662C | Bolt, Connecting rod (Incl. 2 pieces) |
| | 34034 | Lifter, Valve |
| | 32114 | Camshaft (MCR) |
| | 30622A | Extension, Blower housing |
| | 650128 | Screw, 10-24 x 1/2" |
| | 30688 | Screw, 1/4-20 x 1/2" |
| | 31356 | Pump Assy., Oil |
| | 30684 | * Gasket, Cylinder cover |
| | 31471C | Flange Ass'y. (Incl. 29,30,31,33,182 & 183) |
| | 27642 | Plug, Pipe (sq.hd, 1/4-28) |
| | 28582 | Plug, Drain (countersunk headless, 1/ 4-28) |
| | 27897 | Seal, Oil |
| | 30668 | Shaft, Mech. Governor |
| | 31707A | Governor Spacer Assy. (Incl. 33) |
| | 30590A | Washer, Flat (2 required) |
| | 30591 | Gear Assy., Governor |
| | 29193 | Ring, Retaining |
| | 30588A | |
| | 31355 | Spool, Governor |
| | 29117 | Screen, Oil filter (Use as required) Screw, 8-32 x 5/16" (Use as required) |
| | | . , |
| | 650488 | Screw, 1/4-20 x 1-1/4" |
| | 32783 | Intake Valve (Std.) (Incl. 44) |
| | 32784 | Intake Valve (1/32" OS) (Incl. 44) |
| | 27878A | Exhaust Valve (Std.) (Incl. 44) |
| | 27880A | Exhaust Valve (1/32" OS) (Incl. 44) |
| | 27882 | Cap, Upper valve spring |
| | 27881 | Spring, Valve |
| | 32581 | Cap, Lower valve spring |
| | 32589 | Key, Flywheel |
| | 650815 | Washer, Belleville |
| | 8116 | Nut, Washer, 1/2-20 |
| 50 | 28938B | * Gasket, Head |
| | | |

| Ref # | Part Number Q | y Description |
|-------|---------------|---|
| | 30938A | Head, Cylinder (Incl. 54) |
| | 33636 | Resistor Spark Plug (RJ-8) |
| | 34251 | Resistor Spark Plug (RJ-17LM) |
| | 30939A | Cover Assy., Cylinder head |
| | | |
| | 26073 | Washer, Flat (Use as required) |
| | 650690 | Washer, Belleville (Use as required) |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| | 650691 | Washer, Flat (Use as required) |
| 56 | 27896 | * Gasket, Breather cover |
| 57 | 28423 | Body, Breather |
| 58 | 28424 | Element, Breather |
| 59 | 28425 | Cover, Valve spring box |
| | 27627 | Tube, Breather |
| | 650128 | Screw, 10-24 x 1/2" |
| | 26756 | * Gasket, Carburetor |
| | 32632 | Pipe, Intake |
| | 27272 | * Gasket, Air cleaner |
| | | , |
| | 31691 | Bracket, Air cleaner |
| | 28820 | Screw, 10-32 x 1/2" |
| | 30727 | Element, Air cleaner |
| | 31715 | Body, Air cleaner |
| | 650152 | Screw, 8-32 x 3/8" |
| | 27915 | * Gasket, Intake to cylinder |
| 72 | 650378 | Screw, 5/16-18 x 1-1/8" |
| 73 | 31823 | Link, Throttle |
| 74 | 32582 | Link, Governor spring |
| 75 | 32181A | Control Assy., Speed (Incl. 76, 77 & 78) |
| 76 | 31342 | Spring, Compression |
| | 650549 | Screw, 5-40 x 7/16" |
| | 610973 | Terminal Ass'y. (Use as required) |
| | 30200 | Screw, 10-24 x 9/16" |
| | 32629B | Blower Housing (Incl. 121 & 122)(Elec . Str.) |
| | 29747B | Screw, 5/16-24 x 21/32" |
| | 27930 | * Gasket, Exhaust |
| | 28269 | Muffler |
| | | |
| | 31588 | Plate, Muffler locking |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| | 30196 | Screw, 5/16-18 x 3/4" (Use as require d) |
| | 650696 | Screw, 5/16-18 x 2-3/4" (Use as requi red) |
| | 32125 | Cup, Starter |
| | 35009 | Screen, Starter |
| | 29716 | Screw, 1/4-28 x 7/16" |
| | 32584 | Fuel Tank (Incl. 90) |
| 90 | 33032 | Fuel Cap (Use as required) |
| 90 | 34210 | Fuel Cap (Use as required) |
| 91 | 29774 | Fuel Line (8-1/4") (Use as required) |
| 91 | 30962 | Fuel Line (32") (Use as required) |
| | 27793 | Clip, Conduit |
| | 28942 | Screw, 10-32 x 3/8" |
| | 29673 | * Gasket, Oil fill |
| | 27625 | Plug, Oil fill (Incl. 94A) |
| | | · · · · · · · · · · · · · · · · · · · |
| | 34165 | Dipstick (Incl. 95A) |
| | 29673 | * Gasket, Oil fill |
| | 6201 | Screw, 1/4-28 x 7/8" (Use as required) |
| | 650372 | Screw, 1/4-20 x 13/16" (Use as requir ed) |
| | 34235 | Ground Wire |
| 98 | 33549 | Clamp, Tank hold down |

| Ref # | Part Number | Qty | Description |
|-------|-------------|-----|--|
| 115 | 33323 | | Screen, Muffler (Use as required) |
| 123 | 27276 | | Cover, Spark plug (Use as required) |
| 123 | 610118 | | Cover, Spark plug (Use as required) |
| 133B | 730127 | | A/C Assy. (Incl.65,66,67,68A,69,70,13 4) |
| 154 | 34346 | | Decal, Instruction |
| 154A | 550223 | | Decal, Name |
| 157 | 631021 | | Inlet Needle, Seat & Clip Assy. |
| 158 | 632233 | | Carburetor (Incl. 62) (Refer to Division 5, Section A, page 182 for breakdown) |
| 160 | 590420 | | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 164 | 33234A | | * Gasket Set (Incl. items marked *) |



| Ref # | Part Number | Qty | Description |
|--|--|-----|---|
| 46 54A 54A 81 82 | 33876 650489 26073 650690 29747B 27930 391026 | | Gasket, Stator Screw, 1/4-20 x 5/8" Washer, Flat (Use as required) Washer, Belleville (Use as required) Screw, 5/16-24 x 21/32" * Gasket, Exhaust Muffler (Incl. 115, 116 & 117) (This spark arrestor mufflercan be used on any model) |
| 85 91 91 100 115 116 117 133 133A 155 | 650697A 30196 650696 29774 30962 26460 33323 33700 650578 730130 31288 30547A 30548B 611038 | | Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 2-3/4" (Use as required) Fuel Line (8-1/4") (Use as required) Fuel Line (32") (Use as required) Clamp, Fuel line (Use as required) Screen, Muffler (Use as required) Cover & tube, Muffler (Use as required) Screw, 8-18 x 3/8" (Use as required) Muffler Adap. Kit (Incl.82 & 85)(As r eq.) Muffler Adapter Kit (Incl.82 & 85)(As req.) Contact Assy., Breaker Condenser Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually as shown in parts list. (Refer to Division 5, Section B, page 39 for breakdown) |
| 162 | 33329D | | Starter Motor Kit (110-120 volt) (Refer to service number stamped on end cap of motor, or on decal, for identification. For breakdown see Division 5, Section D, Page 16.) |
| 163 | 611042 | | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Use on Std. point ignitions) |
| 163 | 611085 | | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Use on solid state ignitions) |