


Ref #	Part Number G	Qty	Description
	34913A	zty	Cylinder (Incl. 8, 11, 94 & 94A) (2-5 /8")
	28277		Washer, Flat
	30669		Rod, Governor
	31357		Lever, Governor
	31335		Clamp, Governor lever
	650548		Screw, 8-32 x 5/16"
	31361		Spring, Governor
	32630		Seal, Oil
	29536		Baffle, Blower housing (Use as required)
	35256A		Blo.Hsg.Baffle (W/E.S.knock-out)(As r eq.)
	650561		Screw, 1/4-20 x 5/8"
	27652		Pin, Dowel
	34880		Crankshaft (Incl. 13 & 14)
	29783		Pin, Crankshaft gear
	27884		Gear, Crankshaft
	33312B		Piston & Pin Ass'y. (Incl.17)(2-5/8") (Std.)
	33313B		Piston & Pin Ass'y. (Incl. 17) (.010" OS)
	33314B		Piston & Pin Ass'y. (Incl. 17) (.020" OS)
	34531		Piston, Pin & Ring Set (2-5/8") (Std. )
	34532		Piston, Pin & Ring Set (.010" OS)
	34533		Piston, Pin & Ring Set (.020" OS)
	34854		Ring Set (2-5/8") (Std.)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31380C		Rod Assy., Connecting (Incl. 19)
	650662C		Bolt, Connecting rod (Incl. 2 pieces)
	34034		Lifter, Valve
	32114		Camshaft (MCR)
	30622A		Extension, Blower housing
23	650128		Screw, 10-24 x 1/2"
	30688		Screw, 1/4-20 x 1/2"
25	31356		Pump Assy., Oil
27	30684		* Gasket, Cylinder cover
28	31471C		Flange Ass'y. (Incl. 29,30,31,33,182 & 183)
29	27642		Plug, Pipe (sq.hd, 1/4-28)
	28582		Plug, Drain (countersunk headless, 1/ 4-28)
	27897		Seal, Oil
	30668		Shaft, Mech. Governor
	31707A		Governor Spacer Assy. (Incl. 33)
	30590A		Washer, Flat (2 required)
	30591		Gear Assy., Governor
	29193		Ring, Retaining
	30588A		Spool, Governor
	31355		Screen, Oil filter (Use as required)
	29117		Screw, 8-32 x 5/16" (Use as required)
	650488		Screw, 1/4-20 x 1-1/4"
	32783		Intake Valve (Std.) (Incl. 44)
	32784		Intake Valve (1/32" OS) (Incl. 44)
	27878A 27880A		Exhaust Valve (Std.) (Incl. 44) Exhaust Valve (1/32" OS) (Incl. 44)
	27882		
	27881		Cap, Upper valve spring Spring, Valve
	32581		Cap, Lower valve spring
	32589		Key, Flywheel
	650815		Washer, Belleville
	8116		Nut, Washer, 1/2-20
	28938B		* Gasket, Head
00			

		Qty	
	30938A		Head, Cylinder (Incl. 54)
52	33636		Resistor Spark Plug (RJ-8)
52	34251		Resistor Spark Plug (RJ-17LM)
53	30939A		Cover Assy., Cylinder head
54A	26073		Washer, Flat (Use as required)
54A	650690		Washer, Belleville (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650691		Washer, Flat (Use as required)
	27896		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring box
	27627		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	26756		* Gasket, Carburetor
	32632		Pipe, Intake
	27272		* Gasket, Air cleaner
	31691		Bracket, Air cleaner
	28820		Screw, 10-32 x 1/2"
	30727		Element, Air cleaner
	31715		Body, Air cleaner
	650152		Screw, 8-32 x 3/8"
	27915		* Gasket, Intake to cylinder
	650378		Screw, 5/16-18 x 1-1/8"
	31823		Link, Throttle
	32582		Link, Governor spring
	32181A		Control Assy., Speed (Incl. 76, 77 & 78)
	32264A		Control Assy., Speed (Incl. 76, 77 & 78)
	31342		Spring, Compression
77	650549		Screw, 5-40 x 7/16"
78	610973		Terminal Ass'y. (Use as required)
79	30200		Screw, 10-24 x 9/16"
80	32629B		Blower Housing (Incl. 121 & 122)(Elec . Str.)
81	29747B		Screw, 5/16-24 x 21/32"
82	27930		* Gasket, Exhaust
	28269		Muffler
	31588		Plate, Muffler locking
	650696		Screw, 5/16-18 x 2-3/4" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	30196		Screw, $5/16-18 \times 3/4$ " (Use as require d)
	32125		Cup, Starter
	35009		Screen, Starter
	29716		Screw, 1/4-28 x 7/16"
	32584		Fuel Tank (Incl. 90)
	33032		Fuel Cap (Use as required)
	34210		Fuel Cap (Use as required)
	29774		Fuel Line (8-1/4") (Use as required)
	30962		Fuel Line (32") (Use as required)
	27793		
			Clip, Conduit Scrow 10-32 x 3/8"
	28942		Screw, 10-32 x 3/8"
	29673		* Gasket, Oil fill
	27625		Plug, Oil fill (Incl. 94A)
	34165		Dipstick (Incl. 95A)
	29673		* Gasket, Oil fill
	6201		Screw, 1/4-28 x 7/8" (Use as required )
	650372		Screw, 1/4-20 x 13/16" (Use as requir ed)
97	34235		Ground Wire

Ref #	Part Number Qt	y Description
98	33549	Clamp, Tank hold down
115	33323	Screen, Muffler (Use as required)
123	27276	Cover, Spark plug (Use as required)
123	610118	Cover, Spark plug (Use as required)
133B	730127	A/C Assy. (Incl.65,66,67,68A,69,70,13 4)
154	34346	Decal, Instruction
154A	550223	Decal, Name
157	631021	Inlet Needle, Seat & Clip Assy.
158	632233	Carburetor (Incl. 62) (Refer to Division 5, Section A, page 182 for breakdown)
160	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
164	33234A	* Gasket Set (Incl. items marked *)



		Description
	33876	Gasket, Stator
	650489	Screw, 1/4-20 x 5/8"
	26073	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	29747B	Screw, 5/16-24 x 21/32"
	27930	* Gasket, Exhaust
83C	391026	Muffler (Incl. 115, 116 & 117) (This spark arrestor mufflercan be used on any model)
85	650696	Screw, 5/16-18 x 2-3/4" (Use as requi red)
85	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
85	30196	Screw, 5/16-18 x 3/4" (Use as require d)
91	29774	Fuel Line (8-1/4") (Use as required)
	30962	Fuel Line (32") (Use as required)
	26460	Clamp, Fuel line (Use as required)
	33323	Screen, Muffler (Use as required)
	33700	Cover & tube, Muffler (Use as require d)
	650578	Screw, 8-18 x 3/8" (Use as required)
	730130	Muffler Adap. Kit (Incl.82 & 85)(As r eq.)
	31288	Muffler Adapter Kit (Incl.82 & 85)(As req.)
	30547A	Contact Assy., Breaker
	30548B	Condenser
159	611038	Magneto NOTE: The complete magneto is not available as
		an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually as shown
		in parts list. (Refer to Division 5, Section B, page 39 for
		breakdown)
162	33329D	Starter Motor Kit (110-120 volt) (Refer to service number
		stamped on end cap of motor, or on decal, for identification.
		For breakdown see Division 5, Section D, Page 16.)
163	611042	Flywheel (Ring gear flywheel requiredon engines using
100		110-120 volt starter motor kits listed above) (Use on Std.
		point ignitions)
163	611085	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter motor kits listed above) (Use on solid
		state ignitions)