


|    |         | Description                                  |
|----|---------|--|
|    | 34913A  | Cylinder (Incl. 8, 11, 94 & 94A) (2-5 /8" )  |
|    | 28277   | Washer, Flat                                 |
| 3  | 30669   | Rod, Governor                                |
| 4  | 31357   | Lever, Governor                              |
| 5  | 31335   | Clamp, Governor lever                        |
| 6  | 650548  | Screw, 8-32 x 5/16"                          |
| 7  | 31361   | Spring, Governor                             |
| 8  | 32630   | Seal, Oil                                    |
| 9  | 29536   | Baffle, Blower housing (Use as requir ed)    |
| 9  | 35256A  | Blo.Hsg.Baffle (W/E.S.knock-out)(As r eq.)   |
|    | 650561  | Screw, 1/4-20 x 5/8"                         |
|    | 27652   | Pin, Dowel                                   |
|    | 34878   | Crankshaft (Incl. 13 & 14)                   |
|    | 29783   | Pin, Crankshaft gear                         |
|    | 27884   | Gear, Crankshaft                             |
|    | 34531   | Piston, Pin & Ring Set (2-5/8") (Std. )      |
|    | 34532   | Piston, Pin & Ring Set (.010" OS)            |
|    | 34533   | Piston, Pin & Ring Set (.020" OS)            |
|    | 33312B  | Piston & Pin Ass'y. (Incl.17)(2-5/8") (Std.) |
|    | 33313B  | Piston & Pin Ass'y. (Incl. 17) (.010" OS)    |
|    | 33314B  | Piston & Pin Ass'y. (Incl. 17) (.020" OS)    |
|    | 34854   | Ring Set (2-5/8") (Std.)                     |
|    | 34855   | Ring Set (.010" OS)                          |
|    | 34856   | Ring Set (.020" OS)                          |
|    | 27888   |  |
|    |         | Ring, Piston pin retaining                   |
|    | 31380C  | Rod Assy., Connecting (Incl. 19)             |
|    | 650662C | Bolt, Connecting rod (Incl. 2 pieces)        |
|    | 34034   | Lifter, Valve                                |
|    | 32114   | Camshaft (MCR)                               |
|    | 30622A  | Extension, Blower housing                    |
|    | 650128  | Screw, 10-24 x 1/2"                          |
|    | 30688   | Screw, 1/4-20 x 1/2"                         |
|    | 31356   | Pump Assy., Oil                              |
|    | 30684   | * Gasket, Cylinder cover                     |
|    | 31471C  | Flange Ass'y. (Incl. 29,30,31,33,182 & 183)  |
|    | 27642   | Plug, Pipe (sq.hd, 1/4-28)                   |
|    | 27897   | Seal, Oil                                    |
|    | 30668   | Shaft, Mech. Governor                        |
|    | 31707A  | Governor Spacer Assy. (Incl. 33)             |
|    | 30590A  | Washer, Flat (2 required)                    |
|    | 30591   | Gear Assy., Governor                         |
|    | 29193   | Ring, Retaining                              |
|    | 30588A  | Spool, Governor                              |
|    | 31355   | Screen, Oil filter (Use as required)         |
|    | 29117   | Screw, 8-32 x 5/16" (Use as required)        |
| 39 | 650488  | Screw, 1/4-20 x 1-1/4"                       |
|    | 32783   | Intake Valve (Std.) (Incl. 44)               |
| 40 | 32784   | Intake Valve (1/32" OS) (Incl. 44)           |
| 41 | 27878A  | Exhaust Valve (Std.) (Incl. 44)              |
| 41 | 27880A  | Exhaust Valve (1/32" OS) (Incl. 44)          |
| 42 | 27882   | Cap, Upper valve spring                      |
|    | 27881   | Spring, Valve                                |
|    | 32581   | Cap, Lower valve spring                      |
|    | 32589   | Key, Flywheel                                |
|    | 650815  | Washer, Belleville                           |
|    | 8116    | Nut, Washer, 1/2-20                          |
|    | 28938B  | * Gasket, Head                               |
|    | 30938A  | Head, Cylinder (Incl. 54)                    |
| 51 |         | ·····, ·······························       |

|    | Part Number Qt     |   |
|----|--------------------|---|
| 52 | 33636              | Resistor Spark Plug (RJ-8)                    |
| 52 | 34251              | Resistor Spark Plug (RJ-17LM)                 |
|    | 30939A             | Cover Assy., Cylinder head                    |
|    | 26073              | Washer, Flat (Use as required)                |
|    |                    |   |
|    | 650690             | Washer, Belleville (Use as required)          |
|    | 650691             | Washer, Flat (Use as required)                |
|    | 650694A            | Screw, 5/16-18 x 2" (Use as required)         |
| 54 | 650697A            | Screw, 5/16-18 x 2-1/2" (Use as requi red)    |
| 56 | 27896              | * Gasket, Breather cover                      |
| 57 | 28423              | Body, Breather                                |
|    | 28424              | Element, Breather                             |
|    | 28425              | Cover, Valve spring box                       |
|    | 27627              |   |
|    |                    | Tube, Breather                                |
|    | 650128             | Screw, 10-24 x 1/2"                           |
|    | 26756              | * Gasket, Carburetor                          |
| 63 | 32632              | Pipe, Intake                                  |
| 65 | 27272              | * Gasket, Air cleaner                         |
| 66 | 31691              | Bracket, Air cleaner                          |
|    | 28820              | Screw, 10-32 x 1/2"                           |
|    | 30727              | Element, Air cleaner                          |
|    | 31715              |   |
|    |                    | Body, Air cleaner                             |
|    | 650152             | Screw, 8-32 x 3/8"                            |
|    | 27915              | * Gasket, Intake to cylinder                  |
| 72 | 650378             | Screw, 5/16-18 x 1-1/8"                       |
| 73 | 31823              | Link, Throttle                                |
| 74 | 32582              | Link, Governor spring                         |
|    | 32181A             | Control Assy., Speed (Incl. 76, 77 & 78)      |
|    | 31342              | Spring, Compression                           |
|    | 650549             | Screw, 5-40 x 7/16"                           |
|    |                    |   |
|    | 610973             | Terminal Ass'y. (Use as required)             |
|    | 30200              | Screw, 10-24 x 9/16"                          |
|    | 32629B             | Blower Housing (Incl. 121 & 122)(Elec . Str.) |
| 81 | 29747B             | Screw, 5/16-24 x 21/32"                       |
| 82 | 27930              | * Gasket, Exhaust                             |
| 83 | 28269              | Muffler                                       |
|    | 31588              | Plate, Muffler locking                        |
|    | 30196              | Screw, 5/16-18 x 3/4" (Use as require d)      |
|    |                    |   |
|    | 650696             | Screw, 5/16-18 x 2-3/4" (Use as required)     |
|    | 650697A            | Screw, 5/16-18 x 2-1/2" (Use as requi red)    |
|    | 32125              | Cup, Starter                                  |
|    | 35009              | Screen, Starter                               |
| 88 | 29716              | Screw, 1/4-28 x 7/16"                         |
|    | 32926              | Fuel Tank (Incl. 90)                          |
|    | 33032              | Fuel Cap (Use as required)                    |
|    | 34210              | Fuel Cap (Use as required)                    |
|    |                    |   |
|    | 29774              | Fuel Line (8-1/4") (Use as required)          |
|    | 30962              | Fuel Line (32") (Use as required)             |
|    | 27793              | Clip, Conduit                                 |
|    | 28942              | Screw, 10-32 x 3/8"                           |
| 95 | 34249              | Dipstick (Incl. 95A)                          |
|    | 33590              | "O" Ring`                                     |
|    | 6201               | Screw, 1/4-28 x 7/8" (Use as required )       |
|    | 650372             | Screw, 1/4-20 x 13/16" (Use as required )     |
|    |                    |   |
|    | 30831              | Ground Wire                                   |
| 98 | 33549              | Clamp, Tank hold down                         |
|    | 33548              | Deflector, Fuel                               |
| 99 | JJJ <del>1</del> 0 |   |
|    | 33323              | Screen, Muffler (Use as required)             |

| Ref # | Part Number | Qty | Description  |
|-------|-------------|-----|--|
| 123   | 610118      |     | Cover, Spark plug (Use as required)  |
| 133B  | 730127      |     | A/C Assy. (Incl.65,66,67,68A,69,70,13 4)                                       |
| 157   | 631021      |     | Inlet Needle, Seat & Clip Assy.  |
| 158   | 632233      |     | Carburetor (Incl. 62) (Refer to Division 5, Section A, page 182 for breakdown) |
| 160   | 590420      |     | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)         |
| 164   | 33234A      |     | * Gasket Set (Incl. items marked *)  |



|      |         | Description  |
|------|---------|--|
|      | 33876   | Gasket, Stator   |
|      | 650489  | Screw, 1/4-20 x 5/8"   |
|      | 26073   | Washer, Flat (Use as required)                                 |
|      | 650690  | Washer, Belleville (Use as required)                           |
|      | 29747B  | Screw, 5/16-24 x 21/32"  |
|      | 27930   | * Gasket, Exhaust  |
| 83C  | 391026  | Muffler (Incl. 115, 116 & 117) (This spark arrestor mufflercan |
|      |         | be used on any model)  |
| 85   | 30196   | Screw, 5/16-18 x 3/4" (Use as require d)                       |
| 85   | 650696  | Screw, 5/16-18 x 2-3/4" (Use as required)                      |
| 85   | 650697A | Screw, 5/16-18 x 2-1/2" (Use as required)                      |
| 91   | 29774   | Fuel Line (8-1/4") (Use as required)                           |
| 91   | 30962   | Fuel Line (32") (Use as required)                              |
| 100  | 26460   | Clamp, Fuel line (Use as required)                             |
| 103B | 34248   | Tube, Oil fill   |
| 104  | 34247   | Bushing, Fill tube   |
|      | 650562  | Screw, 10-32 x 1/2"  |
|      | 33323   | Screen, Muffler (Use as required)                              |
|      | 33700   | Cover & tube, Muffler (Use as require d)                       |
|      | 650578  | Screw, 8-18 x 3/8" (Use as required)                           |
|      | 28545   | Grommet, Plastic   |
|      | 650643  | Screw, 8-18 x 3/8"   |
|      | 33356   | Terminal, Ground   |
|      | 31288   | Muffler Adapter Kit (Incl.82 & 85)(As req.)                    |
|      | 730130  | Muffler Adap. Kit (Incl.82 & 85)(As r eq.)                     |
|      | 30547A  | Contact Assy., Breaker   |
|      | 30548B  | Condenser  |
|      | 611038  | Magneto NOTE: The complete magneto is not available as         |
|      |         | an assembly. The magneto number is shown for reference         |
|      |         | purposes only. Order component parts individually as shown     |
|      |         | in parts list. (Refer to Division 5, Section B, page 39 for    |
|      |         | breakdown)   |
|      | 200000  | ,  |
| 162  | 33329D  | Starter Motor Kit (110-120 volt) (Refer to service number      |
|      |         | stamped on end cap of motor, or on decal, for identification.  |
|      |         | For breakdown see Division 5, Section D, Page 16.)             |
| 163  | 611042  | Flywheel (Ring gear flywheel requiredon engines using          |
|      |         | 110-120 volt starter motor kits listed above) (Use on Std.     |
|      |         | point ignitions)   |
| 400  | 044005  |  |
| 163  | 611085  | Flywheel (Ring gear flywheel requiredon engines using          |
|      |         | 110-120 volt starter motor kits listed above) (Use on solid    |
|      |         | state ignitions)   |
|      |         |  |