


ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY OEM.




| Ref # | Part Number | Qty | Description                                    |
|-------|-------------|-----|------------------------------------------------|
|       | 1 35421     |     | Cylinder (Incl. 2 & 20) (3-5/16" Bore )        |
|       | 2 27652     |     | Dowel Pin                                      |
|       | 14 28277    |     | Washer                                         |
|       | 15 35082    |     | Governor Rod                                   |
|       | 16 32651    |     | Governor Lever                                 |
|       | 17 29916    |     | Governor Lever Clamp                           |
|       | 18 650548   |     | Screw, 8-32 x 5/16"                            |
|       | 19A 35988   |     | Extension Spring                               |
|       | 20 35319    |     | Oil Seal                                       |
|       | 25 35326    |     | Blower Housing Baffle                          |
|       | 26 650561   |     | Screw, 1/4-20 x 5/8"                           |
|       | 28 30322    |     | Lock Nut, 8-32                                 |
|       | 35 29826    |     | Screw, 10-32 x 3/4"                            |
|       | 36 29918    |     | Lock Washer                                    |
|       | 37 29216    |     | Lock Nut, 10-32                                |
|       | 38 29642    |     | Retaining Ring                                 |
|       | 51 35315A   |     | Counterbalance Weight                          |
|       | 60 33273A   |     | Blower Housing Extension                       |
|       | 62 650760   |     | Screw, 8-32 x 3/8"                             |
|       | 63 28545    |     | Grommet                                        |
|       | 64 30063    |     | Screw, Torx T-30, 1/4-20 x 1/2"                |
|       | 65 650128   |     | Screw, 10-24 x 1/2"                            |
|       | 68 33356    |     | Ground Terminal                                |
|       | 90 611091   |     | Flywheel (w/ring gear)                         |
|       | 92 650880   |     | Lock Washer                                    |
|       | 93 650881   |     | Flywheel Nut, 5/8-18                           |
|       | 100 35135   |     | Solid State Ignition                           |
|       | 101 610118  |     | Spark Plug Cover (use as required)             |
|       | 102 650872  |     | Solid State Mounting Stud                      |
|       | 103 650814  |     | Screw, Torx T-15, 10-24 x 1"                   |
|       | 119 34923A  |     | * Cylinder Head Gasket                         |
|       | 120 34030A  |     | Cylinder Head                                  |
|       | 125 27878A  |     | Exhaust Valve (Std.) (Incl. 151)               |
|       | 126 34035   |     | Intake Valve (Std.) (Incl. 151)                |
|       | 127 650691  |     | Washer (Do not use with 6021A screw)           |
|       | 128 650690  |     | Belleville Washer                              |
|       | 130 650694A |     | Screw, 5/16-18 x 2"                            |
|       | 131 6021A   |     | Screw, 5/16-18 x 1-1/2" (Do not use w /650691) |
|       | 135 33636   |     | Resistor Spark Plug (RJ17LM)                   |
|       | 149 27882   |     | Valve Spring Cap (Exhaust)                     |
|       | 150 27881   |     | Valve Spring                                   |
|       | 151 32581   |     | Valve Spring Keeper                            |
|       | 169 27896A  |     | * Valve Cover Gasket                           |
|       | 170 28423   |     | Breather Body                                  |
|       | 171 28424   |     | Breather Element                               |
|       | 172 28425   |     | Valve Cover                                    |
|       | 173 35350   |     | Breather Tube                                  |
|       | 174 650128  |     | Screw, 10-24 x 1/2"                            |
|       | 186A 35989  |     | Choke Link                                     |
|       | 186 33860   |     | Governor Link                                  |
|       | 200 35956   |     | Control Bracket (remote) (Incl. 203 & 204)     |
|       | 203 36208   |     | Compression Spring                             |
|       | 204 650690  |     | Screw, 6-32 x 1-1/8"                           |
|       | 209 650902  |     | Screw, 10-32 x 7/16"                           |
|       | 210 27793   |     | Conduit Clip                                   |
|       | 211 28942   |     | Screw, 10-32 x 3/8"                            |
|       | 238 650834  |     | Screw, 10-32 x 1-17/32"                        |
|       | 245A 35404  |     | Air Cleaner Filter                             |

| Ref # | Part Number | Qty | Description                                                                                                                                                |
|-------|-------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | 260 34094B  |     | Blower Housing (For electric starter) NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. |
|       | 261 650788  |     | Screw, 5/16-18 x 3/4"                                                                                                                                      |
|       | 262 29747B  |     | Screw, Torx T-40, 5/16-24 x 21/32"                                                                                                                         |
|       | 264A 650738 |     | Screw, 1/4-20 x 5/8"                                                                                                                                       |
|       | 265 33272B  |     | Cylinder Head Cover                                                                                                                                        |
|       | 281 33013   |     | Starter Bubble Cover                                                                                                                                       |
|       | 282 650760  |     | Screw, 8-32 x 3/8"                                                                                                                                         |
|       | 285 35985A  |     | Starter Cup                                                                                                                                                |
|       | 286 35446   |     | Starter Screen                                                                                                                                             |
|       | 287 29752   |     | Nut & Lock Washer, 1/4-28                                                                                                                                  |
|       | 290 29774   |     | Fuel Line (braided 8-1/4") (21 cm)                                                                                                                         |
|       | 292A 35864  |     | Fuel Filter Clamp                                                                                                                                          |
|       | 298 28763   |     | Screw, 10-32 x 35/64"                                                                                                                                      |
|       | 300 33583B  |     | Fuel Tank (Incl. 292, 298 & 301)                                                                                                                           |
|       | 308A 33997  |     | Fill Tube Clip                                                                                                                                             |
|       | 325 29443   |     | Wire Clip                                                                                                                                                  |
|       | 327 35392   |     | Starter Plug                                                                                                                                               |
|       | 355 590574  |     | Starter Handle                                                                                                                                             |
|       | 370 34346   |     | Instruction Decal                                                                                                                                          |
|       | 370A 34686  |     | Name Decal                                                                                                                                                 |
|       | 390 590671  |     | Rewind Starter                                                                                                                                             |

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY OEM.

VIEW 2 of 4












| Ref # | Part Number | Qty | Description                               |
|-------|-------------|-----|-------------------------------------------|
| 28    | 30322       |     | Lock Nut, 8-32                            |
| 30    | 35429A      |     | Crankshaft                                |
| 40    | 35776       |     | Piston, Pin & Ring Set (Std.) (3-5/16 ")  |
| 40    | 35777       |     | Piston, Pin & Ring Set (.010" OS)         |
| 40    | 35778       |     | Piston, Pin & Ring Set (.020" OS)         |
| 41    | 35773       |     | Piston & Pin Ass'y. (Std.) (Incl. 43)     |
| 41    | 35774       |     | Piston & Pin Ass'y. (.010" OS) (Incl. 43) |
| 41    | 35775       |     | Piston & Pin Ass'y. (.020" OS) (Incl. 43) |
| 42    | 35779       |     | Ring Set (Std.)                           |
| 42    | 35780       |     | Ring Set (.010" OS)                       |
| 42    | 35781       |     | Ring Set (.020" OS)                       |
| 43    | 35772       |     | Piston Pin Retaining Ring                 |
| 45    | 35330A      |     | Connecting Rod (Incl. 46 & 47)            |
| 46    | 650908      |     | Connecting Rod Bolt                       |
| 47    | 650882      |     | Connecting Rod Bolt                       |
| 48    | 34034       |     | Valve Lifter                              |
| 50    | 35381       |     | Camshaft (MCR)                            |
| 51    | 35315A      |     | Counterbalance Weight                     |
| 52    | 31356       |     | Oil Pump                                  |
| 69    | 35317       |     | * Mounting Flange Gasket                  |
| 70    | 35711A      |     | Mounting Flange (Incl. 72, 75 & 80)       |
| 72    | 31927       |     | Oil Drain Plug                            |
| 75    | 35319       |     | Oil Seal                                  |
| 80    | 30668       |     | Governor Shaft                            |
| 80    | 35783       |     | Governor Shaft                            |
| 81    | 30590A      |     | Washer                                    |
| 82    | 35378       |     | Governor Gear (Incl. 81)                  |
| 83    | 30588A      |     | Governor Spool                            |
| 84    | 29193       |     | Retaining Ring                            |
| 86    | 650833      |     | Screw, 1/4-20 x 1-3/16"                   |
| 88    | 31707A      |     | Spacer (Incl. 81)                         |
| 89    | 32589       |     | Flywheel Key                              |
| 123   | 33261       |     | Intake pipe Brace                         |
| 124   | 650738      |     | Screw, 1/4-20 x 5/8"                      |
| 178   | 29752       |     | Nut & Lock Washer, 1/4-28                 |
| 182   | 30088A      |     | Screw, 1/4-28 x 1"                        |
| 184   | 33263       |     | * Carburetor To Intake Pipe Gasket        |
| 185   | 34926       |     | Intake Pipe                               |
| 186A  | 35989       |     | Choke Link                                |
| 203   | 36208       |     | Compression Spring                        |
| 204   | 650690      |     | Screw, 6-32 x 1-1/8"                      |
| 223   | 650378      |     | Screw, Torx T-30, 5/16-18 x 1-1/8"        |
| 224   | 27915A      |     | * Intake Pipe Gasket                      |
| 238   | 650834      |     | Screw, 10-32 x 1-17/32"                   |
| 239   | 33629       |     | * Carburetor Gasket                       |
| 240   | 35538B      |     | Air Cleaner Body (Incl. 239)              |
| 245A  | 35404       |     | Air Cleaner Filter                        |
| 245   | 35403       |     | Air Cleaner Filter (Incl. 251)            |
| 250   | 35405       |     | Air Cleaner Cover                         |
| 251A  | 650825      |     | Nut & Lock Washer, 1/4-20                 |
| 251   | 650886      |     | Wing Nut, 1/4-20                          |
| 252   | 650887      |     | Screw, 1/4-20 x 1"                        |
| 290   | 29774       |     | Fuel Line (braided 8-1/4") (21 cm)        |
| 292A  | 35864       |     | Fuel Filter Clamp                         |
| 296   | 34279B      |     | Fuel Filter (Incl. 292)                   |
| 305   | 35574       |     | Oil Tube                                  |
| 307   | 35499       |     | "O" Ring                                  |
| 308   | 35437       |     | Fill Tube Clip                            |

| Ref # | Part Number | Qty | Description                                                                                             |
|-------|-------------|-----|---------------------------------------------------------------------------------------------------------|
| 310   | 35576       |     | Dipstick                                                                                                |
| 379   | 631021      |     | Inlet Needle, Seat & Clip Ass'y.                                                                        |
| 380   | 632588      |     | Carburetor (Incl. 184) (Refer to Division 5, Section A, page A4-6 for breakdown or Fiche 10B, Grid E-9) |
| 400   | 33279G      |     | * Gasket Set (Incl. items marked *)                                                                     |
| 420   | 730225      |     | SAE 30 4-Cycle Engine Oil (Quart)                                                                       |

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY OEM.

VIEW 3 of 4






| Ref # | Part Number | Qty | Description                               |
|-------|-------------|-----|-------------------------------------------|
| 28    | 30322       |     | Lock Nut, 8-32                            |
| 51    | 35315A      |     | Counterbalance Weight                     |
| 62    | 650760      |     | Screw, 8-32 x 3/8"                        |
| 63    | 28545       |     | Grommet                                   |
| 64    | 30063       |     | Screw, Torx T-30, 1/4-20 x 1/2"           |
| 68    | 33356       |     | Ground Terminal                           |
| 110A  | 35349       |     | Ground Wire                               |
| 186A  | 35989       |     | Choke Link                                |
| 203   | 36208       |     | Compression Spring                        |
| 204   | 650690      |     | Screw, 6-32 x 1-1/8"                      |
| 210   | 27793       |     | Conduit Clip                              |
| 211   | 28942       |     | Screw, 10-32 x 3/8"                       |
| 238   | 650834      |     | Screw, 10-32 x 1-17/32"                   |
| 245A  | 35404       |     | Air Cleaner Filter                        |
| 274   | 35865       |     | Exhaust Gasket (use as required)          |
| 415   | 730130      |     | Exh.Adapter Kit(Incl.274 & 277)(As Re q.) |



ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY OEM.

STANDARD POINT IGNITION

VIEW 4 of 4





MUFFLER (QUIET)  
(OPTIONAL)



OPTIONAL SPARK  
ARRESTOR



DEBRIS SCREEN KIT  
(OPTIONAL)



| Ref # | Part Number | Qty | Description                                                                                                                                                |
|-------|-------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 16    | 32651       |     | Governor Lever                                                                                                                                             |
| 19A   | 35988       |     | Extension Spring                                                                                                                                           |
| 19    | 34043       |     | Extension Spring                                                                                                                                           |
| 28    | 30322       |     | Lock Nut, 8-32                                                                                                                                             |
| 51    | 35315A      |     | Counterbalance Weight                                                                                                                                      |
| 92    | 650880      |     | Lock Washer                                                                                                                                                |
| 93    | 650881      |     | Flywheel Nut, 5/8-18                                                                                                                                       |
| 103   | 650814      |     | Screw, Torx T-15, 10-24 x 1"                                                                                                                               |
| 186A  | 35989       |     | Choke Link                                                                                                                                                 |
| 186   | 33860       |     | Governor Link                                                                                                                                              |
| 200   | 35956       |     | Control Bracket (remote) (Incl. 203 & 204)                                                                                                                 |
| 203   | 36208       |     | Compression Spring                                                                                                                                         |
| 204   | 650690      |     | Screw, 6-32 x 1-1/8"                                                                                                                                       |
| 209   | 650902      |     | Screw, 10-32 x 7/16"                                                                                                                                       |
| 210   | 27793       |     | Conduit Clip                                                                                                                                               |
| 211   | 28942       |     | Screw, 10-32 x 3/8"                                                                                                                                        |
| 238   | 650834      |     | Screw, 10-32 x 1-17/32"                                                                                                                                    |
| 245A  | 35404       |     | Air Cleaner Filter                                                                                                                                         |
| 260   | 34094B      |     | Blower Housing (For electric starter) NOTE: Replacement hardware may differ when servicing starter assy. or blower housing. Refer to Service Bulletin 508. |
| 261   | 650788      |     | Screw, 5/16-18 x 3/4"                                                                                                                                      |
| 262   | 29747B      |     | Screw, Torx T-40, 5/16-24 x 21/32"                                                                                                                         |
| 275C  | 35824       |     | Muffler (quiet) (optional)                                                                                                                                 |
| 286   | 35446       |     | Starter Screen                                                                                                                                             |
| 287   | 29752       |     | Nut & Lock Washer, 1/4-28                                                                                                                                  |
| 287A  |             |     | Pop Rivet (can be purchased locally)                                                                                                                       |
| 327   | 35392       |     | Starter Plug                                                                                                                                               |
| 390   | 590671      |     | Rewind Starter                                                                                                                                             |
| 408   | 35570       |     | Screen Seal (Optional)                                                                                                                                     |
| 409   | 35569       |     | Spacer (Optional)                                                                                                                                          |
| 410   | 730573      |     | Opt.Screen Kit (Incl.370D,408,409,411 ,413)                                                                                                                |
| 411   | 35568       |     | Debris Screen (Optional)                                                                                                                                   |
| 413   | 650907      |     | Screw, 5/16-18 x 1-5/8" (Optional)                                                                                                                         |
| 416   | 34479A      |     | Spark Arrestor Kit                                                                                                                                         |
| 425   | 730572      |     | Starter Muff Kit (Incl.370,426,427)(O pt.)                                                                                                                 |
| 426   | 34687       |     | Starter Air Cleaner (Optional)                                                                                                                             |
| 427   | 34869       |     | Starter Air Cleaner Bracket (Optional )                                                                                                                    |